





SEKERS

DIVA



DIVA

FLAME RESISTANCE:

Upholstery: BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS7176: Medium Hazard
When tested over CMHR foam – density approx. 35 kg/m³

Curtains: BS5867: Part 2 Type B

Bedding: BS7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 7 (Curtains)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 42% Viscose 34% Cotton 24% Polyester

Width: 140 cm

Weight: 450 gms/m²

Martindale: 120,000

Usage: Severe Contract Upholstery, Contract Curtains & Bedding

Cleaning:     



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk

Export: export@sekers.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE





TEAL



SNOWDROP



FEATHER GREY



CHALK PINK



GOLD



OATMEAL



PUTTY



SIMPLY TAUPE



ZINC



CHAMPAGNE BEIGE



CHARCOAL GREY



AUBERGINE



CHOCOLATE



MIDNIGHT NAVY



JET



DUSK



MOSS



HOT PINK



RED ROSE



ROSEWOOD



TIGERLILLY



SEKERS

ENCHANTED

Usage: Contract Curtains & Bedding



ENCHANTED

FLAME RESISTANCE:

Curtains:	BS5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	139 cms
Weight:	219 grms/m ²
Repeat:	N/A
Usage:	Contract Curtains & Bedding
Cleaning:	     



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



02 MINERAL BLUE



20 GRASS




18 LIME ZEST



21 WILLOW




19 PALM




01 KINGFISHER




05 INDIGO



03 OCEAN




04 SAPPHIRE




22 SEASPRAY



13 TIGERLILLY




17 MARZIPAN



14 TOPAZ



16 SUNSHINE




15 CLEMENTINE




11 LOLLIPOP




10 ROSE




08 PALE BLUSH



06 ELDERBERRY



09 DUSKY PINK



33 FEATHER GREY



12 GARNET




29 SNOWDROP



31 BRIGHT WHITE




23 PARCHMENT




07 LAVENDER



35 JET



32 METAL



34 PEWTER




28 WARM SAND



24 SILVER MINK




27 PUTTY



25 SIMPLY TAUPE



30 OATMEAL



26 CHESTNUT



sekers



GINZA

Usage: Contract Curtains & Bedding



GINZA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 (Curtains)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Trevira CS
Width:	Kenzo: 282 cm (weighted) Reiko: 150 cm Yohji: 302 cm (weighted)
Weight:	Kenzo: 47 g/m ² Reiko: 152 g/m ² Yohji: 61 g/m ²
Repeat:	Kenzo: n/a Reiko: 28.4 cm V 15.3cm H Yohji: 1.3cm V
Pilling	Reiko: 4-5
Usage:	Kenzo and Yohji (Contract Curtains) Reiko (Contract Curtains and Contract Bedding)
Cleaning:	     Kenzo – NO STEAM



ALL SALES AND EXPORT ENQUIRIES TO:


Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE




KENZO



01 PARCHMENT



02 SKY



03 MARBLE


YOHJI




03 CHAMPAGNE



04 FROST



01 SMOKE



02 DOVE

REIKO



04 PUTTY




05 HARVEST



09 DUCKEGG



06 TIGERLILLY



08 DUSK




07 ROSE


REIKO




01 SILVER




02 MUSHROOM




03 CEMENT



10 SKY



11 GRAPHITE



12 CHARCOAL

Ginza

SEKERS introduces GINZA, a collection inspired by the famous Tokyo fashion district. Made of 100% Trevira CS and with a refined drape and subtle lustre, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying curtains, bedding or accessories for the hospitality, leisure and marine markets.





SEKERS

HARRIS TWEED

SEKERS

HARRIS TWEED


FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS5857: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA	USA NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	100% Wool
Width:	150 cms
Weight:	330 gms/sq mtr
Repeat:	Check: 7.0 cm V 5.5 cm H Dogtooth: N/A Herringbone: N/A
Martindale:	45,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	    




ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk






CHECK SLATE GREY



CHECK OCEAN SPRAY



CHECK BRACKEN




CHECK WINTER WHEAT



CHECK BURNT UMBER



CHECK PEATLAND



DOGTOTH SLATE GREY



DOGTOTH OCEAN SPRAY



DOGTOTH BRACKEN



DOGTOTH WINTER WHEAT



DOGTOTH BURNT UMBER




DOGTOTH PEATLAND



HERRINGBONE SLATE GREY



HERRINGBONE OCEAN SPRAY



HERRINGBONE BRACKEN



HERRINGBONE WINTER WHEAT



HERRINGBONE BURNT UMBER



HERRINGBONE PEATLAND



SEKERS

KENTIA



KENTIA

FLAME RESISTANCE: When backcoated or treated for F.R.

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard when tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2 Type B.
Bedspreads:	BS 7175: 1989 Section 3 - Ignition Source 5, above and below EN ISO 12952: 1998 Parts 1 to 4 - Smouldering Cigarette and Small Open Flame Ignition Sources.
IMO:	IMO FTPC Part 8 (Upholstery).
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	55% Cotton 45% Viscose – 100% Viscose Pile
Width:	140 cm
Weight:	580 g/m ² (650 g/m ² FR Backcoated)
Martindale:	200,000+
Usage:	Severe Contract Upholstery, Curtains & Bedding
Cleaning:	

Stocked Crib 5, please specify usage when placing order.



ALL SALES AND SAMPLING ENQUIRIES TO:


Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



48 FEATHER GREY



08 OYSTER



49 PUTTY



06 OATMEAL



05 NATURAL



41 SCARLET



23 METAL



29 MINK



19 ROSEWOOD



26 EBONY



21 AUBERGINE



20 PLUM



12 SAGE



34 OLD GOLD



11 MOSS



28 PECAN



52 SILVER GREEN




45 INDIGO



18 RUSSET



38 RUBY



47 AZURE



39 CLARET



46 GRAPHITE



sekers

LANA

SEKERS

LANA

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx 35kg/m³.

Curtains: BS 5867: Part 2, Type B

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 140 cm

Weight: 385 g/m² (530 g/m² FR backcoated)

Martindale: 40,000

Usage: Severe Contract Upholstery, Curtains & Bedspreads
*Please specify FR requirements when placing order

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502


UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



17 BUTTERCUP



51 TOFFEE



25 PORT




26 RUBY




23 RED ROSE




24 CLARET




22 APRICOT NECTAR




20 AUTUMN GINGER




50 TOPAZ




21 TIGERLILLY




16 OCHRE




15 TAN



1 BROWN SUGAR



2 BUTTERNUT




19 GLAZED GINGER



11 IVORY



10 VANILLA




9 SHELL




43 WINTER WHITE




44 PUTTY



13 WARM SAND



8 FEATHER GREY



41 SILVER CLOUD



5 JET



55 DAMSON



58 TEAL




7 LONDON FOG



27 HEATHER ROSE



29 AUBERGINE



28 DUSK



49 ROSE WINE



56 BLUE CORAL



31 FLINT STONE



32 DAZZLING BLUE



30 SAPPHIRE



42 SNOW WHITE



12 SNOWDROP




54 MACAW GREEN



33 DILL



35 MOSS



34 WILLOW




6 MINK



47 CHESTNUT



3 TEAK




4 CHOCOLATE



46 COCOA



45 LATTE



14 PALE GOLD



sekers

MALMO



MALMO

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
Curtains:	BS 5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	85% Wool 15% Nylon
Width:	140 cm
Weight:	463 g/m ²
Martindale:	60,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.


ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk


Website: www.sekersfabrics.co.uk




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



06 LOLLIPOP



05 TIGERLILLY



04 PEONY



07 THISTLE



08 DUSK



01 WINEBERRY



24 COCOA



02 ROSEWOOD



03 CHILLI



25 TERRA



19 METAL



26 MOCHA



14 ZEST



13 CHIVE



15 TURQUOISE




12 SAPPHIRE




16 TEAL



11 MIDNIGHT




21 ZINC




18 PLATINUM



10 FLINT



17 ALUMINIUM



22 SLATE



09 INK



20 TAUPE



23 PEAT



sekers MELFORD WOOL

SEKERS

MELFORD WOOL

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	80% Merino Wool, 20% Polyamide
Width:	138 cm
Weight:	Kersey: 270 g/m ² Kentwell/Lindsey: 265 g/m ²
Repeat:	Kersey: 8 cm V, 8 cm H Kentwell/Lindsey: N/A
Martindale:	50,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	☒ ☒ ☒ ☒ ☒

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502


UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA
member






KERSEY ROSEWOOD 01




KERSEY DOVE GREY 02




KERSEY SILVER CLOUD 03



KERSEY PEWTER 04




KERSEY BLUE GRAPHITE 05



KERSEY PUTTY 06



KERSEY BRACKEN 07



KERSEY OCHRE 08



KERSEY SAGE 09




KERSEY AUTUMN GINGER 10



KERSEY TIGERLILLY 11




KERSEY DARK EARTH 12




LINDSEY ROSEWOOD 01




LINDSEY DOVE GREY 02




LINDSEY SILVER CLOUD 03




LINDSEY PEWTER 04




LINDSEY BLUE GRAPHITE 05




LINDSEY PUTTY 06




LINDSEY BRACKEN 07




LINDSEY OCHRE 08




LINDSEY SAGE 09



LINDSEY AUTUMN GINGER 10



LINDSEY TIGERLILLY 11



LINDSEY DARK EARTH 12




KENTWELL ROSEWOOD 01




KENTWELL DOVE GREY 02



KENTWELL SILVER CLOUD 03



KENTWELL PEWTER 04



KENTWELL BLUE GRAPHITE 05



KENTWELL PUTTY 06



KENTWELL BRACKEN 07



KENTWELL OCHRE 08



KENTWELL SAGE 09



KENTWELL AUTUMN GINGER 10



KENTWELL TIGERLILLY 11



KENTWELL DARK EARTH 12



sekers



OLYMPIA

SEKERS

OLYMPIA

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Bainbridge:	295 cm
	Vashon:	297 cm (weighted)
Weight:	Bainbridge:	265 g/m ²
	Vashon:	52 g/m ²
Pilling:	Bainbridge:	4-5
Usage:	Bainbridge Contract Curtains and Contract Bedding Vashon Contract Curtains	
Fabric Direction:	Both fabrics are designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.	
Delivery:	Fabric will be delivered folded half width on rolls.	
Cleaning:	    	

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502


UK & Ireland Email: sales@sekercs.co.uk **Export Email:** export@sekercs.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

VASHON



01 SNOW



09 SILVER



08 IVORY



02 CREAM



07 GLACIER



03 SAND



06 OATMEAL




04 SESAME




05 ALMOND

BAINBRIDGE



21 BLUEBELL




23 SURF



22 COBALT




05 CLOUD



14 MIST



03 FROST



24 SMOKE



01 EGGSHELL



25 CHARCOAL

BAINBRIDGE



06 BONE




09 STRAW



07 BEIGE




10 HESSIAN




12 CHAMPAGNE




13 LINEN




20 ROSE



16 ZINC



18 DUSK



17 LAVENDER



19 TULIPWOOD

Olympia

SEKER'S introduces OLYMPIA, a collection of two wide width curtain fabrics. Both inherently FR, Bainbridge is a versatile textured plain drapery with a contemporary matte linen look and Vashon, supplied with a weighted band, is a sheer with elegant simplicity and subtle sheen. Olympia is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

RIPPLE

SEKERS

RIPPLE

FLAME RESISTANCE:

Upholstery: BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS7176: Medium Hazard
When tested over CMHR foam - density approx. 35 kg/m³

Curtains: BS 5867: Part 2 Type B

Bedding: BS7175: 1989, Section 3 - Ignition Source 5

IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 8 (Upholstery)

USA: USA CAL 117/13

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 80% Viscose 10% Cotton 10% Polyester

Width: 140 cm

Weight: 665 gms/m²

Martindale: 65,000

Pilling: 5

Usage: Severe Contract Upholstery, Contract Curtains & Bedding

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited


7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



NIGHTSHADE



AUTUMN GINGER



TIGERLILLY



POPPY RED



FIG




ROSE TAUPE



CHERRY




DUSK



DILL



JET



MINERAL BLUE



BLUESTONE



BLUE GRAPHITE



WARM SAND



HONEY



GREY GREEN



NEW WHEAT



TOFFEE



LATTE



TEAK



MOONLESS NIGHT



DARK EARTH



SEKERS

ROSSALL



ROSSALL

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³
- Curtains: BS5867: Part 2, Type B
- Bedding: BS7175: 1989, Section 3 – Ignition Source 5
- IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
Please note these images do not represent an exact colour match to the actual fabric.
- Composition: 100% Wool
- Width: 145 cm
- Weight: 340 g/m²
- Repeat: Chingle: Please refer to website or pattern book
Gawthorpe: 21.5cm V 20cm H
Heskin: Please refer to website or pattern book
Thurnham: 19cm V 18.5cm H
- Martindale: 40,000
- Pilling: 4
- Usage: Severe Contract Upholstery, Contract Curtains & Bedding
- Cleaning: 



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



TOP: CHINGLE 08 GRAPHITE

BOTTOM: GAWTHORPE 08 PEWTER

Images do not represent an exact colour match to the actual fabric.

Chingle



01 THISTLE




02 DUSK



03 ROSEWOOD



04 SPICE



05 HARVEST GOLD



06 PEONY



07 ORCHARD

Gawthorpe




01 HEATHER



02 OCEAN SPRAY



03 CARDINAL



04 PUTTY



06 CLARET



07 GLAZED GINGER



05 BROWN SUGAR



TOP: THURNHAM 03 METAL


BOTTOM: HESKIN 03 CHARCOAL

Images do not represent an exact colour match to the actual fabric.

Thurnham




01 MOSS




02 LILAC ASH


Heskin




01 WILLOW




02 MAUVE



04 LAVENDER




05 IVY




06 BERRY



07 SAGE



08 BRACKEN



09 PLUM

Rossall

sekers introduces ROSSALL, a collection of 4 distinctive designs woven in the UK from 100% British wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Rossall is eminently suitable for both drapery and bedding applications.





ROSSALL is inherently fire retardant, meeting all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding. With a high abrasion performance of 40,000 rubs, Rossall is perfect for the most demanding upholstery applications.

SEKERS



SEKER'S

SAHARA

SEKERS

SAHARA

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- Curtains: BS 5857: Part 2 Type B.
- IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 8 (Upholstery)
- Waterproof: Hydrostatic head BS 3424 > 1 mtr
- Soil Resistance: Fluorocarbon soil release treatment to help resist liquid and oil based stains
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester, Waterproof, Anti-bacterial & FR backcoated
- Width: 149 cm (backcoated)
- Weight: 440 grms/m² (backcoated)
- Martindale: >40,000
- Usage: Severe Contract Upholstery & Contract Curtains – Waterproof and Urine Resistant.
- Cleaning: **Washable @ 60°C** **NB: Do Not Dry Clean**
1) Routine mild soap & warm water sponging is effective for ordinary soiling using a “Wipe & Dry” technique
2) Fresh stains, both water & oil based are easily removed using water based household spray cleaning agents

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



36 AUBERGINE



39 LIME ZEST



34 BLUEBERRY



28 WILLOW



44 BYZANTIUM



32 NIGHT BLUE



49 GREEN TEA



45 BLUEJAY



18 ATLANTIC



21 LICHEN



47 CORAL BLUE



01 SNOW



46 DUSK



48 DRIED HERB



24 PUTTY



05 SAND



50 APRICOT



27 CHARCOAL



08 GOLD



11 CHILLI



26 ANTHRACITE



37 TAUPE



51 RED OCHRE



52 JET



31 CAFÉ



SEKERS

STRUCTURES

Usage: Contract Curtains & Bedding



STRUCTURES

FLAME RESISTANCE:

Curtains:	BS 5867 Part 2, Type B		
French:	M1		
German:	DIN4102-B1		
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5		
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)		
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.		
Composition:	100% Polyester FR		
Width:	140 cms		
Weight:	Aspect: 127 gms/m ² Profile: 133 gms/m ² Semblance: 312 gms/m ² Shadow: 191 gms/m ² Silhouette: 182 gms/m ² Symmetry: 160 gms/m ²		
Repeat:	Aspect: 23.5 cm. V, 12 cm. H Profile: 34 cm. V, 26 cm. H Semblance: N/A Shadow: N/A Silhouette: 34 cm. V, 14 cm. H Symmetry: N/A		
Usage:	Contract Curtains and Contract Bedding		
Cleaning:	    		



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH


Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

ASPECT




04 STEEPLE GREY

PROFILE



02 PUTTY

SEMBLANCE



02 FEATHER GREY




01 OATMEAL




03 WARM SAND




05 DUSK



02 PARCHMENT



07 GARNET



06 BLUESTONE




01 OATMEAL




06 GARNET



04 METAL




03 PARCHMENT




05 TIGERLILLY



01 OATMEAL




04 PECAN



05 METAL




03 WARM SAND




06 GARNET

SILHOUETTE




06 METAL

SHADOW




04 STEEPLE GREY


SYMMETRY




04 METAL




01 WARM SAND



03 PARCHMENT




02 ZINC



05 DUSK



04 AQUA HAZE




07 BLUESTONE




06 DUSK



03 AQUA HAZE




05 METAL




02 WARM SAND



01 OATMEAL



01 PARCHMENT




03 STEEPLE GREY



06 TIGERLILLY



02 WARM SAND



05 BLUESTONE



sekers



SUOMI
BLACKOUT CURTAINS

SEKERS

SUOMI

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B		
IMO:	IMO FTPC Part 7 (Curtains)		
USA:	NFPA 701 Curtains		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Inari:	50% Polyacrylic 34% Polyester 16% Cotton	
	Kemi/Turku:	53% Polyester 47% Polyacrylic	
Width:	Inari:	144 cm	
	Kemi:	141 cm	
	Turku:	141 cm	
Weight:	Inari:	447 g/m ²	
	Kemi:	393 g/m ²	
	Turku:	430 g/m ²	
Repeat:	Inari:	61.6 cm V 36.2 cm H	
	Kemi/Turku:	n/a	
Usage:	Blackout Contract Curtains		
Cleaning::	     DO NOT DRY CLEAN		




ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE


INARI




30 LAGOON




36 MIDNIGHT




39 SEASPRAY




18 CHALK




06 SHINGLE




15 PUMICE




03 SMOKE




21 BARLEY



24 STAR




09 GRANITE




45 DUSK


KEMI



28 RAIN




34 COBALT



37 TEAL




16 QUARTZ



04 METAL




13 HEMP




01 CINDER




19 WOOL



22 GLACIER




07 CEMENT




43 PARMA


TURKU



29 AQUA



35 INDIGO




38 CASCADE




17 STORM



05 TIN



14 PUTTY



02 ZINC



20 IVORY



23 FROST



08 BOULDER



44 HEATHER

Suomi

sekers introduces SUOMI, a collection of three designs with 3 pass FR blackout. With a refined drape and subtle shimmer, Suomi is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

TICINO



TICINO

FLAME RESISTANCE


Curtains:	BS5867: Part 2, Type B	
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 9 (Bedding) – Lugano and Riviera IMO FTPC Part 7 (Curtains) – Lugano only	
USA:	USA NFPA 701	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Lugano	141 cm
	Riviera	138 cm
Weight:	Lugano	437 g/m ²
	Riviera	280 g/m ²
Pilling:	4	
Usage:	Contract Curtains and Bedding	
Cleaning:	Lugano	    
	Riviera	    




ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



LUGANO




09 BISCUIT




13 OATMEAL




11 SHELL




10 LATTE




07 MINK




14 LAVENDER




16 AUBERGINE




19 POPPY




18 CRIMSON




21 MEADOW




23 SEASPRAY




20 HARVEST




24 AZURE




02 CHROME




25 INK




01 ASH




06 JET



03 ALUMINIUM



05 GRAPHITE



04 NICKEL

RIVIERA



10 ALMOND



19 ATLANTIC




14 SPRING




18 SAPPHIRE



24 DRAGONFLY




28 PLATINUM



25 TURQUOISE



32 CARBON



30 SMOKE



02 CHAMPAGNE




06 MOCHA



03 PUMICE



44 TIGERLILLY



29 MIST



43 CARDINAL



04 TAUPE



36 WINEBERRY



05 TEAK



35 GRAPE



31 GRANITE

Ticino

sekers introduces TICINO, a collection of two semi-plains suitable for curtains, bedding and accessories. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals. This washable collection meets all UK & USA standards and is the perfect selection for the hospitality and leisure markets.





SEKERS



SEKERS

YUMA

Usage: Contract Curtains & Bedding



YUMA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Trevira CS	
Width:	Durango/Gunnison:	135cm
	Hillerton:	307cm
	Jasper:	142cm
	Telluride:	140cm
Weight:	Durango:	182 gms/m ²
	Gunnison:	174 gms/m ²
	Hillerton:	48 gms/m ²
	Jasper:	201 gms/m ²
Repeat:	Telluride:	243 gms/m ²
	Durango:	27 cm V 27.6 cm H
	Gunnison:	41.5 cm V 27.9 cm H
	Hillerton:	N/A
Pilling:	Jasper:	88.4 cm V 70.8 cm H
	Telluride:	34.5 cm V 35 cm H
Pilling:	Durango/Gunnison/Jasper	4-5
	Hillerton/Telluride	4
Usage:	Contract Curtains and Contract Bedding (excluding Hillerton which is curtains only)	
Cleaning:	    	
	Durango and Gunnison – NO STEAM	



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH


Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

DURANGO




03 ZINC

GUNNISON



03 GRAPHITE


HILLERTON



04 STERLING



04 TAUPE



02 ALMOND




01 MOONSTRUCK




05 BRONZE




06 CARBON



02 PUTTY




05 TERRACOTTA



01 ALUMINIUM




04 MOSS GREY



06 PEAT



02 VANILLA



05 AUTUMN




03 SILVER




01 DIAMOND

JASPER




07 METAL


TELLURIDE



07 FLINT



06 CHARCOAL



01 SMOKE



04 PLATINUM




03 GULL



05 COPPER




02 SUNSHINE




01 CLOUD




05 TIGERLILLY



02 SAGE



06 SLATE



03 PEWTER



04 DOVE

Yuma

sekers introduces YUMA, a collection of four elegant designs with a co-ordinating sheer inspired by the haunting, time worn textures found in abandoned mining towns throughout the Rocky Mountains. With a refined drape and subtle metallic shimmer, Yuma is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





Woven in 100% Trevira CS, an inherently fire retardant fibre, the YUMA collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK & IMO standards for curtains, accessories and bedding as well as German, French and U.S. standards, this washable collection is the perfect selection for any contract application.

SEKERS