SEASONS

sekers

CELEBRATING sekers 80 1938 - 2018 80 YEARS

ABISKO

Usage: Contract Curtains & Bedding

sekers

ABISKO

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Dalarna:	151 cm
	Falun:	150 cm
Weight:	Dalarna:	254 g/m²
	Falun:	250 g/m²
Pilling:	4	
Usage:	Contract Curtains & Contract Bedding	
Cleaning:	40	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

DALARNA

21 CALICO

20 BISCUIT

19 SAND

18 WHEAT

22 GULL

10 KHAKI

08 JUNGLE

07 PERIDOT

25 IRON

27 CHARCOAL

13 DUSK

15 CHILLI

23 FEATHER GREY

28 SLATE

12 LATTE

14 PETAL

04 SEASPRAY

01 AZURE

02 INDIGO

FALUN

07 IVORY

05 BONE

08 NATURAL

17 COIN

01 OYSTER

02 TAUPE

09 OATMEAL

16 MINT

03 ASH

12 JET

20 MAUVE


19 BLUSH

04 CHROME

11 TRUFFLE

13 MIDNIGHT

14 TOPAZ

10 BROWNIE

DALARNA

16 BRICK

FALUN

18 RUBY

Abisko

SEKERS introduces ABISKO, a collection of two subtle, shimmering fabrics suitable for contract curtains, bedding and accessories. Woven in 100% FR polyester and meeting all relevant UK, USA & IMO standards, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.

sekers

ARCADIA

sekers

ARCADIA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Brodie	142 cm
	Glenmore	140 cm
Weight:	Brodie	606 g/m² (FR backcoated)
	Glenmore	600 g/m² (FR backcoated)
Martindale:	Brodie	100,000
	Glenmore	50,000
Wyzenbeek:	100,000 double rubs (cotton duck)	
Usage:	Severe Contract Upholstery	
Cleaning:		

Please refer to our sales office for general spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

BRODIE

13 MIDNIGHT

17 CHIVE

18 MEADOW

14 PEACOCK

09 OATMEAL

10 ECRU

12 ONYX

03 SLATE

11 COFFEE

20 CRANBERRY

04 MIST

02 GREIGE

19 FOX

01 CINDER


05 CHROME

GLENMORE

15 TURQUOISE

BRODIE



15 SPA

GLENMORE

17 MOSS

12 INDIGO


13 RIVER

16 JUNGLE


02 STORM

01 SHADOW

08 SESAME

10 SEPIA

11 CARBON

07 SAND

09 TAUPE

19 ROSE

04 SEASHELL

03 FEATHER GREY


20 AMETHYST

Arcadia

SEKERS introduces ARCADIA, a collection of faux wool plains including a melton and a broken twill texture. With a high abrasion performance and supplied with a crib 5 flame retardant backing, Arcadia is ideal for the contract market, from pubs and hotels to cruise ships, meeting all relevant UK, US and IMO standards for upholstery.

sekers

AROS

AROS

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m³
IMO:	I.M.O. Resolution A652 (16) Upholstered Furniture.
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	94% Polyester 6% Cotton
Width:	143 cms
Weight:	585 g/m²
Martindale:	100,000
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

04 PEWTER

02 SILVER

03 METAL

05 DARK SLATE

01 ZINC

16 FEATHER GREY

19 WALNUT

17 TAUPE

13 SNOWDROP

35 GOLD

33 APRICOT

34 SPICE

30 POPPY RED

31 TIGERLILLY

32 BURNT ORANGE

29 RED ROSE

28 CRIMSON

26 DUSK BLUE

25 BLUE TOPAZ

24 TEAL

23 IVY

20 ALUMINIUM

11 LINEN

21 BLUE HAZE

22 TARRAGON

14 OYSTER

10 LATTE

12 IVORY

15 MARZIPAN

07 CHESTNUT

08 TEAK

09 CHINCHILLA

18 OATMEAL

27 DUSK

sekers

FibreGuard
Stain Free Technology

AURORA

AURORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Denali	137 cm
	Osborn	138 cm
Weight:	Denali	664 g/m² (FR backcoated)
	Osborn	640 g/m² (FR backcoated)
Martindale:	Denali	100,000
	Osborn	50,000
Wyzenbeek:	Denali	190,000 double rubs (cotton duck)
	Osborn	60,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	See special instructions.	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

OSBORN

33 JUNGLE

35 HARVEST



20 FLAX



27 SURF

07 SHADOW

21 BEACH

09 IRON



05 CINDER

25 WOOL

38 PEONY



13 TEAK

DENALI

32 PERIDOT

19 SEAGRASS

36 AUTUMN

17 STORM

30 DRAGONFLY

29 SHALE

08 SMOKE

01 GRANITE

39 PARMA

11 PEAT

14 WALNUT

37 BURGUNDY

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Large stains may require dry cleaning.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Aurora

SEKERS introduces AURORA, a collection of plush printed velvets suitable for contract upholstery and accessories. With two semi-plain textured designs, Aurora is available in a versatile palette including sophisticated neutrals and rich jewel tones. Supplied with crib 5 backing and incorporating FibreGuard, Aurora resists the toughest of stains.

sekers

BACCHUS

Usage: WIDE WIDTH Contract Curtains

BOBAL

23 SURF

22 COBALT

21 ATLANTIC

18 FOG

31 FEATHER GREY

17 CHROME

20 SKY


19 CINDER

01 ASH

29 HONEY

30 HENNA

13 PUMICE

02 SEAGRASS

14 GREIGE

26 PEAR

GAMAY

03 CASCADE

08 OATMEAL

06 ZINC

04 SEASPRAY

02 BLUEBELL

01 SAPPHIRE

05 GRANITE

12 SPICE

11 SAND

09 RAFFIA

16 SLATE

10 CHIVE

17 BARK

15 MULBERRY

18 BLACK

sekers

BACCHUS

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B Gamay – M1 Gamay – B1	
IMO:	Gamay – IMO FTPC Part 7 (Curtains)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Bobal	100% Polyester
	Gamay	100% FR Polyester
Width:	Bobal	310 cm
	Gamay	300 cm
Weight:	Bobal/Gamay	272 g/m^2
Usage:	Contract curtains.	
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.	
Delivery:	Fabric will be delivered folded half width on rolls.	
Cleaning:	Bobal Gamay 	

BCFA member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BS5852
CRIB 5

sekers

BALLANTRAE

BALLANTRAE

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	53% Cotton 47% Viscose
Width:	138 cm
Weight:	620 g/m²
Martindale:	100,000
Wyzenbeek:	30,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

10 TURQUOISE

24 INDIGO

09 AZURE

12 PETROL

11 TEAL

15 WILLOW

06 TAUPE

05 LATTE

16 SPICE

32 JET

31 CHARCOAL

07 PEAT

26 FLINT

27 ALUMINIUM

28 DOVE

18 CARDINAL

33 GARNET

20 PEONY

17 PAPRIKA

22 AUBERGINE

sekers

BAMBURGH

BAMBURGH

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Aidan		47% Polyester 43% Acrylic 10% Cotton
	Bebelowe/Edwin/Farne		100% Polyester
Width:	140 cm		
Weight:	Aidan		620 grms/m² (FR Backcoated)
	Bebelowe/Edwin/Farne		646 grms/m² (FR Backcoated)
Repeat:	Aidan	N/A	
	Bebelowe	30cm V	35cm H
	Edwin	4.7cm V	3.5cm H
	Farne	12cm V	8.75cm H
Martindale:	Aidan		50,000
	Bebelowe/Edwin/Farne		100,000
Usage:	Severe Contract Upholstery		
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.		

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BEBELOWE 03 OCEAN

BEBELOWE 02 LIME ZEST

BEBELOWE 06 TERRA

BEBELOWE 04 POPPY

BEBELOWE 05 BLACKBERRY WINE

BEBELOWE 01 SHELL

EDWIN 07 ZINC

EDWIN 06 CHESTNUT

EDWIN 05 DUSK

EDWIN 04 CLARET

EDWIN 03 TURQUOISE

EDWIN 01 TAUPE

FARNE 03 PAPRIKA

FARNE 02 PALM

EDWIN 02 GOLDEN OLIVE

FARNE 01 PUTTY

FARNE 04 ROSE WINE

FARNE 05 ANTHRACITE

AIDAN 04 PISTACHIO

AIDAN 06 TIGERLILLY

AIDAN 07 CARDINAL

AIDAN 01 VANILLA



AIDAN 05 MINERAL BLUE

AIDAN 08 ROSEWOOD

AIDAN 02 LATTE

AIDAN 03 WARM SAND

AIDAN 09 AUBERGINE

AIDAN 10 TRUFFLE

AIDAN 11 CHARCOAL

AIDAN 12 CHOCOLATE

SEKERS introduces BAMBURGH, a collection of 4 distinctive designs influenced by the tidal beaches, gardens and historical architecture of Northumberland. A flexible collection, Bebelowe, Farne, Edwin and Aidan can be used individually or combined to create a versatile and colourful design statement.

sekers

CELEBRATING sekers 80 1938-2018 80 YEARS

BRAEMAR

Usage: WIDE WIDTH Contract Curtains & Bedding

BRAEMAR

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	291 cm
Pilling:	4
Weight:	356 g/m²
Usage	Contract curtains, Contract bedding and cushions.
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.
Delivery:	Fabric will be delivered folded half width on rolls.
Cleaning:	30 P

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852
CRIB 5

18 HEATHER



19 BRICK

17 BLUSH

16 PARMA

06 TOFFEE

20 HARVEST

02 OATMEAL

07 CAFÉ

21 WHEAT

05 BEACH

04 MOON

03 BONE

01 LINEN


10 CINDER

09 CEMENT

08 SHADOW

11 CHROME


12 GRAPHITE

13 INK

22 SPRING


15 ARCTIC

14 RIVER

23 PISTACHIO


24 DUCKEGG


25 AQUAMARINE

sekers

aqua clean® TECHNOLOGY

BYBLOS

SEKERS

BYBLOS

UPHOLSTERY

Fire Resistance:	BS 5852: Part 1 Ignition Source 0 & 1 BS 5852: Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m^3
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	87% Polyester 12% Cotton 1% Nylon
Width:	140 cm
Weight:	760 gms/sq mtr
Repeat:	N/A
Martindale:	45,000
Pilling:	5
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

03 METAL

13 GRANITE

10 PLATINUM

12 JET

11 STEEL GREY

09 SIMPLY TAUPE

15 WINEBERRY



16 POPPY RED

14 MAGENTA

04 INDIGO

01 DUSK

08 SILVER MINK

07 OCEAN

06 TEAL

19 SUNSHINE

02 TULIPWOOD

05 TURQUOISE

20 LIME ZEST



17 GARNET

18 TIGERLILLY

BYBLOS CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.	2. Dirt doesn't penetrate the fabric's fibres.	3. The stains just disappear on applying water.	4. Simply remove with a lint free white cloth.

CLEAN WITH WATER IN THREE EASY STEPS

1. Remove any excess product that has spilled on the fabric.

2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.

3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.

The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require dry cleaning.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua clean® TECHNOLOGY

aqua clean®

TECHNOLOGY

sekers

aqua clean TECHNOLOGY

CALYPSO

CALYPSO

FLAME RESISTANCE:

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³	
IMO	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Alanya	59% Polyester 41% Cotton
	Derna	90% Polyester 10% Cotton
	Tarsus	64% Polyester 36% Cotton
Width:	140 cm	
Weight:	Alanya	648 g/m² (FR backcoated)
	Derna	670 g/m² (FR backcoated)
	Tarsus	716 g/m² (FR backcoated)
Martindale:	Alanya/Tarsus	100,000
	Derna	80,000
Wyzenbeek:	50,000 double rubs (cotton duck)	
Usage:	Severe Contract Upholstery	
Cleaning:	See special instructions	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

ALANYA



05 JUNGLE

07 PEPPERCORN

03 CASCADE

06 LATTE

04 CONFETTI



01 ALUMINIUM

02 BERRY

DERNA

05 OCEAN



08 SAPPHIRE

06 RAIN



04 DUSK

02 CHARCOAL

07 ROSEWINE

03 CHOCOLATE



01 BRICK

TARSUS



14 TEAL

09 PLUM

02 GARNET

13 SURF

08 PEWTER

11 SPICE

10 POPPY

03 INK

05 MIDNIGHT

06 MOSS

12 SPRING

04 JET

07 PEAT

01 COCONUT

15 TOFFEE

CALYPSO CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.

2. Dirt doesn't penetrate the fabric's fibres.

3. The stains just disappear on applying water.

4. Simply remove with a lint free white cloth.

CLEAN WITH WATER IN THREE EASY STEPS

1. Remove any excess product that has spilled on the fabric.

2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.

3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.

The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require dry cleaning.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua clean TECHNOLOGY

sekers

CAPELLA

CAPELLA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL117/SE
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	68.5% PVC 1.5% PU 15% Polyester 15% Cotton
Width:	135 cm
Weight:	735 grms/m²
Flex Endurance:	250,000
Usage:	Severe Contract Upholstery – Waterproof and Urine Resistant.
Cleaning:	**Regular cleaning:** Damp cloth or sponge. **Thorough cleaning:** Damp cloth or sponge with lukewarm water and mild alkaline-free soap. **Do not use:** solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XEE

BCFA member

BS5852 CRIB 5

CAPELLA 38

CAPELLA 47

CAPELLA 41

CAPELLA 02

CAPELLA 37

CAPELLA 29

CAPELLA 39

CAPELLA 17

CAPELLA 20

CAPELLA 23

CAPELLA 05

CAPELLA 42

CAPELLA 43

CAPELLA 36

CAPELLA 34

CAPELLA 04

CAPELLA 03

CAPELLA 35

CAPELLA 14

CAPELLA 44

CAPELLA 30

CAPELLA 06

CAPELLA 40

CAPELLA 31

CAPELLA 46

CAPELLA 09

CAPELLA 15

CAPELLA 19

CAPELLA 26

CAPELLA 10

CAPELLA 01

sekers

CASCADA

CASCADA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1,Part 2 Ignition Source 5 (Crib 5) BS 7176: Low Hazard. When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Cotton
Width:	140 cm
Weight:	415 gms/sq mtr (non coated)
Martindale:	100,000
Pilling:	4/5
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

TEAL

FEATHER GREY

OTTER

TURQUOISE

MIDNIGHT NAVY

DARK CHOCOLATE

TEAK

SANDSHELL

GOLD

PUTTY

TIGERLILLY

LEMON

WINTER WHITE

JET

EMERALD

DARK SLATE

MOSS

GRAY GREEN

ZINC

LOLLIPOP

DUSK

BLACKBERRY WINE

STRAWBERRY

ROSEWOOD

GARNET

BERRY

sekers

CHARLESTON

CHARLESTON

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³			
IMO:	IMO FTPC Part 8 (Upholstery)			
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	Ellington	56% Viscose	23% Polyester	21% Cotton
	Fitzgerald	59% Viscose	30% Polyester	11% Cotton
	Joplin	52% Viscose	30% Polyester	18% Cotton
Width:	140 cm			
Weight:	Ellington	710 g/m² (FR Backcoated)		
	Fitzgerald/Joplin	550 g/m² (FR Backcoated)		
Repeat:	Ellington	6 cm V	6 cm H	
	Fitzgerald	N/A		
	Joplin	21.5 cm V	35 cm H	
Martindale:	40,000			
Usage:	Severe Contract Upholstery			
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.			

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

Ellington

02 SPICE

03 HARVEST GOLD

01 BERRY

04 CLOUD

05 METAL

Joplin

03 TIGERLILLY

05 TOFFEE

04 WARM SAND

02 GARNET

10 FEATHER GREY

07 DOVE

01 AUBERGINE



06 MINERAL BLUE

08 BLUESTONE

09 GRAPHITE

Fitzgerald

04 AUTUMN GINGER

05 PAPRIKA

02 PLUM

03 ROSEWOOD

06 BROWN SUGAR

01 DUSK

14 ZINC

07 MOSS

13 CHARCOAL

10 SILVER

08 SAGE

12 PEWTER

11 STERLING

09 OCEAN

Charleston

SEKERS introduces CHARLESTON, a collection of three distinctive designs reflecting the elegance and luxury of the Jazz Age. A flexible collection, Ellington, Joplin and Fitzgerald can be used individually or combined to create a versatile and stylish statement.

Supplied with Crib 5 Flame Retardant backing, Charleston is an ideal choice for the hospitality, leisure and marine markets.

sekers

CELEBRATING sekers 80 1938-2018 80 YEARS

COPERNICUS

COPERNICUS

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Deneb	46% Viscose 45% Polyester 9% Cotton
	Vega	100% Polyester
Width:	138 cm	
Weight:	Deneb	582 g/m² (FR backcoated)
	Vega	516 g/m² (FR backcoated)
Repeat:	Deneb	35.3cm V 35cm H
	Vega	57.4cm V 70cm H
Martindale:	45,000	
Wyzenbeek:	50,000 double rubs (cotton duck)	
Usage:	Severe Contract Upholstery	
Cleaning:	Deneb	
	Vega	

Please refer to our sales office for general spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

DENEB

10 PETROL

11 MIDNIGHT

12 JET

04 CHARCOAL

01 DOVE

09 THISTLE

08 DUSK

07 CHERRY



06 POPPY



05 SUNSHINE

03 OATMEAL

02 TAUPE

VEGA



07 MARINE

02 MINK

01 STORM

08 TEAL



03 SMOKE

05 STRAWBERRY

06 AUBERGINE



09 TIGERLILLY

04 CORN

sekers

CROFT

CROFT

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	620 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for general spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

26 CASCADE

27 PACIFIC

13 KHAKI

20 SKY

22 AZURE

23 CYAN

32 INDIGO

14 LEAF

15 FERN

29 SHINGLE

02 CINDER

07 MUSHROOM

04 FOG

03 ASH

01 ZINC

30 CARBON

28 PLAZA

19 HEATHER

17 FOX

18 ROSE

sekers

DIVA

sekers

DIVA

FLAME RESISTANCE:

Upholstery:	BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
Curtains:	BS5867: Part 2 Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 7 (Curtains)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	42% Viscose 34% Cotton 24% Polyester
Width:	140 cm
Weight:	450 gms/m²
Martindale:	120,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852
CRIB 5

TEAL

SNOWDROP

FEATHER GREY

CHALK PINK

GOLD

OATMEAL

PUTTY

SIMPLY TAUPE

ZINC

CHAMPAGNE BEIGE

CHARCOAL GREY

AUBERGINE

CHOCOLATE

MIDNIGHT NAVY

JET

DUSK

MOSS

HOT PINK

RED ROSE

ROSEWOOD

TIGERLILLY

sekers

ENCHANTED

Usage: Contract Curtains & Bedding

sekers

ENCHANTED

FLAME RESISTANCE:

Curtains:	BS5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	139 cms
Weight:	219 grms/m²
Repeat:	N/A
Usage:	Contract Curtains & Bedding
Cleaning:	30 P

BCFA member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

02 MINERAL BLUE

20 GRASS

18 LIME ZEST

21 WILLOW

19 PALM

01 KINGFISHER

05 INDIGO

03 OCEAN

04 SAPPHIRE

22 SEASPRAY

13 TIGERLILLY

17 MARZIPAN

14 TOPAZ

16 SUNSHINE

15 CLEMENTINE

11 LOLLIPOP

10 ROSE

08 PALE BLUSH

06 ELDERBERRY

09 DUSKY PINK

33 FEATHER GREY

12 GARNET

29 SNOWDROP

31 BRIGHT WHITE

23 PARCHMENT



07 LAVENDER

35 JET

32 METAL

34 PEWTER

28 WARM SAND

24 SILVER MINK

27 PUTTY

25 SIMPLY TAUPE

30 OATMEAL

26 CHESTNUT

sekers

FION
BLACKOUT CURTAINS

SEKERS

FION (3 Pass Blackout)

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
IMO:	IMO FTPC Part 7 (Curtains)
French:	M1
German:	DIN 4102 – B1
USA:	NFPA 701
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% FR Polyester (silicone backcoating)
Width:	138 cm 278 cm (unfolded double width subject to minimum 25 m order)
Weight:	345 gms/sq mtr
Pilling:	5
Usage:	Blackout curtains
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

08 MINERAL BLUE

07 INDIGO

03 RUBY

05 BLUESTONE

06 ULTRAMARINE

15 WINTER WHITE

14 PARCHMENT

02 SILVER BIRCH

13 SILVER MINK

01 FEATHER GREY

10 WILLOW

04 TIGERLILLY

09 SAGE

11 SUNSHINE

12 GOLD

sekers

FibreGuard
Stain Free Technology

FIORA

Fiora

sekers introduces FIORA, a lush polyester velvet with a subtle printed texture providing a modern edge. Supplied with crib 5 flame retardant backing and with a high Martindale abrasion performance of 100,000 rubs, Fiora is the perfect choice for the hospitality, leisure and marine markets, lending a subtle contemporary edge to any interior.

31 CYAN

27 BLUEBELL

30 OCEAN

33 SEASPRAY

29 SAPPHIRE

28 DENIM

03 STEEL

05 SHADOW

06 SMOKE

02 NICKEL

18 GRASS

15 FOREST

07 PRALINE

17 EMERALD

16 OLIVE

09 BISCUIT

19 OCHRE

20 FOX

01 STRING

22 TIGERLILLY

23 REDWOOD

12 CHALK

25 CANDY

24 BURGUNDY

26 DUSK

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Large stains may require dry cleaning.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

FIORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m3
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	673 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

sekers

FLAMENCO

FLAMENCO

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	60% Cotton 20% Acrylic 15% Viscose 5% Polyester (stain repellent)
With:	140 cm
Weight:	600 g/m² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

11 TIGERLILLY

10 STRAWBERRY

12 SPICE

18 CHESTNUT

13 BRACKEN

20 PUTTY

16 JET

02 HEATHER

17 SILVER MOON

09 ROSE

03 RAISIN

04 THISTLE

14 HARVEST GOLD

19 MOCHA

01 DUSK

15 GOLDEN OLIVE

08 TURQUOISE

07 TEAL

05 SAPPHIRE

06 SKY

sekers

CELEBRATING sekers 80 1938 - 2018 80 YEARS

GINZA

Usage: Contract Curtains & Bedding

SEKERS

GINZA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 (Curtains)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Trevira CS
Width:	Kenzo: 282 cm (weighted) Reiko: 150 cm Yohji: 302 cm (weighted)
Weight:	Kenzo: 47 g/m² Reiko: 152 g/m² Yohji: 61 g/m²
Repeat:	Kenzo: n/a Reiko: 28.4 cm V 15.3cm H Yohji: 1.3cm V
Pilling	Reiko: 4-5
Usage:	Kenzo and Yohji (Contract Curtains) Reiko (Contract Curtains and Contract Bedding)
Cleaning:	30 P Kenzo – NO STEAM

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

KENZO

01 PARCHMENT

02 SKY

03 MARBLE

YOHJI

03 CHAMPAGNE

04 FROST

01 SMOKE

02 DOVE

REIKO

01 SILVER

02 MUSHROOM

03 CEMENT

10 SKY

11 GRAPHITE

12 CHARCOAL

REIKO

04 PUTTY

05 HARVEST

09 DUCKEGG

06 TIGERLILLY

08 DUSK

07 ROSE

Ginza

SEKERS introduces GINZA, a collection inspired by the famous Tokyo fashion district. Made of 100% Trevira CS and with a refined drape and subtle lustre, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying curtains, bedding or accessories for the hospitality, leisure and marine markets.

sekers

HARRIS TWEED

sekers

HARRIS TWEED

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m^3	
Curtains:	BS5857: Part 2, Type B	
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)	
USA	USA NFPA 260 Class 1 (UFAC) CAL 117/SE	
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting	
Composition:	100% Wool	
Width:	150 cms	
Weight:	330 gms/sq mtr	
Repeat:	Check:	7.0 cm V 5.5 cm H
	Dogtooth:	N/A
	Herringbone:	N/A
Martindale:	45,000	
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding	
Cleaning:		

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

CHECK SLATE GREY



CHECK OCEAN SPRAY

CHECK BRACKEN

CHECK WINTER WHEAT

CHECK BURNT UMBER

CHECK PEATLAND

DOGTOOTH SLATE GREY

DOGTOOTH OCEAN SPRAY

DOGTOOTH BRACKEN

DOGTOOTH WINTER WHEAT

DOGTOOTH BURNT UMBER

DOGTOOTH PEATLAND

HERRINGBONE SLATE GREY

HERRINGBONE OCEAN SPRAY

HERRINGBONE BRACKEN

HERRINGBONE WINTER WHEAT

HERRINGBONE BURNT UMBER

HERRINGBONE PEATLAND

sekers

IDAHO

IDAHO

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m3
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	570 g/m² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	**Regular Cleaning:** Damp cloth or sponge. **Thorough Cleaning:** Damp cloth or sponge with lukewarm water and mild alkaline-free soap. **Do No Use:** Solvents, chloride, abrasives, chemical agents or wax polishes. Please note that dye transfer from denim or other textiles are excluded from any manufacturers guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

03 TEAK

04 HAZEL

06 JAVA

01 CHESTNUT

12 RED OCHRE

05 WALNUT

02 PUTTY

07 ASH

08 PEBBLE

10 ANTHRACITE

09 FEATHER GREY

11 JET

sekers

JURA

JURA

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	55% Cotton 32% Polyester 11% Acrylic 2% Nylon
Width:	140 cm
Weight:	571 g/m² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

01 TERRA

20 AUBERGINE

07 ZINC

02 PUTTY

03 CHESTNUT

12 SAPPHIRE

15 WHEAT

06 CHARCOAL

04 LATTE

19 DUSK

18 BERRY

17 PAPRIKA

14 MOSS

13 BRACKEN

16 SPICE

05 TRUFFLE

09 OCEAN

10 TEAL

08 CYAN

11 MINERAL BLUE

sekers

KENTIA

KENTIA

FLAME RESISTANCE:	When backcoated or treated for F.R.
Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1,Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard when tested over CMHR foam – density approx. 35 kg/m³
Curtains:	BS 5867: Part 2 Type B.
Bedspreads:	BS 7175: 1989 Section 3 - Ignition Source 5, above and below EN ISO 12952: 1998 Parts 1 to 4 - Smouldering Cigarette and Small Open Flame Ignition Sources.
IMO:	IMO FTPC Part 8 (Upholstery).
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	55% Cotton 45% Viscose – 100% Viscose Pile
Width:	140 cm
Weight:	580 g/m² (650 g/m² FR Backcoated)
Martindale:	200,000+
Usage:	Severe Contract Upholstery, Curtains & Bedding
Cleaning:	P

Stocked Crib 5, please specify usage when placing order.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

48 FEATHER GREY

08 OYSTER

49 PUTTY

06 OATMEAL

05 NATURAL

41 SCARLET

23 METAL

29 MINK

19 ROSEWOOD

26 EBONY

21 AUBERGINE

20 PLUM

12 SAGE

34 OLD GOLD

11 MOSS

28 PECAN

52 SILVER GREEN

45 INDIGO

18 RUSSET

38 RUBY

47 AZURE

39 CLARET

46 GRAPHITE

sekers

aqua clean® TECHNOLOGY

KIBOKO

KIBOKO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% Polyester 35% Acrylic 15% Polyamide
Width:	140 cm
Weight:	600 grms/m² (FR Backcoated)
Repeat:	N/A
Martindale:	200,000
Pilling:	4
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

10 TEAK

03 WARM SAND

07 PUTTY

09 OTTER

12 CHESTNUT

08 WALNUT

11 GLAZED GINGER

13 CHOCOLATE

23 GARNET

22 TIGERLILLY

01 PARCHMENT

02 OATMEAL

04 LINEN

06 TAUPE

05 LATTE

14 FEATHER GREY

19 IVY

18 INSIGNIA BLUE

15 METAL

20 PALM

17 BLUE HAZE

16 GRAPHITE

21 CITRUS

KIBOKO CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.

2. Dirt doesn't penetrate the fabric's fibres.

3. The stains just disappear on applying water.

4. Simply remove with a lint free white cloth.

CLEAN WITH WATER IN THREE EASY STEPS

1. Remove any excess product that has spilled on the fabric.

2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.

3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.

The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first.
Do not dry clean.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua clean®
TECHNOLOGY

Kiboko

SEKERS introduces KIBOKO, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Kiboko resists the toughest of stains, including red wine and permanent marker.

aqua clean® TECHNOLOGY

sekers

FibreGuard
Stain Free Technology

KEILDER

KEILDER

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	712 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



04 PACIFIC

06 JUNGLE

08 SPRING



07 CLOVER



10 SUNRISE



11 FALL



03 ATLANTIC

12 PAPRIKA

18 MACAROON

13 CHILLI

20 JUTE

14 LOLLIPOP

21 RAFFIA



01 SHALE



25 GRAVEL

02 SAPPHIRE



24 CLOUD

22 EGGSHELL



23 MUSHROOM



15 ASH

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Do not dry clean.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

sekers

KHIVA

Usage: WIDE WIDTH Contract Curtains

sekers

KHIVA

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
	BS 5867: Part 2, Type C	
	M1	
IMO:	IMO FTPC Part 7 (Curtains)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Biruni/Itchan	300 cm
	Darya	310 cm
Weight:	Biruni	315 g/m²
	Darya	170 g/m²
	Itchan	125 g/m²
Usage:	Contract curtains.	
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.	
Delivery:	Fabric will be delivered folded half width on rolls.	
Cleaning:		

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

BIRUNI



03 STORM

07 EBONY

06 SHADOW

05 TIN

08 COCOA

04 GRANITE

11 TEA

15 WINTER WHITE

12 BISCUIT

14 CHALK

16 CAMEO

DARYA

14 SEPIA



01 GRAPHITE



02 NICKEL

12 DUNE

03 RAIN

09 OYSTER



06 CHROME

13 FLAX



04 ALUMINIUM

08 QUARTZ

05 MOON

11 CALICO

10 CLOUD

ITCHAN



02 PEWTER



01 PEPPERCORN

04 JUTE



03 EGGSHELL

05 PEARL

07 STAR

06 PUTTY

Khiva

SEKER'S introduces KHIVA, a versatile collection of wide width curtains with a companion sheer. With a refined drape and a variety of textures, Khiva is washable and fully FR tested making it an ideal choice for the designer specifying for the hospitality, leisure and marine markets.

sekers

KOROWAI

Usage: Contract Curtains & Bedding

sekers

KOROWAI

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B	
	M1	
	B1	
Bedding:	BS 7175: 1989, Section 3 – Ignition souce 5	
IMO:	IMO FTPC Part 7 (Curtains)	
	IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Bulaka/Iriana/Tabai	138 cm
	Hopea	135 cm
Weight:	Bulaka	230 g/m2
	Hopea/Iriana/Tabai	187 g/m2
Repeat:	Bulaka	61.1 cm V 35.0 cm H
	Hopea	44.5 cm V 67.5 cm H
	Iriana	61.0 cm V 35.0 cm H
	Tabai	64.5 cm V 35.0 cm H
Pilling:	4-5	
Usage:	Contract Curtains & Bedding	
Cleaning:	Bulaka	
	Hopea/Iriana/Tabai	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BULAKA

01 ROSEWINE

05 LINEN

02 SPICE



04 CHARCOAL

03 SMOKE

06 INK

07 TURQUOISE

TABAI

01 RAISIN

02 PAPRIKA

04 PUTTY

05 OATMEAL

03 MUSHROOM

07 PERIDOT

06 LAGOON

IRIANA



01 DUSK

02 AUTUMN

04 STRING

03 CEMENT

06 FERN

05 ZINC

HOPEA

01 PUMICE

02 SANDSHELL

04 INDIGO

03 SHADOW

05 PISTACHIO

Korowai

SEKERS introduces KOROWAI, a collection inspired by the pristine rainforests of West Papua New Guinea. Drawing inspiration from gently swirling water found in quiet bends of a meandering river, raindrops striking the surface of a stream during a tropical downpour and the structures of the rainforest itself, including the dimensional texture of tree bark and the subtly dimpled texture of vines native to the island.

sekers

Woven in 100% inherent FR polyester, the Korowai collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK and IMO standards for curtains, accessories and bedding, as well as German, French and US standards, this washable collection is the ideal resource for any contract application.

sekers

LANA

LANA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx 35kg/m³.
Curtains:	BS 5867: Part 2, Type B
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	385 g/m² (530 g/m² FR backcoated)
Martindale:	40,000
Usage:	Severe Contract Upholstery, Curtains & Bedspreads *Please specify FR requirements when placing order
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

55 DAMSON

58 TEAL

7 LONDON FOG

27 HEATHER ROSE

29 AUBERGINE

28 DUSK

49 ROSE WINE

56 BLUE CORAL

31 FLINT STONE

32 DAZZLING BLUE

30 SAPPHIRE

42 SNOW WHITE

12 SNOWDROP

54 MACAW GREEN

33 DILL

35 MOSS

34 WILLOW

6 MINK

47 CHESTNUT

3 TEAK

4 CHOCOLATE

46 COCOA

45 LATTE

14 PALE GOLD

17 BUTTERCUP

51 TOFFEE

25 PORT

26 RUBY

23 RED ROSE

24 CLARET

22 APRICOT NECTAR

20 AUTUMN GINGER

50 TOPAZ

21 TIGERLILLY

16 OCHRE

15 TAN

1 BROWN SUGAR

2 BUTTERNUT

19 GLAZED GINGER

11 IVORY

10 VANILLA

9 SHELL

43 WINTER WHITE

44 PUTTY

13 WARM SAND

8 FEATHER GREY

41 SILVER CLOUD

5 JET

sekers

LAREDO

LAREDO

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS 5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% PU 42% Polyester 8% Cotton
Width:	139 cm
Weight:	670 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	**Regular Cleaning:** Damp cloth or sponge. **Thorough Cleaning:** Damp cloth or sponge with lukewarm water and mild alkaline-free soap. **Do no use:** Solvents, chloride, abrasives, chemical agents or wax polishes. Please note that dye transfer from denim or other textiles are excluded from any manufacturers guarantee.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

07 ASH

13 INK

15 AUBERGINE

12 RED OCHRE

14 BRICK

03 DOVE

08 PEBBLE

09 FEATHER GREY

02 PUTTY

10 ANTHRACITE

05 WALNUT

01 CHESTNUT

04 HAZEL

11 BROWNIE

06 JAVA

sekers

LEXI

LEXI

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m^3
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cms
Weight:	578 gms/sq mtr
Martindale:	40,000
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

18 / PUTTY

23 / MARZIPAN

08 / CHESTNUT

22 / PALM

10 / FEATHER GREY

07 / PURPLE SAGE

15 / BRIGHT WHITE

14 / SNOWDROP

29 / OCEAN

28 / MINERAL BLUE

25 / GLEAM

26 / GREEN BAY

27 / SEA SPRAY

24 / SILVER FERN

20 / OLIVE BRANCH

21 / CHIVE

17 / IVORY

1/ / BIRCH

09 / SIMPLY TAUPE

04 / STERLING

05 / ASH

06 / ZINC

30 / BLUESTEEL

31 / DUSK BLUE

32 / AUBERGINE

1C / PEARL

12 / WARM SAND

19 / BOULDER

35 / TIGERLILLY

34 / RED ROSE

33 / ROSEWOOD

03 / MOON MIST

01 / METAL

02 / JET

sekers

LIBRETTO

LIBRETTO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Callas	140 cm
	Bartoli/Dessay	141 cm
	Gedda	142 cm
Weight:	Bartoli	593 g/m² (FR backcoated)
	Callas	717 g/m² (FR backcoated)
	Dessay	745 g/m² (FR backcoated)
	Gedda	636 g/m² (FR backcoated)
Martindale:	Callas	60,000
	Bartoli/Dessay	70,000
	Gedda	90,000
Wyzenbeek:	Bartoli	195,000 (cotton duck)
	Callas	120,000 (cotton duck)
	Dessay	110,000 (cotton duck)
	Gedda	140,000 (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

DESSAY

90 SAPPHIRE

66 SCARLET

57 WINEBERRY

12 STORM

47 COCOA

89 OCEAN

09 FLINT

01 STEEL

77 SWEET PEA

40 WALNUT

35 SAGE

76 MEDAL

CALLAS

78 PERIDOT

48 COFFEE

82 WILLOW

03 STEEPLE GREY

25 WARM SAND

38 CHAMPAGNE

52 JET

11 BIRCH

65 CLARET

60 MAGENTA

06 PLATINUM

BARTOLI

61 CRIMSON

29 OATMEAL

34 PECAN

87 AZURE

53 LIQUORICE

49 DARK SMOKE

13 PEBBLE

GEDDA

86 TEAL

92 SKY

07 FEATHER GREY

05 STERLING

43 HAZEL

84 OLIVE

30 PUTTY

10 BOULDER

39 TEAK

68 TIGERLILLY

Libretto

SEKERS introduces LIBRETTO, a collection of four subtle designs suitable for upholstery. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals, Libretto is a versatile mix of plain, strie and hopsack textures.

Supplied with a Crib 5 Flame Retardant backing and with a high Martindale abrasion performance, Libretto is a perfect selection for upholstery and is the ideal choice for designers specifying for the hospitality, leisure and marine markets.

sekers

FibreGuard
Stain Free Technology

LUCCA

PANARO


02 TURQUOISE

27 HUNTER

30 CORN

04 MIDNIGHT

03 ATLANTIC

20 FOX

23 STRAWBERRY

22 POST BOX

21 PAPRIKA

24 FUCHSIA

26 AUBERGINE

16 MINK


11 SMOKE

06 THISTLE


17 FAWN

14 CHARCOAL


13 SHINGLE


10 NICKEL


15 JET

12 FLINT


07 FOG

PANARO

29 LIZARD

ETIVA



19 JUNGLE

ETIVA

17 SUNSHINE

18 CLOVER

20 SURF

23 RIVER

30 PUMPKIN

21 CASCADE

22 KINGFISHER

01 CHROME

29 GRENADINE

25 GRAPHITE

02 CINDER

06 ALMOND

28 ROSEWINE

12 TAUPE

14 MOCHA

13 CHESTNUT

26 DUSK

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Large stains may require dry cleaning.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

sekers

LUCCA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Etiva	100% Polyester
	Panaro	53% Polyester 42% Acrylic 5% Viscose
Width:	Etiva	138 cm
	Panaro	139 cm
Weight:	Etiva	784 g/m² (FR backcoated)
	Panaro	597 g/m² (FR backcoated)
Martindale:	Etiva	100,000
	Panaro	45,000
Wyzenbeek:	Etiva	100,000 double rubs (cotton duck)
	Panaro	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	See special instructions	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

sekers

MALMO

MALMO

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
Curtains:	BS 5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	85% Wool 15% Nylon
Width:	140 cm
Weight:	463 g/m²
Martindale:	60,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

06 LOLLIPOP

05 TIGERLILLY

04 PEONY

07 THISTLE

08 DUSK

01 WINEBERRY

24 COCOA

02 ROSEWOOD

03 CHILLI

25 TERRA

19 METAL

26 MOCHA

14 ZEST

13 CHIVE

15 TURQUOISE

12 SAPPHIRE

16 TEAL

11 MIDNIGHT

21 ZINC

18 PLATINUM

10 FLINT

17 ALUMINIUM

22 SLATE

09 INK

20 TAUPE

23 PEAT

sekers

MANHATTAN

MANHATTAN

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m^3	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	NFPA 260 Class 1 (UFAC) CAL 117/SE	
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.	
Composition:	85% Viscose 15% Modacrylic	
Width:	136 cm	
Weight:	Lexington/Lincoln:	650 gms/m^2
	Hudson:	620 gms/m^2
Martindale:	Lexington/Lincoln:	40,000
	Hudson:	50,000
Repeat:	Lexington:	9.5cm V. / 17.4cm H.
	Lincoln:	29.5cm V. / 34cm H.
	Hudson:	N/A
Usage:	Severe Contract Upholstery	
Cleaning:		

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

HUDSON

01 RIO RED

02 CRIMSON

03 TIGERLILLY

04 INSIGNIA BLUE

05 DUSK

06 TAUPE

07 GOLD

08 JET

LEXINGTON

01 RIO RED

02 CRIMSON

03 TIGERLILLY

04 INSIGNIA BLUE

05 DUSK

06 TAUPE

07 GOLD

08 JET

LINCOLN

01 RIO RED

02 CRIMSON

03 TIGERLILLY

04 INSIGNIA BLUE

05 DUSK

06 TAUPE

07 GOLD

08 JET

sekers

MARISOL

MARISOL

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cms
Weight:	650 grms/m² (FR Backcoated)
Repeat:	Elgin: 17cm. V, 17.5cm. H Kiki: 4.4cm. V, 4.5cm. H Lotti: 3.4cm. V, 3.7cm. H Oren: NA
Marlindale:	50,000
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

ELGIN



ELGIN
MOONLESS NIGHT 02

ELGIN
DUSK 03

ELGIN
OXFORD TAN 04

ELGIN

ELGIN
ROSEWOOD 05

ELGIN
TURQUOISE 06

ELGIN
JET 07

ELGIN
DEEP ORCHID 08

LOTTI

LOTTI
PALM 01

LOTTI
MOONLESS NIGHT 02

LOTTI
DUSK 03

LOTTI
OXFORD TAN 04

LOTTI
ROSEWOOD 05

LOTTI
TURQUOISE 06

LOTTI
JET 07

LOTTI
DEEP ORCHID 08

KIKI

KIKI
PALM 01

KIKI
MOONLESS NIGHT 02

KIKI
DUSK 03

KIKI
OXFORD TAN 04

KIKI
ROSEWOOD 05

KIKI
TURQUOISE 06

KIKI
JET 07

KIKI
DEEP ORCHID 08

OREN

OREN
PALM 01

OREN
MOONLESS NIGHT 02

OREN
DUSK 03

OREN
OXFORD TAN 04

OREN
ROSEWOOD 05

OREN
TURQUOISE 06

OREN
JET 07

OREN
DEEP ORCHID 08

sekers

MAYFAIR

SEKERS

MAYFAIR

FLAME RESISTANCE – INHERENT:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5). BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35kg/m³.
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	Belmont: 88% PVC 10% Polyester 2% PU Kendal: 78% PVC 20% Polyester 2% PU
Width:	138 cm
Weight:	Belmont: 800 gms/m² Kendal: 500 gms/m²
Repeat:	Belmont: 18 cm V. 12 cm H. Kendal: N/A
Martindale:	200,000
Usage:	Severe Contract Upholstery – Waterproof and Urine Resistant
Cleaning:	**Regular cleaning:** Damp cloth or sponge. **Thorough cleaning:** Damp cloth or sponge with lukewarm water and mild alkaline-free soap. **Do not use:** Solvents, concentrated abrasive or solvent cleaning products or wax polish.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email**: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

02 JET – BELMONT

02 JET – KENDAL/02 JET BELMONT

10 ANTHRACITE – KENDAL/10 ANTHRACITE – BELMONT

07 AUBERGINE – KENDAL/07 AUBERGINE – BELMONT

01 JAVA – KENDAL/01 JAVA – BELMONT

04 RED OCHRE – KENDAL/04 RED OCHRE – BELMONT

03 CLARET – KENDAL/03 CLARET – BELMONT

09 HAZEL – KENDAL/09 HAZEL – BELMONT

06 WALNUT – KENDAL/06 WALNUT – BELMONT

08 OATMEAL – KENDAL/08 OATMEAL – BELMONT

05 PEBBLE – KENDAL/05 PEBBLE –BELMONT

sekers MELFORD WOOL

SEKERS

MELFORD WOOL

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m³
Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	80% Merino Wool, 20% Polyamide
Width:	138 cm
Weight:	Kersey: 270 g/m² Kentwell/Lindsey: 265 g/m²
Repeat:	Kersey: 8 cm V, 8 cm H Kentwell/Lindsey: N/A
Martindale:	50,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

KERSEY ROSEWOOD 01

KERSEY DOVE GREY 02

KERSEY SILVER CLOUD 03

KERSEY PEWTER 04

KERSEY BLUE GRAPHITE 05

KERSEY PUTTY 06

KERSEY BRACKEN 07

KERSEY OCHRE 08

KERSEY SAGE 09

KERSEY AUTUMN GINGER 10

KERSEY TIGERLILLY 11

KERSEY DARK EARTH 12

KENTWELL ROSEWOOD 01

KENTWELL DOVE GREY 02

KENTWELL SILVER CLOUD 03



KENTWELL PEWTER 04

KENTWELL BLUE GRAPHITE 05

KENTWELL PUTTY 06

KENTWELL BRACKEN 07

KENTWELL OCHRE 08

KENTWELL SAGE 09

KENTWELL AUTUMN GINGER 10

KENTWELL TIGERLILLY 11

KENTWELL DARK EARTH 12

LINDSEY ROSEWOOD 01

LINDSEY DOVE GREY 02

LINDSEY SILVER CLOUD 03



LINDSEY PEWTER 04

LINDSEY BLUE GRAPHITE 05

LINDSEY PUTTY 06

LINDSEY BRACKEN 07

LINDSEY OCHRE 08

LINDSEY SAGE 09

LINDSEY AUTUMN GINGER 10

LINDSEY TIGERLILLY 11

LINDSEY DARK EARTH 12

sekers

MILAN

SEKERS

MILAN

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Aldo	78% Viscose	22% Modacrylic
	Federico	88% Viscose	12% Modacrylic
	Giuseppe	79% Viscose	21% Modacrylic
Width:	137 cm		
Weight:	Aldo	688 g/m² (FR backcoated)	
	Federico	659 g/m² (FR backcoated)	
	Giuseppe	703 g/m² (FR backcoated)	
Repeat:	Aldo	25.1cm Vertical	34.4cm Horizontal
	Federico	8.7cm Vertical	8.5cm Horizontal
	Giuseppe	36cm Vertical	34.5cm Horizontal
Martindale:	Aldo	45,000	
	Federico/Giuseppe	70,000	
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.		

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

ALDO

05 METAL

GIUSEPPE

05 CHARCOAL

FEDERICO

05 ZINC

04 SMOKE

03 TERRA

01 BERRY

02 OCEAN

01 SAPPHIRE

02 MINERAL BLUE

04 STERLING

03 CHOCOLATE

04 CHARCOAL

03 PUTTY

01 ROSEWOOD

02 GOLDEN OLIVE

sekers

MONTANA

MONTANA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m^3
IMO:	IMO FTPC Part 8 (Upholstery)
USA	USA NFPA 260 Class (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	Leather (average hide size) 5.5m^2
Weight:	650 gms/sq mtr
Thickness:	0.9mm ± 0.1mm
Flex Endurance:	50,000 flexes
Abrasion Resistance:	500 cycles 500gr load
Rub Fastness:	250 Wet / 500 Dry
Tear Strength:	40N
Usage:	Severe Contract Upholstery
Cleaning:	Sekers Leather Wipes

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

TEAL 01

PALM 02

ZINC 03

ELDERBERRY 04

PORT 05

BLUESTONE 06

INK 07

MARINE 08

SKYDIVER 09

PEWTER 10

SILVER 11

DOVE 12

SNOW 13

JET 14

OCEAN 15

IVY 16

ANTHRACITE 17

GRASS 18

RED OCHRE 19

POPPY RED 20

HOT PINK 21

MOSS 22

WALNUT 23

GREY GREEN 24

BISCUIT 25

SANDSHELL 26

OYSTER 27

PEBBLE 28

COBBLESTONE 29

JAVA 30

DARK EARTH 31

HAZEL 32

RUSSET 33

WARM SPICE 34

GOLDEN OAK 35

SUN ORANGE 36

sekers

NOVA SCOTIA

sekers

NOVA SCOTIA

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Bedford/Hubley/Tusket	90% Polyester 10% Viscose
	Coldbrook	85% Polyester 15% Viscose
	Halifax/Yarmouth	100% Polyester
Width:	140 cm	
Weight:	Bedford	560 g/m² (FR backcoated)
	Coldbrook	534 g/m² (FR backcoated)
	Halifax	507 g/m² (FR backcoated)
	Hubley/Tusket	551 g/m² (FR backcoated)
	Yarmouth	497 g/m² (FR backcoated)
Martindale:	Bedford/Coldbrook/Halifax/Tusket	60,000
	Hubley/Yarmouth	40,000
Wyzenbeek:	Bedford/Yarmouth	30,000 double rubs (cotton duck)
	Coldbrook	45,000 double rubs (cotton duck)
	Halifax	50,000 double rubs (cotton duck)
	Hubley	120,000 double rubs (cotton duck)
	Tusket	55,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

TUSKET



07 TERRA

59 THISTLE

57 DUSK

48 CITRUS

35 SAPPHIRE

24 PEWTER

YARMOUTH

72 LINEN

27 ANTHRACITE

03 TAUPE

BEDFORD

32 AQUAMARINE

55 FLINT

78 ROSE

08 INK

COLDBROOK

56 INDIGO

60 TULIPWOOD

74 MARZIPAN

67 MUSTARD

40 BLUESTONE

58 HEATHER

51 MOSS

43 OCEAN


29 MINERAL BLUE

06 CHARCOAL

HALIFAX

82 GARNET

05 LATTE

73 BISCUIT

33 FEATHER GREY

69 MEDAL

HUBLEY


77 CRIMSON

50 PALM

84 BERRY

31 CYAN

12 CAFE

70 WARM SAND

02 SLATE

26 MIDNIGHT

10 OATMEAL

66 SUNSHINE

sekers introduces NOVA SCOTIA, a collection of 6 textured designs suitable for upholstery. Available in a palette of 38 rich colours, ranging from earthy neutrals to radiant jewel tones, Nova Scotia is a versatile mix of designs ranging from large and small scale basket weaves to multi-tonal plains.

Supplied with a Crib 5 flame retardant backing Nova Scotia is a perfect selection for the hospitality, leisure and marine markets.

sekers

CELEBRATING sekers 80 1938 - 2018 80 YEARS

OLYMPIA

OLYMPIA

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Bainbridge: Vashon:	295 cm 297 cm (weighted)
Weight:	Bainbridge: Vashon:	265 g/m² 52 g/m²
Pilling:	Bainbridge:	4-5
Usage:	Bainbridge Contract Curtains and Contract Bedding Vashon Contract Curtains	
Fabric Direction:	Both fabrics are designed to be used with the width forming the drop. This avoids unneccesary seaming. Samples are displayed as they are designed to be used.	
Delivery:	Fabric will be delivered folded half width on rolls.	
Cleaning:		

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

VASHON

09 SILVER

08 IVORY

01 SNOW

02 CREAM

07 GLACIER

03 SAND

06 OATMEAL

04 SESAME

05 ALMOND

BAINBRIDGE

21 BLUEBELL

23 SURF

22 COBALT

05 CLOUD

14 MIST

03 FROST

24 SMOKE

01 EGGSHELL

25 CHARCOAL

BAINBRIDGE

O6 BONE

09 STRAW

07 BEIGE

10 HESSIAN

12 CHAMPAGNE

13 LINEN

20 ROSE

16 ZINC

18 DUSK

17 LAVENDER

19 TULIPWOOD

Olympia

SEKERS introduces OLYMPIA, a collection of two wide width curtain fabrics. Both inherently FR, Bainbridge is a versatile textured plain drapery with a contemporary matte linen look and Vashon, supplied with a weighted band, is a sheer with elegant simplicity and subtle sheen. Olympia is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.

sekers

ONTARIO

sekers

ONTARIO

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	Niagara 89% Polyester 11% Viscose Ottowa/Toronto 100% Polyester
Width:	137 cm
Weight:	705 g/m² (FR backcoated)
Repeat:	Niagara n/a Ottawa 1.0cm V 2.5cm H Toronto 9.3cm V 9.0cm H
Martindale:	50,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

TORONTO

01 INDIGO

04 FERN



03 OCEAN

06 BLACKBERRY

05 ROSE



02 DICE

07 TERRA

08 ASH

09 SHADOW

NIAGARA



01 COBALT



04 MOSS



03 CASCADE

06 RAISIN



05 POPPY



02 ANTHRACITE

07 BISCUIT



08 PEPPERCORN

OTTAWA

01 NAUTICAL

04 AVOCADO



03 SURF

06 AUBERGINE

05 TULIP

02 PENGUIN

07 CHINCHILLA

08 SLATE

09 JET

Ontario

SEKERS introduces ONTARIO, a collection of three distinctive designs available in 26 colours from sophisticated neutrals to porcelain blues. A flexible collection, Niagara, Ottawa and Toronto can be used individually or combined to create a versatile and colourful design statement.

sekers

ORZAN

ORZAN

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m³
IMO:	I.M.O. FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) & CAL 117/SE
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	68.5% PVC 1.5% PU 15% Polyester 15% Cotton
Width:	140 cm
Weight:	790 gms/sq mtr
Martindale:	250,000
Usage:	Severe Contract Upholstery – Waterproof and Urine Resistant.
Cleaning:	**Regular cleaning:** Damp cloth or sponge. **Thorough cleaning:** Damp cloth or sponge with lukewarm water and mild alkaline-free soap. **Do not use:** solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

OZ42

OZ48

OZ31

OZ45

OZ10

OZ25

OZ26

OZ27

OZ54

OZ07

OZ09

OZ11

OZ12

OZ13

OZ38

OZ44

OZ39

OZ46

OZ14

OZ03

OZ43

OZ52

OZ51

OZ24

OZ49

OZ47

OZ50

OZ21

OZ20

OZ55

OZ36

OZ40

OZ56

OZ30

OZ35

OZ37

OZ41

OZ29

OZ53

sekers

CELEBRATING sekers 80 1938-2018 80 YEARS

PATAGON

WIDE WIDTH SHEERS

PATAGON

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B			
IMO:	IMO FTPC Part 7 (Curtains) **WITH THE EXCEPTION OF MARIN & SHAMAL**			
USA:	NFPA 701 Curtains			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	100% Polyester			
Width:	Bora	298 cm	Pampero	308 cm
	Canterbury/Zephyr	296 cm	Shamal	309 cm
	Khamsin/Marin	300 cm	Zonda	315 cm
Weight:	Bora	95 g/m²	Pampero	46 g/m²
	Canterbury	35 g/m²	Shamal	181 g/m²
	Khamsin	111 g/m²	Zephyr	103 g/m²
	Marin	152 g/m²	Zonda	72 g/m²
Repeat:	Canterbury	Stripe V 28cm H		
	Khamsin	Irregular Stripe		
	Pampero	19.4cm V 13.2cm H		
Usage:	Contract curtains.			
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.			
Delivery:	Fabric will be delivered folded half width on rolls.			
Selvedge:	BORA is supplied with a weighted selvedge.			
Cleaning:	Bora, Canterbury, Khamsin, Marin, Pampero, Zephyr and Zonda			



Shamal – DO NOT DRY CLEAN



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852
CRIB 5

PAMPERO

04 BRONZE



03 DICE

02 WHEAT

01 DIAMOND

SHAMAL



04 NOIR

03 ASH

01 MARBLE

02 FROST

CANTERBURY

03 BEETLE

02 SEASHELL

01 HAZE

KHAMSIN

04 GRAVEL

03 CINDER

01 CHALK

02 SMOKE

BORA



05 TIN



04 CHATEAU

03 WINTER WHITE



01 TRUFFLE

02 LATTE

MARIN

08 GULL

01 STRING

03 SEAGRASS

02 PARCHMENT

ZEPHYR



03 SHALE



04 CHROME

02 SEPIA

01 IVORY

ZONDA



05 SEASPRAY

07 GLACIER

08 CREAM

01 CALICO

09 ECRU

06 OPAL



02 FOSSIL

10 MUSHROOM



11 RABBIT



04 SHADOW



03 GRAPHITE

Patagon

SEKERS introduces PATAGON, a versatile collection of wide width sheers. With a refined drape and a variety of textures, Patagon is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.



sekers

The PATAGON collection is fully FR tested and is suitable for all aspects of the contract market. Meeting all relevant UK and US FR standards for curtains, this washable collections is the perfect selection for any contract application.

sekers

CELEBRATING sekers 80 1938 - 2018 80 YEARS

aqua clean® TECHNOLOGY

PIAZZA

PIAZZA

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 36kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	60% Polyester 40% Cotton
Width:	138 cm
Weight:	617 g/m² (FR backcoated)
Martindale:	45,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

08 PEACOCK

06 MAUVE

07 AUBERGINE

11 OCEAN

10 NAUTICAL

09 INK

16 CHROME

17 MARBLE

18 CARBON

14 TAUPE

13 SAND

12 OATMEAL

15 CHOCOLATE

03 BRACKEN

02 MEDAL

19 JET

04 POPPY

01 LEAF

20 PEPPER

05 BERRY

PIAZZA CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.

2. Dirt doesn't penetrate the fabric's fibres.

3. The stains just disappear on applying water.

4. Simply remove with a lint free white cloth.

CLEAN WITH WATER IN THREE EASY STEPS

1. Remove any excess product that has spilled on the fabric.

2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.

3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.

The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua clean®
TECHNOLOGY

Piazza

SEKERS introduces PIAZZA, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Piazza resists the toughest stains, including red wine and permanent marker.

aqua clean®
TECHNOLOGY

sekers

QUASAR

sekers

QUASAR

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.

Composition:	Corvus	66% Polyester	20% Viscose	14% Cotton
	Draco	48% Polyester	35% Viscose	17% Cotton
	Hercules	100% Polyester		
	Lacerta	87% Polyester	13% Viscose	
	Octans	88% Polyester	12% Viscose	
	Perseus	56% Polyester	30% Viscose	14% Cotton

Width:	Corvus/Draco	138 cm	Hercules	143 cm
	Lacerta/Octans	142 cm	Perseus	140 cm

Weight:	Corvus	671 g/m² (FR backcoated)
	Draco	800 g/m² (FR backcoated)
	Hercules	681 g/m² (FR backcoated)
	Lacerta	553 g/m² (FR backcoated)
	Octans	708 g/m² (FR backcoated)
	Perseus	758 g/m² (FR backcoated)

Martindale:	Corvus	50,000	Draco	90,000
	Hercules	140,000	Lacerta	100,000
	Octans/Perseus	70,000		

Wyzenbeek:	Corvus/Draco/Lacerta	200,000 double rubs (cotton duck)
	Hercules	100,000 double rubs (cotton duck)
	Octans	140,000 double rubs (cotton duck)
	Perseus	125,000 double rubs (cotton duck)

Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

CORVUS

38 THISTLE

01 PINECONE

17 BROWNIE

46 ORCHARD

40 LILAC

28 OCEAN

15 PEBBLE

DRACO



04 PEPPERCORN

42 BERRY

21 CHARCOAL

33 FLINT

LACERTA



26 CASCADE

06 MOCHA

30 BRACKEN

47 MEADOW

OCTANS



02 ADRIATIC

43 PEONY



36 SKY

31 INDIGO

PERSEUS

37 HORIZON

05 TERRA

41 WINEBERRY

49 KHAKI

27 MOSS



34 NAVY

39 DUSK

HERCULES



18 TUXEDO

20 JET

03 ANTHRACITE

35 COBALT

SEKERS introduces QUASAR, a collection of six textural semi plains suitable for upholstery. Available in a palette of 30 colours, ranging from earthy naturals to saturated jewel tones, providing a vivid and flexible range of colour, Quasar is a versatile collection of woven textures incorporating a variety of yarns including twists, chenilles and bouclés.

Supplied with a Crib 5 flame retardant backing, Quasar is the perfect selection for the hospitality, leisure and marine markets.

sekers

QUITO

QUITO

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition	100% Polyester
Width:	138 cm
Weight:	513 g/m² (FR backcoated)
Martindale:	90,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	P Please refer to our sales office for general spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

14 ATLANTIC

05 BISCUIT

03 TRUFFLE

20 ALUMINIUM

13 PEACOCK

02 COCONUT

10 INDIGO

11 SAPPHIRE

15 APPLE

01 CHOCOLATE

04 MUSHROOM

19 ZINC

16 CHARCOAL

17 PEWTER

18 METAL

09 HARVEST

07 CARDINAL

06 DUSK



08 TIGERLILLY

12 STRAWBERRY

SEKERS

FibreGuard
Stain Free Technology

RIGA

RIGA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	580 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852
CRIB 5

32 SPRUCE

35 SEASPRAY

34 TURQUOISE

03 COBALT

04 BLUEBELL

02 INDIGO

01 MIDNIGHT

31 JUNGLE

29 MEDAL

19 CHOCOLATE

30 HERB

28 FOX

09 RABBIT

33 KINGFISHER

07 METAL

08 SLATE

20 ONYX

05 FOG

06 SILVER

15 LINEN

14 PUTTY

11 NATURAL

10 STRING

12 CLOUD

13 FROST

27 STRAWBERRY

26 RUBY

25 PEONY

23 MAUVE

22 DUSK

21 GARNET

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Large stains may require dry cleaning.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

sekers

RIPPLE

RIPPLE

FLAME RESISTANCE:

Upholstery:	BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam - density approx. 35 kg/m³
Curtains:	BS 5867: Part 2 Type B
Bedding:	BS7175: 1989, Section 3 - Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery)
USA:	USA CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	80% Viscose 10% Cotton 10% Polyester
Width:	140 cm
Weight:	665 gms/m²
Martindale:	65,000
Pilling:	5
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	30

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

NIGHTSHADE

AUTUMN GINGER

TIGERLILLY

POPPY RED

FIG

ROSE TAUPE

CHERRY

DUSK

DILL

JET

MINERAL BLUE

BLUESTONE

BLUE GRAPHITE

WARM SAND

HONEY

GREY GREEN

NEW WHEAT

TOFFEE

LATTE

TEAK

MOONLESS NIGHT

DARK EARTH

sekers

ROSSALL

sekers

ROSSALL

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
Curtains:	BS5867: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting. Please note these images do not represent an exact colour match to the actual fabric.
Composition:	100% Wool
Width:	145 cm
Weight:	340 g/m²
Repeat:	Chingle: Please refer to website or pattern book Gawthorpe: 21.5cm V 20cm H Heskin: Please refer to website or pattern book Thurnham: 19cm V 18.5cm H
Martindale:	40,000
Pilling:	4
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	☒ ☒ ☒ ☒ Ⓟ

BCFA member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

TOP: CHINGLE 08 GRAPHITE

BOTTOM: GAWTHORPE 08 PEWTER

Images do not represent an exact colour match to the actual fabric.

Chingle

01 THISTLE

02 DUSK

03 ROSEWOOD

04 SPICE

05 HARVEST GOLD

06 PEONY

07 ORCHARD

Gawthorpe

01 HEATHER

02 OCEAN SPRAY

03 CARDINAL

04 PUTTY

06 CLARET

07 GLAZED GINGER

05 BROWN SUGAR

TOP: THURNHAM 03 METAL

BOTTOM: HESKIN 03 CHARCOAL

Images do not represent an exact colour match to the actual fabric.

Thurnham

01 MOSS

02 LILAC ASH

Heskin

01 WILLOW

02 MAUVE

04 LAVENDER

05 IVY

06 BERRY

07 SAGE

08 BRACKEN

09 PLUM

ROSSALL is inherently fire retardant, meeting all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding. With a high abrasion performance of 40,000 rubs, Rossall is perfect for the most demanding upholstery applications.

sekers

Rossall

SEKERS introduces ROSSALL, a collection of 4 distinctive designs woven in the UK from 100% British wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Rossall is eminently suitable for both drapery and bedding applications.

sekers

RYE

sekers

RYE

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	627 g/m² (FR backcoated)
Martindale:	70,000
Wyzenbeek:	85,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

36 DENIM

18 HEATHER

38 FLINT STONE

29 WILLOW



35 KINGFISHER

39 INDIGO

13 GRAPHITE

12 SLATE

40 JET

17 DUSK

22 PEONY

23 CLARET

20 LOLLIPOP

25 PAPRIKA

26 TIGERLILLY

03 PEBBLE

10 LATTE

11 TRUFFLE

01 METAL

02 TAUPE

sekers

SAHARA

SEKERS

SAHARA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m³
Curtains:	BS 5857: Part 2 Type B.
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery)
Waterproof:	Hydrostatic head BS 3424 > 1 mtr
Soil Resistance:	Fluorocarbon soil release treatment to help resist liquid and oil based stains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester, Waterproof, Anti-bacterial & FR backcoated
Width:	149 cm (backcoated)
Weight:	440 grms/m² (backcoated)
Martindale:	>40,000
Usage:	Severe Contract Upholstery & Contract Curtains – Waterproof and Urine Resistant.
Cleaning:	**Washable @ 60°C NB: Do Not Dry Clean** 1) Routine mild soap & warm water sponging is effective for ordinary soiling using a "Wipe & Dry" technique 2) Fresh stains, both water & oil based are easily removed using water based household spray cleaning agents

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

36 AUBERGINE

39 LIME ZEST

34 BLUEBERRY

28 WILLOW

44 BYZANTIUM

32 NIGHT BLUE

49 GREEN TEA

45 BLUEJAY

18 ATLANTIC

21 LICHEN

47 CORAL BLUE

01 SNOW

46 DUSK

48 DRIED HERB

24 PUTTY

05 SAND

50 APRICOT

27 CHARCOAL

08 GOLD

11 CHILLI

26 ANTHRACITE

37 TAUPE

51 RED OCHRE

52 JET

31 CAFÉ

sekers

SEABROOK

SEKERS

SEABROOK

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	484 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom, Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

36 PALM

34 CHIVE

18 MEDAL

13 LATTE

15 WALNUT

19 SIENNA

02 PEAT

01 CHESTNUT

16 TERRA

31 OCEAN

28 COBALT

11 SMOKE

32 AZURE

27 MIDNIGHT

05 ALUMINIUM

24 ROSEWOOD

26 DUSK

23 PINK

21 CRIMSON

22 BURGUNDY

sekers

SELKIRK

Selkirk

sekers introduces SELKIRK, a contemporary collection woven in the UK from 100% wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Selkirk is eminently suitable for both curtains and bedding and meets all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding.



CRINGLETIE

TOP: 04 ORCHARD

MIDDLE: 05 AUTUMN

BOTTOM: 06 BEACH



TOP: 02 THISTLE

MIDDLE: 01 TWILIGHT

BOTTOM: 03 ASH

MONTEVIOT

03 HEATHER

01 INDIGO

05 SESAME



02 HAZE

04 HARVEST

PAXTON

02 PETROL

13 SEASHELL

05 NICKEL

08 MARINE

03 BLACKBERRY

10 REDWOOD

09 BRACKEN

01 FLINT

04 CARBON

11 APPLE

07 HERB



12 GULL

06 SMOKE

sekers

SELKIRK

FLAME RESISTANCE:

Upholstery:	BS7176: Medium Hazard BS5852: Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³
Curtains:	BS5867: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding)
USA:	NFPA 260 Class 1 (UFAC) CAL117/13 NFPA 701
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Wool

Width:	Cringletie/Paxton	140 cm
	Monteviot	145 cm
Weight:	Cringletie	355 g/m²
	Monteviot	345 g/m²
	Paxton	355 g/m²

Martindale:	40,000
Wyzenbeek:	15,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery, Contract Curtains and Bedding
Cleaning:	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852
CRIB 5

sekers

CELEBRATING Sekers 80 1938-2018 80 YEARS

FibreGuard
Stain Free Technology

SHOGUN

SEKER'S

SHOGUN

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	73% Polyester 27% Viscose
Width:	138 cm
Weight:	650 g/m² (FR backcoated)
Martindale:	60,000
Wyzenbeek:	180,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

29 SPICE

18 STORM

20 OCEAN

22 LAGOON

17 MIDNIGHT

21 CYAN

23 CASCADE

30 BERRY

03 PEAT

16 TERRA

05 COCONUT

15 MACAROON

12 BEACH

26 KHAKI

11 SAND

06 HESSIAN

24 JUNGLE

25 MEADOW

FibreGuard
Stain Free Technology

Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

In case of stubborn stains, softly rub a bar of household soap on the stain.
Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Large stains may require dry cleaning.

High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Shogun

SEKERS introduces SHOGUN, a versatile and textured design available in a palette of 18 multi-colour shades, including sophisticated neutrals and porcelain blues. Supplied with Crib 5 backing and incorporating FibreGuard, Shogun resists the toughest of stains.

sekers

SINTRA

SEKERS

SINTRA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1. Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m^3
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cms
Weight:	440 gms/sq mtr
Martindale:	100,000
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA member

BS5852 CRIB 5

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

12 DARK EARTH

26 AQUAMARINE

16 BROWN SUGAR

40 ROSE WOOD

04 OATMEAL

27 COLONIAL BLUE

22 BRIGHT WHITE

21 SNOWDROP

19 VANILLA

20 WINTER WHITE

23 WHITE ASPARAGUS

18 PUTTY

33 SUNSET GOLD

06 PARCHMENT

07 FEATHER GREY

32 PALM

31 SWEET PEA

25 MOSS GREY

01 WALNUT

30 ELM GREEN

24 CEMENT

03 GREY GREEN

02 SEAGRASS

05 SHELL

34 TIGERLILLY

35 GARNET

36 POPPY RED

37 RED ROSE

38 CHERRY

39 PORT

28 MALLARD BLUE

29 LEGION BLUE

09 BLUESTONE

17 WARM SAND

14 SILVER MINK

15 DUNE

08 PINE BARK

13 TEAK

11 DARK SLATE

10 JET

sekers

STRUCTURES

Usage: Contract Curtains & Bedding

sekers

STRUCTURES

FLAME RESISTANCE:

Curtains:	BS 5867 Part 2, Type B
French:	M1
German:	DIN4102-B1
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester FR
Width:	140 cms
Weight:	Aspect: 127 gms/m² Profile: 133 gms/m² Semblance: 312 gms/m² Shadow: 191 gms/m² Silhouette: 182 gms/m² Symmetry: 160 gms/m²
Repeat:	Aspect: 23.5 cm. V, 12 cm. H Profile: 34 cm. V, 26 cm. H Semblance: N/A Shadow: N/A Silhouette: 34 cm. V, 14 cm. H Symmetry: N/A
Usage:	Contract Curtains and Contract Bedding
Cleaning:	30

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

ASPECT

04 STEEPLE GREY

PROFILE

02 PUTTY

SEMBLANCE



02 FEATHER GREY

01 OATMEAL

03 WARM SAND

05 DUSK

02 PARCHMENT

07 GARNET



06 BLUESTONE

01 OATMEAL

06 GARNET

04 METAL

03 PARCHMENT

05 TIGERLILLY

01 OATMEAL

04 PECAN

05 METAL

03 WARM SAND



06 GARNET

SILHOUETTE

06 METAL

SHADOW

04 STEEPLE GREY

SYMMETRY

04 METAL

01 WARM SAND

03 PARCHMENT

02 ZINC


05 DUSK

04 AQUA HAZE

07 BLUESTONE

06 DUSK

03 AQUA HAZE

05 METAL

02 WARM SAND

01 OATMEAL

01 PARCHMENT

03 STEEPLE GREY

06 TIGERLILLY

02 WARM SAND

05 BLUESTONE

sekers

CELEBRATING Sekers 80 1938 - 2018 80 YEARS

SUOMI
BLACKOUT CURTAINS

SUOMI

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
IMO:	IMO FTPC Part 7 (Curtains)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	Inari:	50% Polyacrylic 34% Polyester 16% Cotton
	Kemi/Turku:	53% Polyester 47% Polyacrylic
Width:	Inari:	144 cm
	Kemi:	141 cm
	Turku:	141 cm
Weight:	Inari:	447 g/m²
	Kemi:	393 g/m²
	Turku:	430 g/m²
Repeat:	Inari:	61.6 cm V 36.2 cm H
	Kemi/Turku:	n/a
Usage:	Blackout Contract Curtains	
Cleaning::	30	
	DO NOT DRY CLEAN	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

INARI

30 LAGOON

36 MIDNIGHT

39 SEASPRAY

18 CHALK



06 SHINGLE

15 PUMICE

03 SMOKE

21 BARLEY

24 STAR

09 GRANITE

45 DUSK

KEMI

28 RAIN

34 COBALT

37 TEAL

16 QUARTZ

04 METAL

13 HEMP

01 CINDER

19 WOOL

22 GLACIER

07 CEMENT

43 PARMA

TURKU

29 AQUA

35 INDIGO

38 CASCADE

17 STORM

05 TIN

14 PUTTY

02 ZINC

20 IVORY

23 FROST

08 BOULDER

44 HEATHER

Suomi

SEKERS introduces SUOMI, a collection of three designs with 3 pass FR blackout. With a refined drape and subtle shimmer, Suomi is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.

sekers

CELEBRATING sekers 80 1938 - 2018 80 YEARS

aqua clean® TECHNOLOGY

TANAMI

TANAMI

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 36kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% Polyester 35% Acrylic 15% Polyamide
Width:	138 cm
Weight:	500 g/m² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN.

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852 CRIB 5

10 CHIVE

20 SHELL

21 FAWN

09 SPICE

22 CHAMPAGNE

12 COIN

08 TIGERLILLY

13 DOVE

16 SILVER

15 CHARCOAL

17 ASH

18 SLATE

01 TEAL

19 TRUFFLE

02 MIDNIGHT

05 PETROL

14 CHESTNUT

11 BROWN SUGAR

04 DUSK

06 CARDINAL

07 PEONY

03 CLARET

TANAMI CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.	2. Dirt doesn't penetrate the fabric's fibres.	3. The stains just disappear on applying water.	4. Simply remove with a lint free white cloth.

CLEAN WITH WATER IN THREE EASY STEPS

1. Remove any excess product that has spilled on the fabric.

2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.

3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.

The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first.
Do not dry clean.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua clean®
TECHNOLOGY

Tanami

SEKERS introduces TANAMI, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Tanami resists the toughest stains, including red wine and permanent marker.

aqua clean TECHNOLOGY

sekers

TEXA

TEXA

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m^3
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	56% Cotton 30% Polyester 14% Acrylic
Width:	140 cm
Weight:	500 g/m^2
Repeat:	N/A
Martindale:	60,000
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

POPPY 02

TIGERLILLY 01

RED ROSE 03

GOLDEN OLIVE 04

OLD GOLD 05

TEAL 06

ELDERBERRY 07

RAISIN 08

LOLLIPOP 09

PORT 10

BLACKBERRY WINE 11

OASIS 12

WARM SAND 13

SIMPLY TAUPE 14

CHAMPAGNE BEIGE 15

MINK 16

COCOA 17

SILVER MOON 18

MOONLESS NIGHT 19

JET 20

sekers

TICINO

TICINO

FLAME RESISTANCE

Curtains:	BS5867: Part 2, Type B	
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 9 (Bedding) – ***Lugano and Riviera*** IMO FTPC Part 7 (Curtains) – ***Lugano only***	
USA:	USA NFPA 701	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Lugano	141 cm
	Riviera	138 cm
Weight:	Lugano	437 g/m²
	Riviera	280 g/m²
Pilling:	4	
Usage:	Contract Curtains and Bedding	
Cleaning:	Lugano	
	Riviera	

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

LUGANO

09 BISCUIT

13 OATMEAL

11 SHELL

10 LATTE

07 MINK

14 LAVENDER

16 AUBERGINE

19 POPPY

18 CRIMSON

21 MEADOW

23 SEASPRAY

20 HARVEST

24 AZURE

02 CHROME

25 INK

01 ASH

06 JET



03 ALUMINIUM

05 GRAPHITE



04 NICKEL

RIVIERA

10 ALMOND

19 ATLANTIC

14 SPRING

18 SAPPHIRE

24 DRAGONFLY

28 PLATINUM

25 TURQUOISE

32 CARBON

30 SMOKE

02 CHAMPAGNE

03 PUMICE

29 MIST

04 TAUPE

05 TEAK

31 GRANITE

06 MOCHA

44 TIGERLILLY

43 CARDINAL

36 WINEBERRY

35 GRAPE

Ticino

SEKERS introduces TICINO, a collection of two semi-plains suitable for curtains, bedding and accessories. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals. This washable collection meets all UK & USA standards and is the perfect selection for the hospitality and leisure markets.

sekers

Chair courtesy of The Sofa & Chair Company

sekers

VENETO

VENETO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester (stain repellent)
Width:	140 cm
Weight:	535 g/m² (FR backcoated)
Repeat:	N/A
Martindale:	100,000
Usage:	Severe Contract Upholstery
Cleaning:	Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA member

BS5852 CRIB 5

29 FRENCH NAVY

28 BLUE STEEL

27 TEAL

26 OCEAN

30 MIDNIGHT

25 BLACKBERRY WINE

23 PLUM

14 JET

11 DARK SLATE

09 OTTER

12 ASH

13 METAL

07 SIMPLY TAUPE

24 DUSK

08 LATTE

03 TEAK

22 CARDINAL

21 SPICE

17 BROWN SUGAR

05 FEATHER GREY

10 DOVE

04 PUTTY

02 BISCUIT

01 OYSTER

06 OATMEAL

15 WARM SAND

19 OLIVE

18 SILVER GREEN

16 OCHRE

20 SPRUCE

SEKERS introduces VENETO, a sumptuous polyester velvet, supplied inherently stain repellent to assist with cleaning, along with an excellent abrasion performance of 100,000 rubs, makes it a perfect selection for the most demanding upholstery application and the ideal choice for the designer specifying for the commercial hospitality, leisure and marine markets.

sekers

VOLANTE

VOLANTE

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m³
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cms
Weight:	379 g/m²
Martindale:	100,000
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

BS5852
CRIB 5

06 SNOWDROP

03 PARCHMENT

04 VANILLA

17 LILAC ASH

07 PUTTY

08 LATTE

30 MARZIPAN

40 AQUAMARINE

01 ELMWOOD

33 IGUANA

34 DILL

39 CLOUD BLUE

29 AMBER

32 CHIVE

35 MINERAL BLUE

36 TEAL

09 BROWN SUGAR

10 TEAK

12 DARK EARTH

37 NAVY

18 DUSK

25 PICANTE

14 JET

27 BURNT ORANGE

19 HAWTHORN ROSE

23 POPPY RED

26 TIGERLILLY

28 GOLDEN GLOW

22 RED ROSE

21 CHERRY

20 PORT ROYALE

11 COFFEE LIQUEUR


38 DUSK BLUE

16 STEEL GREY

02 SILVER MINK

13 BRACKEN

15 LIQUORICE

sekers

YUMA

Usage: Contract Curtains & Bedding

YUMA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Trevira CS	
Width:	Durango/Gunnison:	135cm
	Hillerton:	307cm
	Jasper:	142cm
	Telluride:	140cm
Weight:	Durango:	182 gms/m²
	Gunnison:	174 gms/m²
	Hillerton:	48 gms/m²
	Jasper:	201 gms/m²
	Telluride:	243 gms/m²
Repeat:	Durango:	27 cm V 27.6 cm H
	Gunnison:	41.5 cm V 27.9 cm H
	Hillerton:	N/A
	Jasper:	88.4 cm V 70.8 cm H
	Telluride:	34.5 cm V 35 cm H
Pilling:	Durango/Gunnison/Jasper	4-5
	Hillerton/Telluride	4
Usage:	Contract Curtains and Contract Bedding (excluding Hillerton which is curtains only)	
Cleaning:		

Durango and Gunnison – NO STEAM

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

BCFA member

DURANGO



·03 ZINC

GUNNISON



03 GRAPHITE

HILLERTON



04 STERLING

04 TAUPE

02 ALMOND

01 MOONSTRUCK

05 BRONZE

06 CARBON

02 PUTTY

05 TERRACOTTA

01 ALUMINIUM

04 MOSS GREY



06 PEAT

02 VANILLA

05 AUTUMN

03 SILVER

01 DIAMOND

JASPER

07 METAL

TELLURIDE

07 FLINT

06 CHARCOAL

01 SMOKE

04 PLATINUM

03 GULL

05 COPPER

02 SUNSHINE

01 CLOUD

05 TIGERLILLY

02 SAGE

06 SLATE

03 PEWTER

04 DOVE

Yuma

SEKERS introduces YUMA, a collection of four elegant designs with a co-ordinating sheer inspired by the haunting, time worn textures found in abandoned mining towns throughout the Rocky Mountains. With a refined drape and subtle metallic shimmer, Yuma is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.

Woven in 100% Trevira CS, an inherently fire retardant fibre, the YUMA collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK & IMO standards for curtains, accessories and bedding as well as German, French and U.S. standards, this washable collection is the perfect selection for any contract application.

sekers

sekers

specify with confidence