





sekers



ABISKO

Usage: Contract Curtains & Bedding



ABISKO

FLAME RESISTANCE

Curtains: BS 5867: Part 2, Type B

Bedding: BS 7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 9 (Bedding Components)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width: Dalarna: 151 cm
Falun: 150 cm

Weight: Dalarna: 254 g/m²
Falun: 250 g/m²

Pilling: 4

Usage: Contract Curtains & Contract Bedding

Cleaning:     

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



DALARNA



21 CALICO



20 BISCUIT



19 SAND



18 WHEAT



22 GULL



10 KHAKI



08 JUNGLE



07 PERIDOT



25 IRON



27 CHARCOAL



13 DUSK



15 CHILLI



23 FEATHER GREY



28 SLATE



12 LATTE



14 PETAL



04 SEASPRAY



01 AZURE



02 INDIGO

FALUN




07 IVORY



05 BONE



08 NATURAL



17 COIN




01 OYSTER



02 TAUPE



09 OATMEAL




16 MINT




03 ASH



12 JET



20 MAUVE




19 BLUSH




04 CHROME



11 TRUFFLE



13 MIDNIGHT



14 TOPAZ



10 BROWNIE

DALARNA



16 BRICK

FALUN



18 RUBY

Abisko

sekers introduces ABISKO, a collection of two subtle, shimmering fabrics suitable for contract curtains, bedding and accessories. Woven in 100% FR polyester and meeting all relevant UK, USA & IMO standards, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.








sekers

ANTILLES

ARUBA



13 AMBER



14 CHERRY



01 SMOKE




12 MOSS



07 FOREST




06 SEASPRAY



02 FEATHER



05 TRUFFLE



11 NAVY



10 SAPPH RE



03 RON



04 ONYX



09 NDIGO



08 DUSK

BONAIRE



14 PEAR



15 PUMPKIN



02 PEBBLE



18 CRANBERRY



17 CARMINE



16 SPICE



05 ENGINE



03 PEWTER



11 HEATHER



10 LILAC



01 RAIN



07 OATMEAL



08 LATTE



2 CASCADE




04 STEEL



06 JET



09 BARK



13 M DNIGHT

CURACAO



12 PLANTAIN




13 TIGERLILLY



02 SHELL



08 JUNGLE



11 ASTRO



14 CARDINAL



03 CINDER



07 PETROL



09 ATLANTIC



05 GRAPE



04 CARBON



01 SHADOW



10 NK



06 SURF

SEKERS

ANTILLES

FLAME RESISTANCE:

Upholstery:	BS7176, Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³	
IMO:	FTPC Part 8 (Upholstery)	
USA:	NFPA 260 Class 1 (UFAC) CAL117/13	
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.	
Composition	100% Polyester	
Width	138 cm	
Weight	Aruba	505 g/m ² (FR backcoated)
	Bonaire	590 g/m ² (FR backcoated)
	Curacao	600 g/m ² (FR backcoated)
Martindale	Aruba	40,000
	Bonaire	100,000
	Curacao	90,000
Wyzenbeek:	Aruba	42,000 double rubs (cotton duck)
	Bonaire	96,000 double rubs (cotton duck)
	Curacao	93,000 double rubs (cotton duck)
Usage	Severe Contract Upholstery	
Cleaning		

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

ARCADIA

SEKERS

ARCADIA

FLAME RESISTANCE

- Upholstery: BS 7176: Medium Hazard
BS 5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³
- IMO: IMO FTPC Part 8 (Upholstery)
- USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13
- Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester
- Width: Brodie 142 cm
Glenmore 140 cm
- Weight: Brodie 606 g/m² (FR backcoated)
Glenmore 600 g/m² (FR backcoated)
- Martindale: Brodie 100,000
Glenmore 50,000
- Wyzenbeek: 100,000 double rubs (cotton duck)
- Usage: Severe Contract Upholstery
- Cleaning: 
Please refer to our sales office for general spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



BRODIE



13 MIDNIGHT



17 CHIVE



18 MEADOW



14 PEACOCK



09 OATMEAL



10 ECRU



12 ONYX




03 SLATE



11 COFFEE



20 CRANBERRY



04 MIST




02 GREIGE



19 FOX



01 CINDER



05 CHROME

GLENMORE



15 TURQUOISE

BRODIE



15 SPA

GLENMORE



17 MOSS



12 INDIGO



13 RIVER



16 JUNGLE




02 STORM



01 SHADOW



08 SESAME



10 SEPIA



11 CARBON



07 SAND




09 TAUPE



19 ROSE



04 SEASHELL



03 FEATHER GREY



20 AMETHYST

Arcadia

SEKERS introduces ARCADIA, a collection of faux wool plains including a melton and a broken twill texture. With a high abrasion performance and supplied with a crib 5 flame retardant backing, Arcadia is ideal for the contract market, from pubs and hotels to cruise ships, meeting all relevant UK, US and IMO standards for upholstery.





SEKERS

AROS

SEKERS

AROS

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: I.M.O. Resolution A652 (16) Upholstered Furniture.

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 94% Polyester 6% Cotton

Width: 143 cms

Weight: 585 g/m²

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





04 PEWTER



02 SILVER



03 METAL



05 DARK SLATE



01 ZINC



16 FEATHER GREY



19 WALNUT



17 TAUPE



13 SNOWDROP



35 GOLD



33 APRICOT



34 SPICE



30 POPPY RED



31 TIGERLILLY



32 BURNT ORANGE



29 RED ROSE



28 CRIMSON



26 DUSK BLUE



25 BLUE TOPAZ



24 TEAL



23 IVY



20 ALUMINIUM



11 LINEN



21 BLUE HAZE



22 TARRAGON



14 OYSTER



10 LATTE



12 IVORY



15 MARZIPAN



07 CHESTNUT



08 TEAK



09 CHINCHILLA



18 OATMEAL



27 DUSK



SEKER'S

 **FibreGuard**
Stain Free Technology

AURORA

SEKERS

AURORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	Denali 137 cm Osborn 138 cm
Weight:	Denali 664 g/m ² (FR backcoated) Osborn 640 g/m ² (FR backcoated)
Martindale:	Denali 100,000 Osborn 50,000
Wyzenbeek:	Denali 190,000 double rubs (cotton duck) Osborn 60,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



OSBORN



33 JUNGLE



35 HARVEST



20 FLAX




27 SURF




07 SHADOW



21 BEACH



09 IRON



05 CINDER



25 WOOL



38 PEONY



13 TEAK

DENALI



32 PERIDOT



19 SEAGRASS



36 AUTUMN



17 STORM



30 DRAGONFLY



29 SHALE



08 SMOKE



01 GRANITE



39 PARMA



11 PEAT



14 WALNUT



37 BURGUNDY



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Aurora

SEKERS introduces AURORA, a collection of plush printed velvets suitable for contract upholstery and accessories. With two semi-plain textured designs, Aurora is available in a versatile palette including sophisticated neutrals and rich jewel tones. Supplied with crib 5 backing and incorporating FibreGuard, Aurora resists the toughest of stains.





SEKER'S

BACCHUS

Usage: WIDE WIDTH Contract Curtains

BOBAL



23 SURF



22 COBALT



21 ATLANTIC



18 FOG



31 FEATHER GREY



17 CHROME



20 SKY



19 CINDER



01 ASH



29 HONEY



30 HENNA



13 PUMICE



02 SEAGRASS



14 GREIGE



26 PEAR


GAMAY



03 CASCADE



08 OATMEAL



06 ZINC



04 SEASPRAY



02 BLUEBELL



01 SAPPHIRE



05 GRANITE



12 SPICE



11 SAND



09 RAFFIA



16 SLATE



10 CHIVE



17 BARK



15 MULBERRY



18 BLACK

SEKERS

BACCHUS

FLAME RESISTANCE:

Curtains: BS 5867: Part 2, Type B
Gamay – M1
Gamay – B1

IMO: Gamay – IMO FTPC Part 7 (Curtains)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: Bobal 100% Polyester
Gamay 100% FR Polyester

Width: Bobal 310 cm
Gamay 300 cm


Weight: Bobal/Gamay 272 g/m²

Usage: Contract curtains.


Fabric Direction: Fabric is designed to be used with the width forming the drop.
This avoids unnecessary seaming. Samples are displayed as they are designed to be used.

Delivery: Fabric will be delivered folded half width on rolls.

Cleaning: Bobal



Gamay



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

BALLANTRAE

SEKERS

BALLANTRAE

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	53% Cotton 47% Viscose
Width:	138 cm
Weight:	620 g/m ²
Martindale:	100,000
Wyzenbeek:	30,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	     Please refer to our sales office for detailed spot cleaning instructions.




ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





10 TURQUOISE



24 INDIGO



09 AZURE



12 PETROL



11 TEAL



15 WILLOW



06 TAUPE



05 LATTE



16 SPICE



32 JET



31 CHARCOAL



07 PEAT



26 FLINT



27 ALUMINIUM



28 DOVE



18 CARDINAL



33 GARNET



20 PEONY



17 PAPRIKA



22 AUBERGINE



SEKERS

BAMBURGH



sekers introduces BAMBURGH, a collection of 4 distinctive designs influenced by the tidal beaches, gardens and historical architecture of Northumberland. A flexible collection, Bebelowe, Farne, Edwin and Aidan can be used individually or combined to create a versatile and colourful design statement.



BEBELOWE 03 OCEAN



BEBELOWE 02 LIME ZEST



BEBELOWE 06 TERRA



BEBELOWE 04 POPPY



BEBELOWE 05 BLACKBERRY WINE



BEBELOWE 01 SHELL



EDWIN 07 ZINC



EDWIN 06 CHESTNUT



EDWIN 05 DUSK



EDWIN 04 CLARET



EDWIN 03 TURQUOISE



EDWIN 01 TAUPE



FARNE 03 PAPRIKA



FARNE 02 PALM



EDWIN 02 GOLDEN OLIVE



FARNE 01 PUTTY



FARNE 04 ROSE WINE



FARNE 05 ANTHRACITE



AIDAN 04 PISTACHIO



AIDAN 06 TIGERLILLY



AIDAN 07 CARDINAL



AIDAN 01 VANILLA



AIDAN 05 MINERAL BLUE



AIDAN 08 ROSEWOOD



AIDAN 02 LATTE



AIDAN 03 WARM SAND



AIDAN 09 AUBERGINE



AIDAN 10 TRUFFLE



AIDAN 11 CHARCOAL



AIDAN 12 CHOCOLATE

SEKERS

BAMBURGH

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: Aidan 47% Polyester 43% Acrylic 10% Cotton
Bebelowe/Edwin/Farne 100% Polyester

Width: 140 cm

Weight: Aidan 620 grms/m² (FR Backcoated)
Bebelowe/Edwin/Farne 646 grms/m² (FR Backcoated)

Repeat: Aidan N/A
Bebelowe 30cm V 35cm H
Edwin 4.7cm V 3.5cm H
Farne 12cm V 8.75cm H

Martindale: Aidan 50,000
Bebelowe/Edwin/Farne 100,000

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





SEKERS

BOREALIS
Blackout Curtains

SEKERS

BOREALIS

FLAME RESISTANCE

Curtains.	BS 5867 Part 2, Type B DIN 4102 – B1
USA.	NFPA 701
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.
Composition	51% Polyester 49% Acrylic
Width	140 cms
Weight:	421 g/m ²
Usage	Blackout Contract Curtains
Cleaning	     DO NOT DRY CLEAN

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



21 JUNGLE



11 SHADOW



09 EGGSHELL



07 PEARL



16 RIVER



13 ALUMINIUM



03 OATMEAL



17 SKY



18 CASCADE



19 RAIN



12 METAL



14 CHROME



06 CLOUD



10 RABBIT



01 STRING



02 LINEN



05 PARCHMENT



20 SEAGRASS



04 PUTTY



22 FERN



23 HARVEST



08 CHALK



24 TIGERLILLY



25 CHILLI



15 HEATHER



SEKERS



BRAEMAR

Usage: WIDE WIDTH Contract Curtains & Bedding

SEKERS

BRAEMAR

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	291 cm
Pilling:	4
Weight:	356 g/m ²
Usage	Contract curtains, Contract bedding and cushions.
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.
Delivery:	Fabric will be delivered folded half width on rolls.
Cleaning:	    

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk


Website: www.sekersfabrics.co.uk

BCFA
member







18 HEATHER



19 BRICK



17 BLUSH



16 PARMA



06 TOFFEE



20 HARVEST



02 OATMEAL



07 CAFÉ



21 WHEAT



05 BEACH



04 MOON



03 BONE




01 LINEN




10 CINDER




09 CEMENT



08 SHADOW



11 CHROME



12 GRAPHITE



13 INK



22 SPRING



15 ARCTIC



14 RIVER



23 PISTACHIO



24 DUCKEGG



25 AQUAMARINE



SEKERS

BRAVA

SEKERS

BRAVA

FLAME RESISTANCE:

Curtains.	BS 5867: Part 2, Type B M1 Palamos also passes: BS 5867: Part 2, Type C DIN 4102 – B1	
Bedding	BS7175. 1989, Section 3 – Ignition Source 5	
IMO	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)	
USA.	NFPA 260 Class 1 (UFAC) CAL117/13 NFPA 701	
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.	
Composition	Medes	100% Polyester
	Palamos	100% FR Polyester
Width	Medes	140 cm
	Palamos	138 cm
Weight:	Medes	415 g/m ²
	Palamos	375 g/m ²
Martindale	Medes	100,000
	Palamos	50,000
Wyzenbeek:	Medes	125,000 double rubs (cotton duck)
	Palamos	50,000 double rubs (cotton duck)
Usage	Contract curtains, bedding and accessories. upholstery only as certified above – does not meet Crib 5.	
Cleaning	Medes	    
	Palamos	    

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

MEDES



10 CEMENT



19 NDIGO



20 INK



05 MUSHROOM



08 BISCUIT



17 LEAF



11 ZINC



09 OYSTER



16 STRAWBERRY



18 MUSTARD



12 STORM



02 OATMEAL



15 PEONY



14 GRAPE



21 NOIR



01 SNOW



04 PUTTY



13 CINDER



06 ASH

PALAMOS



14 FLINT



08 SAPPHIRE



17 MOON



15 DUNE



04 PEWTER



27 CARDINAL



10 PLATINUM



02 HAZE



05 COCOA



SEKERS

aqua
clean[®]
TECHNOLOGY

BYBLOS

SEKERS

BYBLOS

UPHOLSTERY

Fire Resistance:	BS 5852: Part 1 Ignition Source 0 & 1 BS 5852: Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	87% Polyester 12% Cotton 1% Nylon
Width:	140 cm
Weight:	760 gms/sq mtr
Repeat:	N/A
Martindale:	45,000
Pilling:	5
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions ☒ ☒ ☒ ☒ ☒ Ⓟ

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH


Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





03 METAL



13 GRANITE



10 PLATINUM



12 JET



11 STEEL GREY



09 SIMPLY TAUPE



15 WINEBERRY




16 POPPY RED



14 MAGENTA



04 INDIGO



01 DUSK



08 SILVER MINK



07 OCEAN



06 TEAL



19 SUNSHINE



03 TILIAWOOD



05 TURQUOISE



20 LIME ZEST



17 GARNET




18 TIGERLILLY

BYBLOS CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require dry cleaning.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

sekers

specify with confidence

aqua 
clean[®]
TECHNOLOGY



SEKERS

aqua
clean
TECHNOLOGY

CALYPSO

SEKERS

CALYPSO

FLAME RESISTANCE:

Upholstery: BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Alanya	59% Polyester 41% Cotton
	Derna	90% Polyester 10% Cotton
	Tarsus	64% Polyester 36% Cotton

Width: 140 cm

Weight:	Alanya	648 g/m ² (FR backcoated)
	Derna	670 g/m ² (FR backcoated)
	Tarsus	716 g/m ² (FR backcoated)

Martindale:	Alanya/Tarsus	100,000
	Derna	80,000

Wyzenbeek: 50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: See special instructions



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk



ALANYA



05 JUNGLE



07 PEPPERCORN




03 CASCADE



06 LATTE



04 CONFETTI



01 ALUMINIUM




02 BERRY

DERNA




05 OCEAN



08 SAPPHIRE



06 RAIN



04 DUSK



02 CHARCOAL



07 ROSEWINE



03 CHOCOLATE



01 BRICK

TARSUS



14 TEAL



09 PLUM



02 GARNET



13 SURF



08 PEWTER



11 SPICE



10 POPPY



03 INK



05 MIDNIGHT



06 MOSS



12 SPRING



04 JET



07 PEAT



01 COCONUT




15 TOFFEE

BYBLOS CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require dry cleaning.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua
clean
TECHNOLOGY



SEKERS

CAPELLA



CAPELLA

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL117/SE

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 68.5% PVC 1.5% PU 15% Polyester 15% Cotton

Width: 135 cm

Weight: 735 grms/m²

Flex Endurance: 250,000

Usage: Severe Contract Upholstery – Waterproof and Urine Resistant.

Cleaning: **Regular cleaning:** Damp cloth or sponge.
Thorough cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap.
Do not use: solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





CAPELLA 38



CAPELLA 47



CAPELLA 41



CAPELLA 02



CAPELLA 37



CAPELLA 29



CAPELLA 39



CAPELLA 17



CAPELLA 20



CAPELLA 23



CAPELLA 05



CAPELLA 42



CAPELLA 43



CAPELLA 36



CAPELLA 34



CAPELLA 04



CAPELLA 03



CAPELLA 35



CAPELLA 14



CAPELLA 44



CAPELLA 30



CAPELLA 06



CAPELLA 40



CAPELLA 31



CAPELLA 46



CAPELLA 09



CAPELLA 15



CAPELLA 19



CAPELLA 26



CAPELLA 10



CAPELLA 01



SEKERS

CASCADA

SEKERS

CASCADA

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Low Hazard.
When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Cotton

Width: 140 cm

Weight: 415 gms/sq mtr (non coated)

Martindale: 100,000

Pilling: 4/5

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member






TEAL



FEATHER GREY



OTTER



TURQUOISE



MIDNIGHT NAVY



DARK CHOCOLATE



TEAK



SANDSHELL



GOLD



PUTTY



TIGERLILLY



LEMON



WINTER WHITE



JET



EMERALD



DARK SLATE



MOSS



GRAY GREEN



ZINC



LOLLIPOP



DUSK



BLACKBERRY WINE



STRAWBERRY



ROSEWOOD



GARNET



BERRY



sekers

CHARLESTON



CHARLESTON

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.		
Composition:	Ellington	56% Viscose	23% Polyester 21% Cotton
	Fitzgerald	59% Viscose	30% Polyester 11% Cotton
	Joplin	52% Viscose	30% Polyester 18% Cotton
Width	140 cm		
Weight:	Ellington	710 g/m ² (FR Backcoated)	
	Fitzgerald/Joplin	550 g/m ² (FR Backcoated)	
Repeat:	Ellington	6 cm V	6 cm H
	Fitzgerald	N/A	
	Joplin	21.5 cm V	35 cm H
Martindale:	40,000		
Usage:	Severe Contract Upholstery		
Cleaning:	     Please refer to our sales office for detailed spot cleaning instructions.		

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel. +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



Ellington



02 SPICE



03 HARVEST GOLD



01 BERRY



04 CLOUD



05 METAL

Joplin



03 TIGERLILLY



05 TOFFEE



04 WARM SAND



02 GARNET



10 FEATHER GREY



07 DOVE



01 AUBERGINE



06 MINERAL BLUE



08 BLUESTONE



09 GRAPHITE

Fitzgerald



04 AUTUMN GINGER



05 PAPRIKA



02 PLUM



03 ROSEWOOD



06 BROWN SUGAR



01 DUSK



14 ZINC



07 MOSS



13 CHARCOAL



10 SILVER



08 SAGE



12 PEWTER



11 STERLING



09 OCEAN

Charleston

sekers introduces CHARLESTON, a collection of three distinctive designs reflecting the elegance and luxury of the Jazz Age. A flexible collection, Ellington, Joplin and Fitzgerald can be used individually or combined to create a versatile and stylish statement.

Supplied with Crib 5 Flame Retardant backing, Charleston is an ideal choice for the hospitality, leisure and marine markets.





SEKER'S



COPERNICUS

SEKERS

COPERNICUS

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Deneb	46% Viscose 45% Polyester 9% Cotton	
	Vega	100% Polyester	
Width:	138 cm		
Weight:	Deneb	582 g/m² (FR backcoated)	
	Vega	516 g/m² (FR backcoated)	
Repeat:	Deneb	35.3cm V 35cm H	
	Vega	57.4cm V 70cm H	
Martindale:	45,000		
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:	Deneb		
	Vega		
Please refer to our sales office for general spot cleaning instructions.			

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



DENEB



10 PETROL



11 MIDNIGHT



12 JET



04 CHARCOAL



01 DOVE



09 THISTLE




08 DUSK



07 CHERRY



06 POPPY



05 SUNSHINE



03 OATMEAL



02 TAUPE

VEGA



07 MARINE



02 MINK



01 STORM



08 TEAL



03 SMOKE



05 STRAWBERRY



06 AUBERGINE



09 TIGERLILLY



04 CORN



SEKERS

CROFT

SEKERS

CROFT

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	620 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.



26 CASCADE



27 PACIFIC



13 KHAKI



20 SKY



22 AZURE



23 CYAN



32 INDIGO



14 LEAF



15 FERN



29 SHINGLE



02 CINDER



07 MUSHROOM



04 FOG



03 ASH



01 ZINC



30 CARBON



28 PLAZA



19 HEATHER



17 FOX



18 ROSE



SEKERS

DIVA

SEKERS

DIVA

FLAME RESISTANCE:

Upholstery: BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS7176: Medium Hazard
When tested over CMHR foam – density approx. 35 kg/m³

Curtains: BS5867: Part 2 Type B

Bedding: BS7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 7 (Curtains)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 42% Viscose 34% Cotton 24% Polyester

Width: 140 cm

Weight: 450 gms/m²

Martindale: 120,000

Usage: Severe Contract Upholstery, Contract Curtains & Bedding

Cleaning:     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk





TEAL




SNOWDROP



FEATHER GREY



CHALK PINK



GOLD



OATMEAL



PUTTY



SIMPLY TAUPE



ZINC



CHAMPAGNE BEIGE



CHARCOAL GREY



AUBERGINE



CHOCOLATE



MIDNIGHT NAVY



JET



DUSK



MOSS



HOT PINK



RED ROSE



ROSEWOOD



TIGERLILLY



SEKER'S

ENCHANTED

Usage: Contract Curtains & Bedding



ENCHANTED


FLAME RESISTANCE:

Curtains:	BS5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	139 cms
Weight:	219 grms/m ²
Repeat:	N/A
Usage:	Contract Curtains & Bedding
Cleaning:	    



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk



02 MINERAL BLUE



20 GRASS



18 LIME ZEST



21 WILLOW



19 PALM



01 KINGFISHER



05 INDIGO



03 OCEAN



04 SAPPHIRE



22 SEASPRAY



13 TIGERLILY



17 MARZIPAN



14 TOPAZ



16 SUNSHINE



15 CLEMENTINE



11 LOLLIPOP



10 ROSE




08 PALE BLUSH



06 ELDERBERRY



09 DUSKY PINK



33 FEATHER GREY



12 GARNET



29 SNOWDROP



31 BRIGHT WHITE



23 PARCHMENT




07 LAVENDER



35 JET



32 METAL



34 PEWTER



28 WARM SAND



24 SILVER MINK



27 PUTTY



25 SIMPLY TAUPE



30 OATMEAL



26 CHESTNUT



SEKERS

FION
BLACKOUT CURTAINS



FION (3 Pass Blackout)

FLAME RESISTANCE:

Curtains: BS 5867: Part 2, Type B

IMO: IMO FTPC Part 7 (Curtains)

French: M1

German: DIN 4102 – B1

USA: NFPA 701

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester (silicone backcoating)

Width: 138 cm
278 cm (unfolded double width subject to minimum 25 m order)

Weight: 345 gms/sq mtr

Pilling: 5

Usage: Blackout curtains

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



08 MINERAL BLUE



07 INDIGO



03 RUBY



05 BLUESTONE



06 ULTRAMARINE



15 WINTER WHITE



14 PARCHMENT



02 SILVER BIRCH



13 SILVER MINK



01 FEATHER GREY



10 WILLOW



04 TIGERLILLY



09 SAGE



11 SUNSHINE



12 GOLD



SEKER'S

 **FibreGuard**
Stain Free Technology

FIORA

Fiora

sekers introduces FIORA, a lush polyester velvet with a subtle printed texture providing a modern edge. Supplied with crib 5 flame retardant backing and with a high Martindale abrasion performance of 100,000 rubs, Fiora is the perfect choice for the hospitality, leisure and marine markets, lending a subtle contemporary edge to any interior.





31 CYAN



27 BLUEBELL



30 OCEAN



33 SEASPRAY



29 SAPPHIRE



28 DENIM



03 STEEL



05 SHADOW



06 SMOKE



02 NICKEL



18 GRASS



15 FOREST



07 PRALINE



17 EMERALD



16 OLIVE



09 BISCUIT



19 OCHRE



20 FOX



01 STRING



22 TIGERLILLY



23 REDWOOD



12 CHALK



25 CANDY



24 BURGUNDY



26 DUSK



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

SEKERS

FIORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m3
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	673 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions



BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

FLAMENCO

SEKERS

FLAMENCO

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	60% Cotton 20% Acrylic 15% Viscose 5% Polyester (stain repellent)
With:	140 cm
Weight:	600 g/m ² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email : export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





11 TIGERLILLY



10 STRAWBERRY



12 SPICE



18 CHESTNUT



13 BRACKEN



20 PUTTY



16 JET



02 HEATHER



17 SILVER MOON



09 ROSE



03 RAISIN



04 THISTLE



14 HARVEST GOLD



19 MOCHA



01 DUSK



15 GOLDEN OLIVE



08 TURQUOISE



07 TEAL



05 SAPPHIRE



06 SKY



sekers



GINZA

Usage: Contract Curtains & Bedding



GINZA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 (Curtains)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Trevira CS
Width:	Kenzo: 282 cm (weighted) Reiko: 150 cm Yohji: 302 cm (weighted)
Weight:	Kenzo: 47 g/m ² Reiko: 152 g/m ² Yohji: 61 g/m ²
Repeat:	Kenzo: n/a Reiko: 28.4 cm V 15.3cm H Yohji: 1.3cm V
Pilling	Reiko: 4-5
Usage:	Kenzo and Yohji (Contract Curtains) Reiko (Contract Curtains and Contract Bedding)
Cleaning:	     Kenzo – NO STEAM

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk



KENZO



01 PARCHMENT




02 SKY



03 MARBLE


YOHJI



03 CHAMPAGNE



04 FROST



01 SMOKE



02 DOVE


REIKO



01 SILVER




02 MUSHROOM



03 CEMENT



10 SKY



11 GRAPHITE



12 CHARCOAL

REIKO



04 PUTTY



05 HARVEST



09 DUCKEGG



06 TIGERLILLY



08 DUSK



07 ROSE

Ginza

SEKERS introduces GINZA, a collection inspired by the famous Tokyo fashion district. Made of 100% Trevira CS and with a refined drape and subtle lustre, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying curtains, bedding or accessories for the hospitality, leisure and marine markets.





SEKERS

HARRIS TWEED

SEKERS

HARRIS TWEED

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS5857: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA	USA NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	100% Wool
Width:	150 cms
Weight:	330 gms/sq mtr
Repeat:	Check: 7.0 cm V 5.5 cm H Dogtooth: N/A Herringbone: N/A
Martindale:	45,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	    



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





CHECK SLATE GREY



CHECK OCEAN SPRAY



CHECK BRACKEN



CHECK WINTER WHEAT



CHECK BURNT UMBER



CHECK PEATLAND



DOGTOOTH SLATE GREY



DOGTOOTH OCEAN SPRAY



DOGTOOTH BRACKEN



DOGTOOTH WINTER WHEAT



DOGTOOTH BURNT UMBER



DOGTOOTH PEATLAND



HERRINGBONE SLATE GREY



HERRINGBONE OCEAN SPRAY



HERRINGBONE BRACKEN



HERRINGBONE WINTER WHEAT



HERRINGBONE BURNT UMBER



HERRINGBONE PEATLAND



SEKER'S

IDAHO

SEKERS

IDAHO

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	570 g/m ² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Regular Cleaning: Damp cloth or sponge. Thorough Cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap. Do No Use: Solvents, chloride, abrasives, chemical agents or wax polishes. Please note that dye transfer from denim or other textiles are excluded from any manufacturers guarantee.



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





03 TEAK



04 HAZEL



06 JAVA



01 CHESTNUT



12 RED OCHRE



05 WALNUT



02 PUTTY



07 ASH



08 PEBBLE



10 ANTHRACITE



09 FEATHER GREY



11 JET



SEKER'S

JURA

SEKERS

JURA

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	55% Cotton 32% Polyester 11% Acrylic 2% Nylon
Width:	140 cm
Weight:	571 g/m ² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs
Usage:	Severe Contract Upholstery
Cleaning:	     Please refer to our sales office for detailed spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





01 TERRA



20 AUBERGINE



07 ZINC



02 PUTTY



03 CHESTNUT



12 SAPPHIRE



15 WHEAT



06 CHARCOAL



04 LATTE



19 DUSK



18 BERRY



17 PAPRIKA



14 MOSS



13 BRACKEN



16 SPICE



05 TRUFFLE



09 OCEAN



10 TEAL



08 CYAN



11 MINERAL BLUE



SEKERS

KENTIA

sekers

KENTIA

FLAME RESISTANCE: When backcoated or treated for F.R.

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
when tested over CMHR foam – density approx. 35 kg/m³

Curtains: BS 5867: Part 2 Type B.

Bedspreads: BS 7175: 1989 Section 3 - Ignition Source 5, above and below
EN ISO 12952: 1998 Parts 1 to 4 - Smouldering Cigarette and
Small Open Flame Ignition Sources.

IMO: IMO FTPC Part 8 (Upholstery).

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 55% Cotton 45% Viscose – 100% Viscose Pile

Width: 140 cm

Weight: 580 g/m² (650 g/m² FR Backcoated)

Martindale: 200,000+

Usage: Severe Contract Upholstery, Curtains & Bedding

Cleaning: 

Stocked Crib 5, please specify usage when placing order.

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH


Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





48 FEATHER GREY



08 OYSTER



49 PUTTY



06 OATMEAL



05 NATURAL



41 SCARLET



23 METAL



29 MINK



19 ROSEWOOD



26 EBONY



21 AUBERGINE



20 PLUM



12 SAGE



34 OLD GOLD



11 MOSS



28 PECAN



52 SILVER GREEN



45 INDIGO



18 RUSSET



38 RUBY



47 AZURE



39 CLARET



46 GRAPHITE



SEKERS

aqua
clean[®]
TECHNOLOGY

KIBOKO

SEKERS

KIBOKO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% Polyester 35% Acrylic 15% Polyamide
Width:	140 cm
Weight:	600 grms/m ² (FR Backcoated)
Repeat:	N/A
Martindale:	200,000
Pilling:	4
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN. 

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





10 TEAK



03 WARM SAND



07 PUTTY



09 OTTER



12 CHESTNUT



08 WALNUT



11 GLAZED GINGER



13 CHOCOLATE



23 GARNET



22 TIGERLILLY



01 PARCHMENT



02 OATMEAL



04 LINEN



06 TAUPE



05 LATTE



14 FEATHER GREY



19 IVY



18 INSIGNIA BLUE



15 METAL



20 PALM



17 BLUE HAZE



16 GRAPHITE



21 CITRUS

KIBOKO CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.



2. Dirt doesn't penetrate the fabric's fibres.



3. The stains just disappear on applying water.



4. Simply remove with a lint free white cloth.



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first. Do not dry clean.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

Kiboko

seker's introduces KIBOKO, an impressive addition to our Aquaclean range. Aquaclean is an advanced nano technology finish which helps protect the fabric against spills and stains without having to resort to specialist cleaning. Kiboko resists the toughest of stains, from red wine to permanent marker, without compromising on that unique texture.





SEKERS


 **FibreGuard**
Stain Free Technology

KEILDER

SEKERS

KEILDER

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	712 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.  DO NOT DRY CLEAN

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk


Website: www.sekersfabrics.co.uk

BCFA
member







04 PACIFIC




06 JUNGLE




08 SPRING



07 CLOVER



10 SUNRISE



11 FALL



03 ATLANTIC



12 PAPRIKA



18 MACAROON



13 CHILLI



20 JUTE




14 LOLLIPOP




21 RAFFIA



01 SHALE



25 GRAVEL




02 SAPPHIRE




24 CLOUD



22 EGGHELL



23 MUSHROOM



15 ASH



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Do not dry clean.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly



SEKERS

KHIVA

Usage: WIDE WIDTH Contract Curtains

SEKERS

KHIVA

FLAME RESISTANCE

Curtains: BS 5867: Part 2, Type B
BS 5867: Part 2, Type C
M1

IMO: IMO FTPC Part 7 (Curtains)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width:	Biruni/Itchan	300 cm
	Darya	310 cm

Weight:	Biruni	315 g/m ²
	Darya	170 g/m ²
	Itchan	125 g/m ²

Usage: Contract curtains.

Fabric Direction: Fabric is designed to be used with the width forming the drop.
This avoids unnecessary seaming. Samples are displayed as they are designed to be used.

Delivery: Fabric will be delivered folded half width on rolls.

Cleaning:



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



BIRUNI



03 STORM



07 EBONY



06 SHADOW



05 TIN



08 COCOA



04 GRANITE



11 TEA



15 WINTER WHITE



12 BISCUIT




14 CHALK



16 CAMEO

DARYA



14 SEPIA



12 DUNE



09 OYSTER




13 FLAX




08 QUARTZ



11 CALICO



01 GRAPHITE



02 NICKEL



03 RAIN



06 CHROME



04 ALUMINIUM




05 MOON




10 CLOUD

ITCHAN



02 PEWTER



01 PEPPER CORN



04 JUTE



03 EGGSHELL



05 PEARL



07 STAR



06 PUTTY

Khiva

SEKERS introduces KHIVA, a versatile collection of wide width curtains with a companion sheer. With a refined drape and a variety of textures, Khiva is washable and fully FR tested making it an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

KOROWAI

Usage: Contract Curtains & Bedding

SEKERS

KOROWAI

FLAME RESISTANCE:

Curtains: BS 5867: Part 2, Type B
M1
B1

Bedding: BS 7175: 1989, Section 3 – Ignition source 5

IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 9 (Bedding Components)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width:	Bulaka/Iriana/Tabai	138 cm
	Hopea	135 cm

Weight:	Bulaka	230 g/m ²
	Hopea/Iriana/Tabai	187 g/m ²

Repeat:	Bulaka	61.1 cm V 35.0 cm H
	Hopea	44.5 cm V 67.5 cm H
	Iriana	61.0 cm V 35.0 cm H
	Tabai	64.5 cm V 35.0 cm H

Pilling: 4-5

Usage: Contract Curtains & Bedding

Cleaning:	Bulaka	    
	Hopea/Iriana/Tabai	    

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member

BULAKA




01 ROSEWINE




05 LINEN



02 SPICE



04 CHARCOAL



03 SMOKE



06 INK



07 TURQUOISE

TABAI



01 RAISIN



02 PAPRIKA



04 PUTTY



05 OATMEAL



03 MUSHROOM



07 PERIDOT



06 LAGOON


IRIANA



01 DUSK



02 AUTUMN



04 STRING



03 CEMENT



06 FERN



05 ZINC

HOPEA



01 PUMICE



02 SANDSHELL



04 INDIGO



03 SHADOW



05 PISTACHIO

Korowai

sekers introduces KOROWAI, a collection inspired by the pristine rainforests of West Papua New Guinea. Drawing inspiration from gently swirling water found in quiet bends of a meandering river, raindrops striking the surface of a stream during a tropical downpour and the structures of the rainforest itself, including the dimensional texture of tree bark and the subtly dimpled texture of vines native to the island.





SEKERS

Woven in 100% inherent FR polyester, the Korowai collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK and IMO standards for curtains, accessories and bedding, as well as German, French and US standards, this washable collection is the ideal resource for any contract application.



SEKERS

LANA

sekers

LANA

FLAME RESISTANCE:

- Curtains: BS 5867: Part 2, Type B
- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx 35kg/m³.
- IMO: IMO FTPC Part 8 (Upholstery)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester
- Width: 140 cm
- Weight: 385 gms/sq mtr (530 gms/sq mtr backcoated)
- Martindale: 40,000
- Usage: Severe Contract Upholstery, Curtains & Bedspreads
*Please specify FR requirements when placing order
- Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member





55 DAMSON



58 TEAL



7 LONDON FOG



27 HEATHER ROSE



29 AUBERGINE



28 DUSK



49 ROSEWINE



56 BLUE CORAL



31 FLINT STONE



32 DAZZLING BLUE



30 SAPPHIRE



42 SNOW WHITE



12 SNOWDROP



54 MACAW GREEN



33 DILL



35 MOSS



34 WILLOW



6 MINK



47 CHESTNUT



3 TEAK



4 CHOCOLATE



46 COCOA



45 LATTE



14 PALE GOLD



17 BUTTERCUP



51 TOFFEE



25 PORT



26 RUBY



23 RED ROSE



24 CLARET



22 APRICOT NECTAR



20 AUTUMN GINGER



50 TOPAZ



21 TIGERLILLY



16 OCHRE



15 TAN



1 BROWN SUGAR



2 BUTTERNUT



19 GLAZED GINGER



11 IVORY



10 VANILLA



9 SHELL



43 WINTER WHITE



44 PUTTY



13 WARM SAND



8 FEATHER GREY



41 SILVER CLOUD



5 JET



SEKER'S

LAREDO



LAREDO

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS 5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	139 cm
Weight:	670 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Regular Cleaning: Damp cloth or sponge. Thorough Cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap. Do no use: Solvents, chloride, abrasives, chemical agents or wax polishes. Please note that dye transfer from denim or other textiles are excluded from any manufacturers guarantee.


ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





07 ASH



13 INK



15 AUBERGINE



12 RED OCHRE




14 BRICK



03 DOVE



08 PEBBLE



09 FEATHER GREY



02 PUTTY



10 ANTHRACITE



05 WALNUT



01 CHESTNUT



04 HAZEL



11 BROWNIE



06 JAVA



SEKERS

LEXI



LEXI

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 140 cms

Weight: 578 gms/sq mtr

Martindale: 40,000

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





18 / PUTTY



23 / MARZIPAN



08 / CHESTNUT



22 / PALM



10 / FEATHER GREY



07 / PURPLE SAGE



15 / BRIGHT WHITE



14 / SNOWDROP



29 / OCEAN



28 / MINERAL BLUE



25 / GLEAM



26 / GREEN BAY



27 / SEA SPRAY



24 / SILVER FERN



20 / OLIVE BRANCH



21 / CHIVE



17 / IVORY



11 / BIRCH



09 / SIMPLY TAUPE



04 / STERLING



05 / ASH



06 / ZINC



30 / BLUESTEEL



31 / DUSK BLUE



32 / AUBERGINE



10 / PEARL



12 / WARM SAND



19 / BOULDER



35 / TIGERLILLY



34 / RED ROSE



33 / ROSEWOOD



03 / MOON MIST



01 / METAL



02 / JET



sekers

LIBRETTO



LIBRETTO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Callas	140 cm
	Bartoli/Dessay	141 cm
	Gedda	142 cm
Weight:	Bartoli	593 g/m ² (FR backcoated)
	Callas	717 g/m ² (FR backcoated)
	Dessay	745 g/m ² (FR backcoated)
	Gedda	636 g/m ² (FR backcoated)
Martindale:	Callas	60,000
	Bartoli/Dessay	70,000
	Gedda	90,000
Wyzenbeek:	Bartoli	195,000 (cotton duck)
	Callas	120,000 (cotton duck)
	Dessay	110,000 (cotton duck)
	Gedda	140,000 (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.	

DESSAY



90 SAPPHIRE



66 SCARLET



57 WINEBERRY



12 STORM




47 COCOA



89 OCEAN



09 FLINT



01 STEEL



77 SWEET PEA



40 WALNUT



35 SAGE



76 MEDAL

CALLAS



78 PERIDOT



48 COFFEE



82 WILLOW



03 STEEPLE GREY



25 WARM SAND



38 CHAMPAGNE



52 JET



11 BIRCH



65 CLARET



60 MAGENTA



06 PLATINUM

BARTOLI



61 CRIMSON



29 OATMEAL



34 PECAN



87 AZURE



53 LIQUORICE



49 DARK SMOKE



13 PEBBLE

GEDDA



86 TEAL



92 SKY



07 FEATHER GREY



05 STERLING



43 HAZEL



84 OLIVE



30 PUTTY



10 BOULDER



39 TEAK



68 TIGERLILLY

Libretto



sekers

introduces LIBRETTO, a collection of four subtle designs suitable for upholstery. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals, Libretto is a versatile mix of plain, strie and hopsack textures.

Supplied with a Crib 5 Flame Retardant backing and with a high Martindale abrasion performance, Libretto is a perfect selection for upholstery and is the ideal choice for designers specifying for the hospitality, leisure and marine markets.



SEKER'S

 **FibreGuard**
Stain Free Technology

LUCCA

PANARO



02 TURQUOISE



27 HUNTER



30 CORN



04 MIDNIGHT



03 ATLANTIC



20 FOX



23 STRAWBERRY



22 POST BOX



21 PAPRIKA



24 FUCHSIA




26 AUBERGINE



16 MINK



11 SMOKE



06 THISTLE




17 FAWN



14 CHARCOAL



13 SHINGLE



10 NICKEL



15 JET



12 FLINT



07 FOG

PANARO



29 LIZARD

ETIVA



19 JUNGLE

ETIVA



17 SUNSHINE



18 CI OVER



20 SURF



23 RIVER



30 PUMPKIN



21 CASCADE



22 KINGFISHER



01 CHROME



29 GRENADINE



25 GRAPHITE



02 CINDER



06 ALMOND



28 ROSEWINE




12 TAUPE



14 MOCHA



13 CHESTNUT



26 DUSK



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

SEKERS

LUCCA

FLAME RESISTANCE

Upholstery: BS 7176: Medium Hazard
BS5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: Etiva 100% Polyester
Panaro 53% Polyester 42% Acrylic 5% Viscose

Width: Etiva 138 cm
Panaro 139 cm


Weight: Etiva 784 g/m² (FR backcoated)
Panaro 597 g/m² (FR backcoated)

Martindale: Etiva 100,000
Panaro 45,000

Wyzenbeek: Etiva 100,000 double rubs (cotton duck)
Panaro 50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: See special instructions



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdle Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



BS5852
CRIB 5



sekers

MALMO

SEKERS

MALMO

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
Curtains:	BS 5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	85% Wool 15% Nylon
Width:	140 cm
Weight:	463 g/m ²
Martindale:	60,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND SAMPLING ENQUIRIES TO:


Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





06 LOLLIPOP



05. TIGERLILLY



04 PEONY



07 THISTLE



08 DUSK



01 WINEBERRY



24 COCOA



02 ROSEWOOD



03 CHILLI



25 TERRA



19 METAL



26 MOCHA



14 ZEST



13 CHIVE



15 TURQUOISE




12 SAPPHIRE



16 TEAL



11 MIDNIGHT




21 ZINC



18 PLATINUM



10 FLINT



17 ALUMINIUM



22 SLATE



09 INK



20 TAUPE



23 PEAT



sekers

MANHATTAN



MANHATTAN

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	85% Viscose 15% Modacrylic
Width:	136 cm
Weight:	Lexington/Lincoln: 650 gms/m ² Hudson: 620 gms/m ²
Martindale:	Lexington/Lincoln: 40,000 Hudson: 50,000
Repeat:	Lexington: 9.5cm V. / 17.4cm H. Lincoln: 29.5cm V. / 34cm H. Hudson: N/A
Usage:	Severe Contract Upholstery
Cleaning:	

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



HUDSON



01 RIO RED



02 CRIMSON



03 TIGERLILLY



04 INSIGNIA BLUE



05 DUSK




06 TAUPE



07 GOLD



08 JET



LEXINGTON



01 RIO RED



02 CRIMSON



03 TIGERLILLY



04 INSIGNIA BLUE



05 DUSK



06 TAUPE



07 GOLD



08 JET

LINCOLN



01 RIO RED



02 CRIMSON



03 TIGERLILLY



04 INSIGNIA BLUE



05 DUSK



06 TAUPE



07 GOLD



08 JET



SEKERS

MARISOL

SEKERS

MARISOL

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting

Composition: 100% Polyester

Width: 140 cms

Weight: 650 grms/m² (FR Backcoated)

Repeat: Elgin: 17cm. V, 17.5cm. H Kiki: 4.4cm. V, 4.5cm. H
Lotti: 3.4cm. V, 3.7cm. H Oren: NA

Marlindale: 50,000

Usage: Severe Contract Upholstery

Cleaning: 

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdle Industrial Estate
Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



ELGIN



ELGIN
MOONLESS NIGHT 02



ELGIN
DUSK 03



ELGIN
OXFORD TAN 04

ELGIN



ELGIN
ROSEWOOD 05



ELGIN
TURQUOISE 06



ELGIN
JET 07



ELGIN
DEEP ORCHID 08

LOTTI



LOTTI
PALM 01



LOTTI
MOONLESS NIGHT 02



LOTTI
DUSK 03



LOTTI
OXFORD TAN 04



LOTTI
ROSEWOOD 05



LOTTI
TURQUOISE 06



LOTTI
VINTAGE 07



LOTTI
DEEP ORCHID 08

KIKI



KIKI
PALM 01



KIKI
MOONLESS NIGHT 02



KIKI
DUSK 03



KIKI
OXFORD TAN 04



KIKI
ROSEWOOD 05



KIKI
TURQUOISE 06



KIKI
JET 07



KIKI
DEEP ORCHID 08

OREN



OREN
PALM 01



OREN
MOONLESS NIGHT 02



OREN
DUSK 03



OREN
OXFORD TAN 04



OREN
ROSEWOOD 05



OREN
TURQUOISE 06



OREN
JET 07



OREN
DEEP ORCHID 08



SEKER'S

MAYFAIR



MAYFAIR

FLAME RESISTANCE – INHERENT:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5), BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35kg/m ³ .
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	Belmont: 88% PVC 10% Polyester 2% PU Kendal: 78% PVC 20% Polyester 2% PU
Width:	138 cm
Weight:	Belmont: 800 gms/m ² Kendal: 500 gms/m ²
Repeat:	Belmont: 18 cm V. 12 cm H. Kendal: N/A
Martindale:	200,000
Usage:	Severe Contract Upholstery – Waterproof and Urine Resistant
Cleaning:	Regular cleaning: Damp cloth or sponge. Thorough cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap. Do not use: Solvents, concentrated abrasives or solvent cleaning products or wax polish.

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekerstofabrics.co.uk





02 JET - BELMONT



02 JET - KENDAL/02 JET BELMONT



10 ANTHRACITE - KENDAL/10 ANTHRACITE - BELMONT



07 AUBERGINE - KENDAL/07 AUBERGINE - BELMONT



01 JAVA - KENDAL/01 JAVA - BELMONT



04 RED OCHRE - KENDAL/04 RED OCHRE - BELMONT



03 CLARET - KENDAL/03 CLARET - BELMONT




09 HAZEL - KENDAL/09 HAZEL - BELMONT



06 WALNUT - KENDAL/06 WALNUT - BELMONT



08 OATMEAL - KENDAL/08 OATMEAL - BELMONT



05 PEBBLE - KENDAL/05 PEBBLE - BELMONT



SEKERS

MELFORD WOOL

SEKERS

MELFORD WOOL

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	80% Merino Wool, 20% Polyamide
Width:	138 cm
Weight:	Kersey: 270 g/m ² Kentwell/Lindsey: 265 g/m ²
Repeat:	Kersey: 8 cm V, 8 cm H Kentwell/Lindsey: N/A
Martindale:	50,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





KERSEY ROSEWOOD 01




KERSEY DOVE GREY 02



KERSEY SILVER CLOUD 03



KERSEY PEWTER 04



KERSEY BLUE GRAPHITE 05



KERSEY PUTTY 06



KERSEY BRACKEN 07



KERSEY OCHRE 08



KERSEY SAGE 09



KERSEY AUTUMN GINGER 10



KERSEY TIGERLILLY 11



KERSEY DARK EARTH 12




KENTWELL ROSEWOOD 01



KENTWELL DOVE GREY 02



KENTWELL SILVER CLOUD 03



KENTWELL PEWTER 04



KENTWELL BLUE GRAPHITE 05



KENTWELL PUTTY 06



KENTWELL BRACKEN 07



KENTWELL OCHRE 08



KENTWELL SAGE 09



KENTWELL AUTUMN GINGER 10



KENTWELL TIGERLILLY 11



KENTWELL DARK EARTH 12




LINDSEY ROSEWOOD 01



LINDSEY DOVE GREY 02



LINDSEY SILVER CLOUD 03



LINDSEY PEWTER 04



LINDSEY BLUE GRAPHITE 05



LINDSEY PUTTY 06



LINDSEY BRACKEN 07



LINDSEY OCHRE 08



LINDSEY SAGE 09



LINDSEY AUTUMN GINGER 10



LINDSEY TIGERLILLY 11



LINDSEY DARK EARTH 12



sekers

MILAN

SEKERS

MILAN

FIRE RESISTANCE

Upholstery: BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Aldo	78% Viscose	22% Modacrylic
	Federico	88% Viscose	12% Modacrylic
	Giuseppe	79% Viscose	21% Modacrylic

Width: 137 cm

Weight:	Aldo	688 g/m ² (FR backcoated)
	Federico	659 g/m ² (FR backcoated)
	Giuseppe	703 g/m ² (FR backcoated)

Repeat:	Aldo	25.1cm Vertical	34.4cm Horizontal
	Federico	8.7cm Vertical	8.5cm Horizontal
	Giuseppe	36cm Vertical	34.5cm Horizontal

Martindale:	Aldo	45,000
	Federico/Giuseppe	70,000

Wyzenbeek: 50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



ALDO



05 METAL

GIUSEPPE



05 CHARCOAL

FEDERICO



05 ZINC



04 SMOKE



03 TERRA



01 BERRY



02 OCEAN



01 SAPPHIRE



02 MINERAL BLUE



04 STERLING



03 CHOCOLATE



04 CHARCOAL



03 PUTTY



01 ROSEWOOD



02 GOLDEN OLIVE



SEKER'S



MONTANA

SEKERS

MONTANA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA	USA NFPA 260 Class (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	Leather (average hide size) 5.5m ²
Weight:	650 gms/sq mtr
Thickness:	0.9mm ± 0.1mm
Flex Endurance:	50,000 flexes
Abrasion Resistance:	500 cycles 500gr load
Rub Fastness:	250 Wet / 500 Dry
Tear Strength:	40N
Usage:	Severe Contract Upholstery
Cleaning:	Sekers Leather Wipes

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdle Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





TEAL 01



PALM 02



ZINC 03



ELDERBERRY 04



PORT 05



BLUESTONE 06



INK 07



MARINE 08



SKYDIVER 09



PEWTER 10



SILVER 11



DOVE 12



SNOW 13



JET 14



OCEAN 15



IVY 16



ANTHRACITE 17



GRASS 18



RED OCHRE 19



POPPY RED 20



HOT PINK 21



MOSS 22



WALNUT 23



GREY GREEN 24



BISCUIT 25



SANDSHELL 26



OYSTER 27



PEBBLE 28



COBBLESTONE 29



JAVA 30



DARK EARTH 31



HAZEL 32



RUSSET 33



WARM SPICE 34



GOLDEN OAK 35



SUN ORANGE 36



SEKERS

NOVA SCOTIA



NOVA SCOTIA

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Bedford/Hubley/Tusket	90% Polyester 10% Viscose
	Coldbrook	85% Polyester 15% Viscose
	Halifax/Yarmouth	100% Polyester

Width: 140 cm

Weight:	Bedford	560 g/m ² (FR backcoated)
	Coldbrook	534 g/m ² (FR backcoated)
	Halifax	507 g/m ² (FR backcoated)
	Hubley/Tusket	551 g/m ² (FR backcoated)
	Yarmouth	497 g/m ² (FR backcoated)

Martindale:	Bedford/Coldbrook/Halifax/Tusket	60,000
	Hubley/Yarmouth	40,000

Wyzenbeek:	Bedford/Yarmouth	30,000 double rubs (cotton duck)
	Coldbrook	45,000 double rubs (cotton duck)
	Halifax	50,000 double rubs (cotton duck)
	Hubley	120,000 double rubs (cotton duck)
	Tusket	55,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502


UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



TUSKET



07 TERRA



59 THISTLE



57 DUSK



48 CITRUS



35 SAPPHIRE



24 PEWTER

YARMOUTH



72 LINEN



27 ANTHRACITE



03 TAUPE

BEDFORD



32 AQUAMARINE



55 FLINT



78 ROSE



08 INK

COLDBROOK



56 INDIGO



60 TULIPWOOD



74 MARZIPAN



67 MUSTARD



40 BLUESTONE



58 HEATHER



51 MOSS



43 OCEAN



29 MINERAL BLUE



06 CHARCOAL

HALIFAX



82 GARNET



05 LATTE



73 BISCUIT




33 FEATHER GREY



69 MEDAL

HUBLEY



77 CRIMSON



50 PALM



84 BERRY



31 CYAN



12 CAFE



70 WARM SAND




02 SLATE



26 MIDNIGHT



10 OATMEAL



66 SUNSHINE



SEKERS introduces NOVA SCOTIA, a collection of 6 textured designs suitable for upholstery. Available in a palette of 38 rich colours, ranging from earthy neutrals to radiant jewel tones, Nova Scotia is a versatile mix of designs ranging from large and small scale basket weaves to multi-tonal plains. Supplied with a Crib 5 flame retardant backing Nova Scotia is a perfect selection for the hospitality, leisure and marine markets.



SEKERS



OLYMPIA

SEKERS

OLYMPIA

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3— Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% FR Polyester
Width:	Bainbridge: 295 cm Vashon: 297 cm (weighted)
Weight:	Bainbridge: 265 g/m ² Vashon: 52 g/m ²
Pilling:	Bainbridge: 4-5
Usage:	Bainbridge Contract Curtains and Contract Bedding Vashon Contract Curtains
Fabric Direction:	Both fabrics are designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.
Delivery:	Fabric will be delivered folded half width on rolls.
Cleaning:	    

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



VASHON



01 SNOW



02 CREAM



03 SAND



04 SESAME



09 SILVER



08 IVORY



07 GLACIER



06 OATMEAL



05 ALMOND

BAINBRIDGE



21 BLUEBELL



23 SURF



22 COBALT



05 CLOUD



14 MIST



03 FROST



24 SMOKE



01 EGGSHELL



25 CHARCOAL

BAINBRIDGE



06 BONE



09 STRAW



07 BEIGE



10 HESSIAN



12 CHAMPAGNE



13 LINEN



20 ROSE



16 ZINC



18 DUSK



17 LAVENDER



19 TULIPWOOD

Olympia

sekers introduces OLYMPIA, a collection of two wide width curtain fabrics. Both inherently FR, Bainbridge is a versatile textured plain drapery with a contemporary matte linen look and Vashon, supplied with a weighted band, is a sheer with elegant simplicity and subtle sheen. Olympia is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

ONTARIO

SEKERS

ONTARIO

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Niagara	89% Polyester 11% Viscose	
	Ottawa/Toronto	100% Polyester	
Width:	137 cm		
Weight:	705 g/m ² (FR backcoated)		
Repeat:	Niagara	n/a	
	Ottawa	1.0cm V 2.5cm H	
	Toronto	9.3cm V 9.0cm H	
Martindale:	50,000		
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.		

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email : export@sekers.co.uk
Website: www.sekersfabrics.co.uk


BCFA
member



TORONTO



01 INDIGO



04 FERN




03 OCEAN



06 BLACKBERRY



05 ROSE



02 DICE



07 TERRA




08 ASH




09 SHADOW

OTTAWA



01 NAUTICAL



04 AVOCADO




03 SURF




06 AUBERGINE




05 TULIP



02 PENGUIN



07 CHINCHILLA




08 SLATE




09 JET


NIAGARA




01 COBALT




04 MOSS




03 CASCADE




06 RAISIN




05 POPPY



02 ANTHRACITE



07 BISCUIT



08 PEPPERCORN

Ontario

sekers introduces ONTARIO, a collection of three distinctive designs available in 26 colours from sophisticated neutrals to porcelain blues. A flexible collection, Niagara, Ottawa and Toronto can be used individually or combined to create a versatile and colourful design statement.





SEKERS

ORZAN

sekers

ORZAN

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- IMO: I.M.O. FTPC Part 8 (Upholstery)
- USA: USA NFPA 260 Class 1 (UFAC) & CAL 117/SE
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 68.5% PVC 1.5% PU 15% Polyester 15% Cotton
- Width: 140 cm
- Weight: 790 gms/sq mtr
- Martindale: 250,000
- Usage: Severe Contract Upholstery – Waterproof and Urine Resistant.
- Cleaning: **Regular cleaning:** Damp cloth or sponge.
Thorough cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap.
Do not use: solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk





OZ42



OZ48



OZ31



OZ45



OZ10



OZ25



OZ26



OZ27



OZ54



OZ07



OZ09



OZ11



OZ12



OZ13



OZ38



OZ44




OZ39



OZ46



OZ14



OZ03



OZ43



OZ52



OZ51



OZ24



OZ49



OZ47



OZ50



OZ21



OZ20



OZ55



OZ36




OZ40




OZ56




OZ30



OZ35



OZ37



OZ41



OZ29



OZ53



sekers




PATAGON
WIDE WIDTH SHEERS

SEKERS


PATAGON

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B			
IMO:	IMO FTPC Part 7 (Curtains) WITH THE EXCEPTION OF MARIN & SHAMAL			
USA:	NFPA 701 Curtains			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	100% Polyester			
Width:	Bora	298 cm	Pampero	308 cm
	Canterbury/Zephyr	296 cm	Shamal	309 cm
	Khamsin/Marin	300 cm	Zonda	315 cm
Weight:	Bora	95 g/m ²	Pampero	46 g/m ²
	Canterbury	35 g/m ²	Shamal	181 g/m ²
	Khamsin	111 g/m ²	Zephyr	103 g/m ²
	Marin	152 g/m ²	Zonda	72 g/m ²
Repeat:	Canterbury	Stripe V 28cm H		
	Khamsin	Irregular Stripe		
	Pampero	19.4cm V 13.2cm H		
Usage:	Contract curtains.			
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.			
Delivery:	Fabric will be delivered folded half width on rolls.			
Selvedge:	BORA is supplied with a weighted selvedge.			
Cleaning:	Bora, Canterbury, Khamsin, Marin, Pampero, Zephyr and Zonda			



Shamal – DO NOT DRY CLEAN



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


BCFA
member



PAMPERO



04 BRONZE



03 DICE




02 WHEAT



01 DIAMOND

SHAMAL



04 NOIR



03 ASH



01 MARBLE



02 FROST

CANTERBURY



03 BEETLE



02 SEASHELL



01 HAZE

KHAMSIN



GRAVEL
0



03 CINDER




01 CHALK




02 SMOKE

BORA



05 TIN



04 CHATEAU



03 WINTER WHITE



01 TRUFFLE



02 LATTE

MARIN



08 GULL



01 STRING




03 SEAGRASS



02 PARCHMENT

ZEPHYR



03 SHALE



04 CHROME




02 SEPIA



01 IVORY

ZONDA



05 SEASPRAY



07 GLACIER



08 CREAM




01 CALICO



09 ECRU




06 OPAL




02 FOSSIL



10 MUSHROOM



11 RABBIT



04 SHADOW



03 GRAPHITE

Patagon

sekers introduces PATAGON, a versatile collection of wide width sheers. With a refined drape and a variety of textures, Patagon is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKER'S

The PATAGON collection is fully FR tested and is suitable for all aspects of the contract market. Meeting all relevant UK and US FR standards for curtains, this washable collections is the perfect selection for any contract application.



SEKERS



**aqua
clean**
TECHNOLOGY

PIAZZA

SEKERS

PIAZZA

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Cnb 5) BS 7176; Medium Hazard When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock culling.
Composition:	60% Polyester 40% Cotton
Width:	138 cm
Weight:	617 g/m ² (FR backcoated)
Martindale:	45,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions



BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





08 PEACOCK



06 MAIJE



07 AUBERGINE



11 OCEAN



10 NAUTICAL



09 INK



16 CHROME



17 MARBLE



18 CARBON



14 TAUPE



13 SAND



12 OATMEAL



15 CHOCOLATE



03 BRACKEN



02 MEDAL



19 JET



04 POPPY



01 LEAF



20 PEPPER



05 BERRY

PIAZZA CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating



2. Dirt doesn't penetrate the fabric's fibres



3. The stains just disappear on applying water



4. Simply remove with a lint free white cloth



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

Piazza

sekers introduces PIAZZA, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Piazza resists the toughest stains, including red wine and permanent marker.



aqua
clean
TECHNOLOGY



SEKERS

QUASAR

SEKERS

QUASAR

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³			
IMO:	IMO FTPC Part 8 (Upholstery)			
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	Corvus	66% Polyester 20% Viscose 14% Cotton		
	Draco	48% Polyester 35% Viscose 17% Cotton		
	Hercules	100% Polyester		
	Lacerta	87% Polyester 13% Viscose		
	Octans	88% Polyester 12% Viscose		
	Perseus	56% Polyester 30% Viscose 14% Cotton		
Width:	Corvus/Draco	138 cm	Hercules	143 cm
	Lacerta/Octans	142 cm	Perseus	140 cm
Weight:	Corvus	671 g/m² (FR backcoated)		
	Draco	800 g/m² (FR backcoated)		
	Hercules	681 g/m² (FR backcoated)		
	Lacerta	553 g/m² (FR backcoated)		
	Octans	708 g/m² (FR backcoated)		
	Perseus	758 g/m² (FR backcoated)		
Martindale:	Corvus	50,000	Draco	90,000
	Hercules	140,000	Lacerta	100,000
	Octans/Perseus	70,000		
Wyzenbeek:	Corvus/Draco/Lacerta	200,000 double rubs (cotton duck)		
	Hercules	100,000 double rubs (cotton duck)		
	Octans	140,000 double rubs (cotton duck)		
	Perseus	125,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery			
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.			

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502


UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



CORVUS



38 THISTLE



46 ORCHARD



40 LILAC



28 OCEAN



01 PINECONE




17 BROWNIE



15 PEBBLE

DRACO



04 PEPPERCORN



42 BERRY




21 CHARCOAL



33 FLINT

LACERTA




26 CASCADE



06 MOCHA




30 BRACKEN



47 MEADOW


OCTANS



02 ADRIATIC



43 PEONY




36 SKY



31 INDIGO

PERSEUS



37 HORIZON



05 TERRA



41 WINEBERRY



49 KHAKI



27 MOSS




34 NAVY




39 DUSK


HERCULES




18 TUXEDO



20 JET



03 ANTHRACITE



35 COBALT



SEKERS introduces QUASAR, a collection of six textural semi plains suitable for upholstery. Available in a palette of 30 colours, ranging from earthy naturals to saturated jewel tones, providing a vivid and flexible range of colour, Quasar is a versatile collection of woven textures incorporating a variety of yarns including twists, chenilles and bouclés.

Supplied with a Crib 5 flame retardant backing, Quasar is the perfect selection for the hospitality, leisure and marine markets.



SEKERS

QUITO

SEKERS

QUITO

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition	100% Polyester
Width:	138 cm
Weight:	513 g/m ² (FR backcoated)
Martindale:	90,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.



14 ATLANTIC




05 BISCUIT



03 TRUFFLE



20 ALUMINIUM



13 PEACOCK



02 COCONUT



10 INDIGO



11 SAPPHIRE



15 APPLE



01 CHOCOLATE



04 MUSHROOM



19 ZINC



16 CHARCOAL



17 PEWTER



18 METAL



09 HARVEST



07 CARDINAL



06 DUSK



08 TIGERLILLY



12 STRAWBERRY



sekers

 **FibreGuard**
Stain Free Technology

RIGA



RIGA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	580 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





32 SPRUCE



35 SEASPRAY



34 TURQUOISE



03 COBALT



04 BLUEBELL



02 INDIGO



01 MIDNIGHT



31 JUNGLE



29 MEDAL



19 CHOCOLATE



30 HERB



28 FOX



09 RABBIT



33 KINGFISHER



07 METAL



08 SLATE



20 ONYX



05 FOG



06 SILVER



15 LINEN



14 PUTTY



11 NATURAL



10 STRING



12 CLOUD



13 FROST



27 STRAWBERRY



26 RUBY



25 PEONY



23 MAUVE



22 DUSK



21 GARNET



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly



sekers

RIPPLE

SEKERS

RIPPLE

FLAME RESISTANCE:

Upholstery:	BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam - density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2 Type B
Bedding:	BS7175: 1989, Section 3 - Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery)
USA:	USA CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	80% Viscose 10% Cotton 10% Polyester
Width:	140 cm
Weight:	665 gms/m ²
Martindale:	65,000
Pilling:	5
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	    

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member





NIGHTSHADE



AUTUMN GINGER



TIGERLILLY



POPPY RED



FIG



ROSE TAUPE



CHERRY



DUSK



DILL



JET



MINERAL BLUE



BLUESTONE



BLUE GRAPHITE



WARM SAND



HONEY



GREY GREEN



NEW WHEAT



TOFFEE



LATTE



TEAK



MOONLESS NIGHT



DARK EARTH



SEKERS

ROSSALL

Rossall

sekers introduces ROSSALL, a collection of 4 distinctive designs woven in the UK from 100% British wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Rossall is eminently suitable for both drapery and bedding applications.





TOP: CHINGLE 08 GRAPHITE

BOTTOM: GAWTHORPE 08 PEWTER

Images do not represent an exact colour match to the actual fabric.

Chingle



01 THISTLE



02 DUSK



03 ROSEWOOD



04 SPICE



05 HARVEST GOLD



06 PEONY



07 ORCHARD

Gawthorpe



01 HEATHER



02 OCEAN SPRAY



03 CARDINAL



04 PUTTY



06 CLARET



07 GLAZED GINGER



05 BROWN SUGAR



TOP: THURNHAM 03 METAL

BOTTOM: HESKIN 03 CHARCOAL

Images do not represent an exact colour match to the actual fabric.

Thurnham



01 MOSS



02 LILAC ASH

Heskin



01 WILLOW



02 MAUVE



04 LAVENDER




05 IVY



06 BERRY



07 SAGE



08 BRACKEN



09 PLUM



ROSSALL is inherently fire retardant, meeting all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding. With a high abrasion performance of 40,000 rubs, Rossall is perfect for the most demanding upholstery applications.

SEKERS



ROSSALL

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³		
Curtains:	BS5867: Part 2, Type B		
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5		
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding)		
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting. Please note these images do not represent an exact colour match to the actual fabric.		
Composition:	100% Wool		
Width:	145 cm		
Weight:	340 g/m ²		
Repeat:	Chingle:	Please refer to website or pattern book	
	Gawthorpe:	21.5cm V	20cm H
	Heskin:	Please refer to website or pattern book	
	Thurnham:	19cm V	18.5cm H
Martindale:	40,000		
Pilling:	4		
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding		
Cleaning:	    		



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501
E-mail: sales@sekers.co.uk
Export: export@sekers.co.uk



SEKERS

RYE



RYE

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	627 g/m ² (FR backcoated)
Martindale:	70,000
Wyzenbeek:	85,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	     Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate

Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member






36 DENIM



18 HEATHER



38 FLINT STONE



29 WILLOW



35 KINGFISHER



39 INDIGO



13 GRAPHITE



12 SLATE



40 JET



17 DUSK



22 PEONY



23 CLARET



20 LOLLIPOP



25 PAPRIKA



26 TIGERLILLY



03 PEBBLE



10 LATTE



11 TRUFFLE



01 METAL



02 TAUPE



SEKER'S

SAHARA

SEKERS

SAHARA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS 5857: Part 2 Type B.
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery)
Waterproof:	Hydrostatic head BS 3424 > 1 mlr
Soil Resistance:	Fluorocarbon soil release treatment to help resist liquid and oil based stains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester, Waterproof, Anti-bacterial & FR backcoated
Width:	149 cm (backcoated)
Weight:	440 grms/m ² (backcoated)
Martindale:	>40,000
Usage:	Severe Contract Upholstery & Contract Curtains – Waterproof and Urine Resistant.
Cleaning:	Washable @ 60°C NB: Do Not Dry Clean 1) Routine mild soap & warm water sponging is effective for ordinary soiling using a "Wipe & Dry" technique 2) Fresh stains, both water & oil based are easily removed using water based household spray cleaning agents

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





36 AUBERGINE



39 LIME ZEST



34 BLUEBERRY



28 WILLOW



44 BYZANTIUM



32 NIGHT BLUE



49 GREEN TEA



45 BLUEJAY



18 ATLANTIC



21 LICHEN



47 CORAL BLUE



01 SNOW



46 DUSK



48 DRIED HERB



24 PUTTY



05 SAND



50 APRICOT



27 CHARCOAL




08 GOLD



11 CHILLI



26 ANTHRACITE



37 TAUPE



51 RED OCHRE



52 JET



31 CAFÉ



SEKER'S

SEABROOK

SEKERS

SEABROOK

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	484 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





36 PALM



34 CHIVE



18 MEDAL



13 LATTE



15 WALNUT



19 SIENNA



02 PEAT



01 CHESTNUT



16 TERRA



31 OCEAN



28 COBALT



11 SMOKE



32 AZURE



27 MIDNIGHT



05 ALUMINIUM



24 ROSEWOOD



26 DUSK



23 PINK



21 CRIMSON



22 BURGUNDY




SEKERS

SELKIRK

Selkirk

sekers introduces SELKIRK, a contemporary collection woven in the UK from 100% wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Selkirk is eminently suitable for both curtains and bedding and meets all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding.






CRINGLETIE



TOP: 04 ORCHARD

MIDDLE: 05 AUTUMN

BOTTOM: 06 BEACH



TOP: 02 THISTLE

MIDDLE: 01 TWILIGHT

BOTTOM: 03 ASH


MONTEVIOT




03 HEATHER



01 INDIGO



05 SESAME



02 HAZE



04 HARVEST

PAXTON



02 PETROL



13 SEASHELL



05 NICKEL



08 MARINE



03 BLACKBERRY



10 REDWOOD



09 BRACKEN



01 FLINT



04 CARBON



11 APPLE



07 HERB



12 GULL



06 SMOKE



SELKIRK

FLAME RESISTANCE:

Upholstery: BS7176: Medium Hazard
BS5852: Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

Curtains: BS5867: Part 2, Type B

Bedding: BS7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)

USA: NFPA 260 Class 1 (UFAC)
CAL117/13
NFPA 701

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Wool

Width:	Cringletie/Paxton	140 cm
	Monteviot	145 cm

Weight:	Cringletie	355 g/m ²
	Monteviot	345 g/m ²
	Paxton	355 g/m ²

Martindale: 40,000

Wyzenbeek: 15,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery, Contract Curtains and Bedding

Cleaning:     

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





SEKERS



 **FibreGuard**
Sustainable Textile Technology

SHOGUN

SEKERS

SHOGUN

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	73% Polyester 27% Viscose
Width:	138 cm
Weight:	650 g/m ² (FR backcoated)
Martindale:	60,000
Wyzenbeek:	180.000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





29 SPICE



18 STORM



20 OCEAN



22 LAGOON



17 MIDNIGHT



21 CYAN



23 CASCADE



30 BERRY



03 PEAT



16 TERRA



05 COCONUT



15 MACAROON



12 BEACH



26 KHAKI



11 SAND



06 HESSIAN



24 JUNGLE



25 MEADOW



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Shogun

sekers introduces SHOGUN, a versatile and textured design available in a palette of 18 multi-colour shades, including sophisticated neutrals and porcelain blues. Supplied with Crib 5 backing and incorporating FibreGuard, Shogun resists the toughest of stains.





sekers

SINTRA

SEKERS

SINTRA

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 138 cms

Weight: 440 gms/sq mtr

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member





12 DARK EARTH



26 AQUAMARINE



16 BROWN SUGAR



40 ROSE WOOD



04 OATMEAL



27 COLONIAL BLUE



22 BRIGHT WHITE



21 SNOWDROP



19 VANILLA



20 WINTER WHITE



23 WHITE ASPARAGUS



18 PUTTY



33 SUNSET GOLD



06 PARCHMENT



07 FEATHER GREY



32 PALM



31 SWEET PEA



25 MOSS GREY



01 WALNUT



30 ELM GREEN



24 CEMENT



03 GREY GREEN



02 SEAGRASS



05 SHELL



34 TIGERLILLY



35 GARNET



36 POPPY RED



37 RED ROSE



38 CHERRY




39 PORT



28 MALLARD BLUE



29 LEGION BLUE



09 BLUESTONE



17 WARM SAND



14 SILVER MINK



15 DUNE



08 PINE BARK



13 TEAK




11 DARK SLATE



10 JET

Spirit

sekers introduces SPIRIT, an ethereal collection of wide width sheers. With free-flowing handle and a variety of textures, Spirit drapes any interior in soft light, creating a sublime mood. The collection is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.



sekers

SPIRIT
WIDE WIDTH SHEERS

SEKERS

SPIRIT

FLAME RESISTANCE


Curtains.	BS 5867 Part 2, Type B			
IMO	IMO FTPC Part 7 (Curtains) WITH THE EXCEPTION OF LETO AND SEDNA			
USA.	NFPA 701			
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.			
Composition	100% Polyester			
Width	Horta	300cms	Sedna	300cms
	Leto	301cms	Sulis	321cms
	Malina	302cms		
Weight:	Horta	70 gms/sq mtr	Sedna	166 gms/sq mtr
	Leto	29 gms/sq mtr	Sulis	66 gms/sq mtr
	Malina	67 gms/sq mtr		
Repeat:	Sedna	1.5cm V 1.5cm H		
Usage*	Contract curtains			
Fabric Direction	The fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.			
Delivery*	Fabric will be delivered folded half width on rolls.			
Selvedge	HORTA, LETO, MALINA and SULIS are supplied with a weighted selvedge.			
Cleaning	    			

BCFA
member


ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email sales@sekers.co.uk **Export Email** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



HORTA



02 CEMENT




01 TIN




03 MOON



04 CHALK



13 TAUPE



20 LAGOON




05 CREAM



07 BAMBOO



32 BLOSSOM



19 RIVER

LETO



10 SEASPRAY



01 CLOUD



07 ASH




04 EGGSHELL



08 LEAD

MALINA



03 C NDER



02 GULL



11 PEWTER



10 KHAKI



07 CALICO



04 STAR



05 VAN LLA




09 PUTTY



01 CHARCOAL

SULIS



01 SILVER



08 PUM CE



09 SMOKE



10 BARLEY



05 IVORY



03 GLACIER



04 WOOL




06 OATMEAL



02 CHROME

SEDNA




01 SLATE




03 FROST



04 FOSSIL



02 DOVE





SEKERS

STRUCTURES

Usage: Contract Curtains & Bedding

SEKERS

STRUCTURES

FLAME RESISTANCE:

Curtains: BS 5867 Part 2, Type B

French: M1

German: DIN 4102-B1

Bedding: BS 7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 7 (Curtains)

IMO FTPC Part 9 (Bedding Components)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester FR

Width: 140 cms

Weight: Aspect: 127 gms/m² Profile: 133 gms/m² Semblance: 312 gms/m²
Shadow: 191 gms/m² Silhouette: 182 gms/m² Symmetry: 160 gms/m²

Repeat: Aspect: 23.5 cm. V, 12 cm. H Profile: 34 cm. V, 26 cm. H
Semblance: N/A Shadow: N/A
Silhouette: 34 cm. V, 14 cm. H Symmetry: N/A

Usage: Contract Curtains and Contract Bedding

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


BCFA
member

ASPECT




04 STEEPLE GREY

PROFILE



02 PUTTY

SEMBLANCE



02 FEATHER GREY



01 OATMEAL



03 WARM SAND



05 DUSK



02 PARCHMENT



07 GARNET



06 BLUESTONE



01 OATMEAL



06 GARNET



04 METAL



03 PARCHMENT



05 TIGERLILLY



01 OATMEAL




04 PECAN



05 MÉTAL



03 WARM SAND




06 GARNET

SILHOUETTE




06 METAL

SHADOW



04 STEEPLE GREY

SYMMETRY



04 METAL




01 WARM SAND



03 PARCHMENT



02 ZINC



05 DUSK



04 AQUA HAZE



07 BLUESTONE




06 DUSK



03 AQUA HAZE



05 METAL



02 WARM SAND



01 OATMEAL



01 PARCHMENT



03 STEEPLE GREY



06 TIGERLILLY



02 WARM SAND



05 BLUESTONE



SEKERS



SUOMI
BLACKOUT CURTAINS

SEKERS

SUOMI

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B
IMO:	IMO FTPC Part 7 (Curtains)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	Inari: 50% Polyacrylic 34% Polyester 16% Cotton Kemi/Turku: 53% Polyester 47% Polyacrylic
Width:	Inari: 144 cm Kemi: 141 cm Turku: 141 cm
Weight:	Inari: 447 g/m ² Kemi: 393 g/m ² Turku: 430 g/m ²
Repeat:	Inari: 61.6 cm V 36.2 cm H Kemi/Turku: n/a
Usage:	Blackout Contract Curtains
Cleaning:	     DO NOT DRY CLEAN

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502


UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



INARI



30 LAGOON



36 MIDNIGHT



39 SEASPRAY




18 CHALK



06 SHINGLE



15 PUMICE



03 SMOKE



21 BARLEY



24 STAR



09 GRANITE



45 DUSK

KEMI



28 RAIN



34 COBALT



37 TEAL




16 QUARTZ



04 METAL



13 HEMP



01 CINDER



19 WOOL



22 GLACIER



07 CEMENT



43 PARMA

TURKU



29 AQUA



35 INDIGO



38 CASCADE




17 STORM



05 TIN



14 PUTTY



02 ZINC



20 IVORY



23 FROST



44 HEATHER

Suomi

SEKERS introduces SUCOMI, a collection of three designs with 3 pass FR blackout. With a refined drape and subtle shimmer, Suomi is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKER'S



**aqua
clean**
TECHNOLOGY

TANAMI

SEKERS

TANAMI

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% Polyester 35% Acrylic 15% Polyamide
Width:	138 cm
Weight:	500 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN.



BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk





10 CHIVE



20 SHELL



21 FAWN



09 SPICE



22 CHAMPAGNE




12 COIN



08 TIGERLILLY



13 DOVE



16 SILVER



15 CHARCOAL



17 ASH



18 SLATE



01 TEAL



19 TRUFFLE



02 MIDNIGHT



05 PETROL



14 CHESTNUT



11 BROWN SUGAR



04 DUSK



06 CARDINAL



07 PEONY



03 CLARET

TANAMI CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system coats every single fibre with an invisible molecular coating.



2. Dirt doesn't penetrate the fabric's fibres.



3. The stain just disappears on applying water.



4. Simply remove with a lint free white cloth.



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first. Do not dry clean.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

**aqua
clean**
TECHNOLOGY

Tanami

sekers introduces TANAMI, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Tanami resists the toughest stains, including red wine and permanent marker.





SEKERS

TEXA

SEKERS

TEXA


FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	56% Cotton 30% Polyester 14% Acrylic
Width:	140 cm
Weight:	500 g/m ²
Repeat:	N/A
Martindale:	60,000
Usage:	Severe Contract Upholstery
Cleaning:	☒ ☒ ☒ ☒ ☐ Please refer to our sales office for detailed spot cleaning instructions.



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





POPPY 02



TIGERLILLY 01



RED ROSE 03



GOLDEN OLIVE 04



OLD GOLD 05



TEAL 06



ELDERBERRY 07



RAISIN 08



LOLLIPOP 09



PORT 10



BLACKBERRY WINE 11



OASIS 12



WARM SAND 13



SIMPLY TAUPE 14



CHAMPAGNE BEIGE 15



MINK 16




COCOA 17



SILVER MOON 18



MOONLESS NIGHT 19



JET 20



SEKERS

TICINO

SEKERS

TICINO

FLAME RESISTANCE

Curtains: BS5867: Part 2, Type B

Bedding: BS7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 9 (Bedding) – *Lugano and Riviera*
IMO FTPC Part 7 (Curtains) – *Lugano only*

USA: USA NFPA 701

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width:	Lugano	141 cm
	Riviera	138 cm

Weight:	Lugano	437 g/m ²
	Riviera	280 g/m ²

Pilling: 4

Usage: Contract Curtains and Bedding

Cleaning:	Lugano	    
	Riviera	    

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



LUGANO



09 BISCUIT



13 OATMEAL




11 SHELL



10 LATTE




07 MINK



14 LAVENDER



16 AUBERGINE



19 POPPY



18 CRIMSON



21 MEADOW



23 SEASPRAY



20 HARVEST



24 AZURE



02 CHROME




25 INK



01 ASH




06 JET



03 ALUMINIUM



05 GRAPHITE



04 NICKEL

RIVIERA



10 ALMOND



19 ATLANTIC



14 SPRING



18 SAPPHIRE



24 DRAGONFLY



28 PLATINUM



25 TURQUOISE



32 CARBON



30 SMOKE



02 CHAMPAGNE



03 PUMICE



29 MIST



04 TAUPE



05 TEAK



31 GRANITE



06 MOCHA



44 TIGERLILLY



43 CARDINAL



36 WINEBERRY



35 GRAPE

Ticino

sekers introduces TICINO, a collection of two semi-plains suitable for curtains, bedding and accessories. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals. This washable collection meets all UK & USA standards and is the perfect selection for the hospitality and leisure markets.





SEKER'S



Chair courtesy of The Sofa & Chair Company

SEKER'S

VENETO

sekers

VENETO

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester (stain repellent)

Width: 140 cm

Weight: 535 g/m² (FR backcoated)

Repeat: N/A

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate

Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





29 FRENCH NAVY



28 BLUE STEEL



27 TEAL



26 OCEAN



30 MIDNIGHT



25 BLACKBERRY WINE



23 PLUM



14 JET



11 DARK SLATE



09 OTTER



12 ASH



13 METAL



07 SIMPLY TAUPE



24 DUSK



08 LATTE



03 TEAK



22 CARDINAL



21 SPICE



17 BROWN SUGAR



05 FEATHER GREY



10 DOVE



04 PUTTY



02 BISCUIT



01 OYSTER



06 OATMEAL



15 WARM SAND



19 OLIVE



18 SILVER GREEN



16 OCHRE



20 SPRUCE



SEKER'S introduces VENETO, a sumptuous polyester velvet, supplied inherently stain repellent to assist with cleaning, along with an excellent abrasion performance of 100,000 rubs, makes it a perfect selection for the most demanding upholstery application and the ideal choice for the designer specifying for the commercial hospitality, leisure and marine markets.



sekers

VOLANTE

SEKERS

VOLANTE

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 140 cms

Weight: 379 g/m²

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





06 SNOWDROP



03 PARCHMENT



04 VANILLA



17 LILAC ASH



07 PUTTY



08 LATTE



30 MARZIPAN



40 AQUAMARINE



01 ELMWOOD



33 IGUANA



34 DILL



39 CLOUD BLUE



29 AMBER



32 CHIVE



35 MINERAL BLUE



36 TEAL



09 BROWN SUGAR



10 TEAK



12 DARK EARTH



37 NAVY



18 DUSK



25 PICANTE



14 LIFT



27 BURNT ORANGE



19 HAWTHORN ROSE



23 POPPY RED



26 TIGERLILLY



28 GOLDEN GLOW



22 REDROSE




21 CHERRY



20 PORT ROYALE



11 COFFEE LIQUEUR



38 DUSK BLUE



16 STEEL GREY



02 SILVER MINK



13 BRACKEN



15 LIQUORICE



SEKER'S

YUMA


Usage: Contract Curtains & Bedding



Woven in 100% Trevira CS, an inherently fire retardant fibre, the YUMA collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK & IMO standards for curtains, accessories and bedding as well as German, French and U.S. standards, this washable collection is the perfect selection for any contract application.


SEKERS

DURANGO




03 ZINC

GUNNISON



03 GRAPHITE

HILLERTON



04 STERLING



04 TAUPE



02 ALMOND



01 MOONSTRUCK



05 BRONZE



06 CARBON



02 PUTTY




05 TERRACOTTA



01 ALUMINIUM




04 MOSS GREY



06 PEAT



02 VANILLA



05 AUTUMN



03 SILVER



01 DIAMOND

JASPER



07 METAL

TELLURIDE



07 FLINT



06 CHARCOAL



01 SMOKE



04 PLATINUM



03 GULL



05 COPPER



02 SUNSHINE



01 CLOUD




05 TIGERLILLY



02 SAGE



06 SLATE



03 PEWTER



04 DOVE

Yuma

sekers introduces YUMA, a collection of four elegant designs with a co-ordinating sheer inspired by the haunting, time worn textures found in abandoned mining towns throughout the Rocky Mountains. With a refined drape and subtle metallic shimmer, Yuma is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





YUMA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Trevira CS	
Width:	Durango/Gunnison:	135cm
	Hillerton:	307cm
	Jasper:	142cm
	Telluride:	140cm
Weight:	Durango:	182 gms/m ²
	Gunnison:	174 gms/m ²
	Hillerton:	48 gms/m ²
	Jasper:	201 gms/m ²
	Telluride:	243 gms/m ²
Repeat:	Durango:	27 cm V 27.6 cm H
	Gunnison:	41.5 cm V 27.9 cm H
	Hillerton:	N/A
	Jasper:	88.4 cm V 70.8 cm H
	Telluride:	34.5 cm V 35 cm H
Pilling:	Durango/Gunnison/Jasper	4-5
	Hillerton/Telluride	4
Usage:	Contract Curtains and Contract Bedding (excluding Hillerton which is curtains only)	
Cleaning:	    	
	Durango and Gunnison – NO STEAM	

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



SEKERS

specify with confidence

We hope you're enjoying the 2nd update of the Sekers e-binder and finding it useful! Your feedback is valued and can be sent to:
marketing@sekers.co.uk

*and since you've read this far, here's an e-binder tip:
in the bookmarks column to the left, blue collections are special finishes:
Aqua for AquaClean;
Blue for FibreGuard;
Bold for new collections
(ensure "View > Bookmarks" is selected in Adobe Acrobat/Reader)