





SEKERS



ABISKO

Usage: Contract Curtains & Bedding

sekers

ABISKO

FLAME RESISTANCE

Curtains: BS 5867: Part 2, Type B

Bedding: BS 7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 9 (Bedding Components)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width: Dalarna: 151 cm
Falun: 150 cm

Weight: Dalarna: 254 g/m²
Falun: 250 g/m²

Pilling: 4

Usage: Contract Curtains & Contract Bedding

Cleaning:     

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

DALARNA



21 CALICO



20 BISCUIT



19 SAND



18 WHEAT



22 GULL



10 KHAKI



08 JUNGLE



07 PERIDOT



25 IRON



27 CHARCOAL



13 DUSK



15 CHILLI



23 FEATHER GREY



28 SLATE



12 LATTE



14 PETAL



04 SEASPRAY



01 AZURE



02 INDIGO

FALUN



07 IVORY



05 BONE



08 NATURAL



17 COIN



01 OYSTER



02 TAUPE



09 OATMEAL



16 MINT



03 ASH



12 JET



20 MAUVE



19 BLUSH



04 CHROME



11 TRUFFLE



13 MIDNIGHT



14 TOPAZ



10 BROWNIE

DALARNA



16 BRICK

FALUN



18 RUBY

Abisko

sekers introduces ABISKO, a collection of two subtle, shimmering fabrics suitable for contract curtains, bedding and accessories. Woven in 100% FR polyester and meeting all relevant UK, USA & IMO standards, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

BACCHUS

Usage: WIDE WIDTH Contract Curtains

BOBAL



23 SURF



22 COBALT



21 ATLANTIC



18 FOG




31 FEATHER GREY



17 CHROME



20 SKY



19 CINDER



01 ASH



29 HONEY



30 HENNA



13 PUMICE



02 SEAGRASS



14 GREIGE



26 PEAR

GAMAY



03 CASCADE



08 OATMEAL



06 ZINC



04 SEASPRAY



02 BLUEBELL



01 SAPPHIRE



05 GRANITE




12 SPICE



11 SAND



09 RAFFIA



16 SLATE



10 CHIVE



17 BARK



15 MULBERRY



18 BLACK

SEKERS

BACCHUS

FLAME RESISTANCE:

Curtains: BS 5867: Part 2, Type B
Gamay – M1
Gamay – B1

IMO: Gamay – IMO FTPC Part 7 (Curtains)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: Bobal 100% Polyester
Gamay 100% FR Polyester

Width: Bobal 310 cm
Gamay 300 cm


Weight: Bobal/Gamay 272 g/m²

Usage: Contract curtains.


Fabric Direction: Fabric is designed to be used with the width forming the drop.
This avoids unnecessary seaming. Samples are displayed as they are designed to be used.

Delivery: Fabric will be delivered folded half width on rolls.

Cleaning: Bobal



Gamay



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

BOREALIS
Blackout Curtains

SEKERS

BOREALIS

FLAME RESISTANCE

Curtains.	BS 5867· Part 2, Type B DIN 4102 – B1
USA.	NFPA 701
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.
Composition	51% Polyester 49% Acrylic
Width	140 cms
Weight:	421 g/m ²
Usage	Blackout Contract Curtains
Cleaning	     DO NOT DRY CLEAN

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email. sales@sekers.co.uk Export Email. export@sekers.co.uk

Website: www.sekersfabrics.co.uk



21 JUNGLE



11 SHADOW



09 EGGSHELL



07 PEARL



16 RIVER



13 ALUMINIUM



03 OATMEAL



17 SKY



18 CASCADE



19 RAIN



12 METAL



14 CHROME




06 CLOUD



10 RABBIT



01 STRING



02 LINEN



05 PARCHMENT



20 SEAGRASS



04 PUTTY



22 FERN



23 HARVEST



08 CHALK



24 TIGERLILLY



25 CHILLI



15 HEATHER



SEKERS



BRAEMAR

Usage: WIDE WIDTH Contract Curtains & Bedding

SEKERS

BRAEMAR

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	291 cm
Pilling:	4
Weight:	356 g/m ²
Usage	Contract curtains, Contract bedding and cushions.
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.
Delivery:	Fabric will be delivered folded half width on rolls.
Cleaning:	    

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


BCFA
member




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE




18 HEATHER



19 BRICK



17 BLUSH



16 PARMA



06 TOFFEE



20 HARVEST



02 OATMEAL



07 CAFÉ



21 WHEAT



05 BEACH




04 MOON



03 BONE




01 LINEN



10 CINDER




09 CEMENT



08 SHADOW



11 CHROME




12 GRAPHITE




13 INK



22 SPRING




15 ARCTIC




14 RIVER



23 PISTACHIO



24 DUCKEGG



25 AQUAMARINE



SEKERS

BRAVA

SEKERS

BRAVA

FLAME RESISTANCE:

Curtains.	BS 5867: Part 2, Type B M1 Palamos also passes: BS 5867: Part 2, Type C DIN 4102 – B1	
Bedding	BS7175. 1989, Section 3 – Ignition Source 5	
IMO	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)	
USA.	NFPA 260 Class 1 (UFAC) CAL117/13 NFPA 701	
Colour Match	Colour may vary from one fabric to another If an exact match is required, please ask for a stock cutting.	
Composition	Medes	100% Polyester
	Palamos	100% FR Polyester
Width	Medes	140 cm
	Palamos	138 cm
Weight:	Medes	415 g/m ²
	Palamos	375 g/m ²
Martindale	Medes	100,000
	Palamos	50,000
Wyzenbeek:	Medes	125,000 double rubs (cotton duck)
	Palamos	50,000 double rubs (cotton duck)
Usage	Contract curtains, bedding and accessories. upholstery only as certified above – does not meet Crib 5.	
Cleaning	Medes	    
	Palamos	    

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

MEDES



10 CEMENT



19 NDIGO



20 INK



05 MUSHROOM



08 BISCUIT



17 LEAF



11 ZINC



09 OYSTER



16 STRAWBERRY



18 MUSTARD



12 STORM



02 OATMEAL



15 PEONY



14 GRAPE



21 NOIR



01 SNOW



04 PUTTY



13 CINDER



06 ASH

PALAMOS



14 FLINT



08 SAPPHIRE



17 MOON



15 DUNE



04 PEWTER



27 CARDINAL



10 PLATINUM



02 HAZE



05 COCOA



SEKERS

DIVA

SEKERS

DIVA

FLAME RESISTANCE:

- Upholstery: BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS7176: Medium Hazard
When tested over CMHR foam – density approx. 35 kg/m³
- Curtains: BS5867: Part 2 Type B
- Bedding: BS7175: 1989, Section 3 – Ignition Source 5
- IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 7 (Curtains)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 42% Viscose 34% Cotton 24% Polyester
- Width: 140 cm
- Weight: 450 gms/m²
- Martindale: 120,000
- Usage: Severe Contract Upholstery, Contract Curtains & Bedding
- Cleaning:     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE





TEAL



SNOWDROP



FEATHER GREY



CHALK PINK



GOLD



OATMEAL



PUTTY



SIMPLY TAUPE



ZINC



CHAMPAGNE BEIGE



CHARCOAL GREY



AUBERGINE



CHOCOLATE



MIDNIGHT NAVY



JET



DUSK



MOSS



HOT PINK



RED ROSE



ROSEWOOD



TIGERLILLY



SEKERS

ENCHANTED

Usage: Contract Curtains & Bedding

SEKERS

ENCHANTED

FLAME RESISTANCE:

Curtains:	BS5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 Curtains
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	139 cms
Weight:	219 grms/m ²
Repeat:	N/A
Usage:	Contract Curtains & Bedding
Cleaning:	     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



02 MINERAL BLUE



20 GRASS



18 LIME ZEST



21 WILLOW



19 PALM



01 KINGFISHER



05 INDIGO



03 OCEAN



04 SAPPHIRE



22 SEASPRAY



13 TIGERLILLY



17 MARZIPAN



14 TOPAZ



16 SUNSHINE



15 CLEMENTINE



11 LOLLIPOP



10 ROSE



08 PALE BLUSH



06 ELDERBERRY



09 DUSKY PINK



33 FEATHER GREY



12 GARNET




29 SNOWDROP



31 BRIGHT WHITE



23 PARCHMENT



07 LAVENDER



35 JET



32 METAL



34 PEWTER



28 WARM SAND



24 SILVER MINK



27 PUTTY



25 SIMPLY TAUPE



30 OATMEAL



26 CHESTNUT



sekers

FION
BLACKOUT CURTAINS



FION (3 Pass Blackout)

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
IMO:	IMO FTPC Part 7 (Curtains)
French:	M1
German:	DIN 4102 – B1
USA:	NEPA 701
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% FR Polyester (silicone backcoating)
Width:	138 cm 278 cm (unfolded double width subject to minimum 25 m order)
Weight:	345 gms/sq mtr
Pilling:	5
Usage:	Blackout curtains
Cleaning:	    



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



08 MINERAL BLUE



07 INDIGO



03 RUBY



05 BLUESTONE



06 ULTRAMARINE



15 WINTER WHITE



14 PARCHMENT



02 SILVER BIRCH



13 SILVER MINK



01 FEATHER GREY



10 WILLOW



04 TIGERLILLY



09 SAGE



11 SUNSHINE



12 GOLD



SEKERS



GINZA

Usage: Contract Curtains & Bedding

SEKERS

GINZA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)
USA:	NFPA 701 (Curtains)
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Trevira CS
Width:	Kenzo: 282 cm (weighted) Reiko: 150 cm Yohji: 302 cm (weighted)
Weight:	Kenzo: 47 g/m ² Reiko: 152 g/m ² Yohji: 61 g/m ²
Repeat:	Kenzo: n/a Reiko: 28.4 cm V 15.3cm H Yohji: 1.3cm V
Pilling	Reiko: 4-5
Usage:	Kenzo and Yohji (Contract Curtains) Reiko (Contract Curtains and Contract Bedding)
Cleaning:	     Kenzo – NO STEAM

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



KENZO



01 PARCHMENT



02 SKY



03 MARBLE

YOHJI



03 CHAMPAGNE



04 FROST



01 SMOKE



02 DOVE

REIKO



01 SILVER



02 MUSHROOM



03 CEMENT



10 SKY



11 GRAPHITE



12 CHARCOAL

REIKO



04 PUTTY



05 HARVEST



09 DUCKEGG



06 TIGERLILLY



08 DUSK



07 ROSE

Ginza

SEKERS introduces GINZA, a collection inspired by the famous Tokyo fashion district. Made of 100% Trevira CS and with a refined drape and subtle lustre, this washable collection is a handsome addition to any interior and is an ideal choice for the designer specifying curtains, bedding or accessories for the hospitality, leisure and marine markets.





sekers

HARRIS TWEED

SEKERS

HARRIS TWEED

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS5857: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA	USA NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	100% Wool
Width:	150 cms
Weight:	330 gms/sq mtr
Repeat:	Check: 7.0 cm V 5.5 cm H Dogtooth: N/A Herringbone: N/A
Martindale:	45,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	☒ ☐ ☐ ☐ ☐ ☐

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





CHECK SLATE GREY



CHECK OCEAN SPRAY



CHECK BRACKEN



CHECK WINTER WHEAT



CHECK BURNT UMBER



CHECK PEATLAND



DOGTOTH SLATE GREY



DOGTOTH OCEAN SPRAY



DOGTOTH BRACKEN



DOGTOTH WINTER WHEAT



DOGTOTH BURNT UMBER



DOGTOTH PEATLAND



HERRINGBONE SLATE GREY



HERRINGBONE OCEAN SPRAY



HERRINGBONE BRACKEN



HERRINGBONE WINTER WHEAT



HERRINGBONE BURNT UMBER



HERRINGBONE PEATLAND



SEKERS

KENTIA

SEKERS

KENTIA

FLAME RESISTANCE: When backcoated or treated for F.R.

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
when tested over CMHR foam – density approx. 35 kg/m³

Curtains: BS 5867: Part 2 Type B.

Bedspreads: BS 7175: 1989 Section 3 - Ignition Source 5, above and below
EN ISO 12952: 1998 Parts 1 to 4 - Smouldering Cigarette and
Small Open Flame Ignition Sources.

IMO: IMO FTPC Part 8 (Upholstery).

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 55% Cotton - 45% Viscose – 100% Viscose Pile

Width: 140 cm

Weight: 580 g/m² (650 g/m² FR Backcoated)

Martindale: 200,000+

Usage: Severe Contract Upholstery, Curtains & Bedding

Cleaning:     

Stocked Crib 5, please specify usage when placing order.

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



48 FEATHER GREY



08 OYSTER



49 PUTTY



06 OATMEAL



05 NATURAL



41 SCARLET



23 METAL



29 MINK



19 ROSEWOOD



26 EBONY



21 AUBERGINE



20 PLUM



12 SAGE



34 OLD GOLD



11 MOSS



28 PECAN



52 SILVER GREEN



45 INDIGO



18 RUSSET



38 RUBY



47 AZURE



39 CLARET



46 GRAPHITE



SEKERS

KHIVA

Usage: WIDE WIDTH Contract Curtains

sekers

KHIVA

FLAME RESISTANCE

Curtains: BS 5867: Part 2, Type B
BS 5867: Part 2, Type C
M1

IMO: IMO FTPC Part 7 (Curtains)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width:	Biruni/Itchan	300 cm
	Darya	310 cm

Weight:	Biruni	315 g/m ²
	Darya	170 g/m ²
	Itchan	125 g/m ²

Usage: Contract curtains.

Fabric Direction: Fabric is designed to be used with the width forming the drop.
This avoids unnecessary seaming. Samples are displayed as they are designed to be used.

Delivery: Fabric will be delivered folded half width on rolls.

Cleaning:     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



BIRUNI



03 STORM



07 EBONY



06 SHADOW



05 TIN



08 COCOA



04 GRANITE



11 TEA



15 WINTER WHITE



12 BISCUIT



14 CHALK



16 CAMEO

DARYA



14 SEPIA



12 DUNE



09 OYSTER




13 FLAX



08 QUARTZ



11 CALICO



01 GRAPHITE



02 NICKEL



03 RAIN




06 CHROME



04 ALUMINIUM




05 MOON




10 CLOUD

ITCHAN




02 PEWTER



01 PEPPERCORN



04 JUTE



03 EGGSHELL



05 PEARL



07 STAR



06 PUTTY

Khiva

sekers introduces KHIVA, a versatile collection of wide width curtains with a companion sheer. With a refined drape and a variety of textures, Khiva is washable and fully FR tested making it an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

KOROWAI

Usage: Contract Curtains & Bedding

SEKERS

KOROWAI

FLAME RESISTANCE:

Curtains: BS 5867: Part 2, Type B
M1
B1

Bedding: BS 7175: 1989, Section 3 – Ignition source 5

IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 9 (Bedding Components)

USA: NFPA 701 Curtains

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% FR Polyester

Width:	Bulaka/Iriana/Tabai	138 cm
	Hopea	135 cm

Weight:	Bulaka	230 g/m ²
	Hopea/Iriana/Tabai	187 g/m ²

Repeat:	Bulaka	61.1 cm V 35.0 cm H
	Hopea	44.5 cm V 67.5 cm H
	Iriana	61.0 cm V 35.0 cm H
	Tabai	64.5 cm V 35.0 cm H

Pilling: 4-5

Usage: Contract Curtains & Bedding

Cleaning:	Bulaka	    
	Hopea/Iriana/Tabai	    

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA
member

BULAKA




01 ROSEWINE



05 LINEN




02 SPICE



04 CHARCOAL



03 SMOKE



06 INK



07 TURQUOISE

TABAI



01 RAISIN



02 PAPRIKA



04 PUTTY



05 OATMEAL



03 MUSHROOM




07 PERIDOT



06 LAGOON

IRIANA



01 DUSK



02 AUTUMN



04 STRING



03 CEMENT



06 FERN



05 ZINC

HOPEA



01 PUMICE



02 SANDSHELL



04 INDIGO



03 SHADOW



05 PISTACHIO

Korowai

sekers introduces KOROWAI, a collection inspired by the pristine rainforests of West Papua New Guinea. Drawing inspiration from gently swirling water found in quiet bends of a meandering river, raindrops striking the surface of a stream during a tropical downpour and the structures of the rainforest itself, including the dimensional texture of tree bark and the subtly dimpled texture of vines native to the island.





SEKERS

Woven in 100% inherent FR polyester, the Korowai collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK and IMO standards for curtains, accessories and bedding, as well as German, French and US standards, this washable collection is the ideal resource for any contract application.




SEKERS

LANA

SEKERS

LANA

FLAME RESISTANCE:

- Upholstery:** BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx 35kg/m³.
- Curtains:** BS 5867: Part 2, Type B
- IMO:** IMO FTPC Part 8 (Upholstery)
- Colour Match:** Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition:** 100% Polyester
- Width:** 140 cm
- Weight:** 385 g/m² (530 g/m² FR backcoated)
- Martindale:** 40,000
- Usage:** Severe Contract Upholstery, Curtains & Bedspreads.
*Please specify FR requirements when placing order
- Cleaning:** 



ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



55 DAMSON



58 TEAL



7 LONDON FOG



27 HEATHER ROSE



29 AUBERGINE



28 DUSK



49 ROSE WINE



56 BLUE CORAL



31 FLINT STONE



32 DAZZLING BLUE



30 SAPPHIRE



42 SNOW WHITE



12 SNOWDROP



54 MACAW GREEN



33 DILL



35 MOSS



34 WILLOW



6 MINK



47 CHESTNUT



3 TEAK



4 CHOCOLATE



46 COCOA



45 LATTE



14 PALE GOLD



17 BUTTERCUP



51 TOFFEE



25 PORT



26 RUBY



23 RED ROSE



24 CLARET



22 APRICOT NECTAR



20 AUTUMN GINGER



50 TOPAZ



21 TIGERLILLY



16 OCHRE



15 TAN



1 BROWN SUGAR



2 BUTTERNUT



19 GLAZED GINGER



11 IVORY



10 VANILLA



9 SHELL



43 WINTER WHITE



44 PUTTY



13 WARM SAND



8 FEATHER GREY



41 SILVER CLOUD



5 JET




SEKERS

MALMO

SEKERS

MALMO

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
Curtains:	BS 5867 Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	85% Wool 15% Nylon
Width:	140 cm
Weight:	463 g/m ²
Martindale:	60,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



06 LOLLIPOP



05 TIGERLILLY



04 PEONY



07 THISTLE



08 DUSK



01 WINEBERRY



24 COCOA



02 ROSEWOOD



03 CHILLI



25 TERRA



19 METAL



26 MOCHA



14 ZEST



13 CHIVE



15 TURQUOISE



12 SAPPHIRE



16 TEAL



11 MIDNIGHT



21 ZINC



18 PLATINUM



10 FLINT



17 ALUMINIUM



22 SLATE



09 INK



20 TAUPE



23 PEAT



sekers MELFORD WOOL

sekers

MELFORD WOOL

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2, Type B
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	80% Merino Wool, 20% Polyamide
Width:	138 cm
Weight:	Kersey: 270 g/m ² Kentwell/Lindsey: 265 g/m ²
Repeat:	Kersey: 8 cm V, 8 cm H Kentwell/Lindsey: N/A
Martindale:	50,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE





KERSEY ROSEWOOD 01



KERSEY DOVE GREY 02



KERSEY SILVER CLOUD 03



KERSEY PEWTER 04



KERSEY BLUE GRAPHITE 05



KERSEY PUTTY 06



KERSEY BRACKEN 07



KERSEY OCHRE 08



KERSEY SAGE 09



KERSEY AUTUMN GINGER 10



KERSEY TIGERLILLY 11



KERSEY DARK EARTH 12




KENTWELL ROSEWOOD 01



KENTWELL DOVE GREY 02



KENTWELL SILVER CLOUD 03



KENTWELL PEWTER 04



KENTWELL BLUE GRAPHITE 05



KENTWELL PUTTY 06



KENTWELL BRACKEN 07



KENTWELL OCHRE 08



KENTWELL SAGE 09



KENTWELL AUTUMN GINGER 10



KENTWELL TIGERLILLY 11



KENTWELL DARK EARTH 12




LINDSEY ROSEWOOD 01



LINDSEY DOVE GREY 02



LINDSEY SILVER CLOUD 03



LINDSEY PEWTER 04



LINDSEY BLUE GRAPHITE 05



LINDSEY PUTTY 06



LINDSEY BRACKEN 07



LINDSEY OCHRE 08



LINDSEY SAGE 09



LINDSEY AUTUMN GINGER 10



LINDSEY TIGERLILLY 11



LINDSEY DARK EARTH 12



sekers



OLYMPIA

SEKERS

OLYMPIA

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% FR Polyester	
Width:	Bainbridge:	295 cm
	Vashon:	297 cm (weighted)
Weight:	Bainbridge:	265 g/m ²
	Vashon:	52 g/m ²
Piling:	Bainbridge:	4-5
Usage:	Bainbridge Contract Curtains and Contract Bedding Vashon Contract Curtains	
Fabric Direction:	Both fabrics are designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.	
Delivery:	Fabric will be delivered folded half width on rolls.	
Cleaning:	    	

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

VASHON



01 SNOW



09 SILVER



08 IVORY



02 CREAM



07 GLACIER



03 SAND



06 OATMEAL



04 SESAME



05 ALMOND

BAINBRIDGE



21 BLUEBELL



23 SURF



22 COBALT



05 CLOUD



14 MIST



03 FROST



24 SMOKE



01 EGGSHELL



25 CHARCOAL

BAINBRIDGE



06 BONE



09 STRAW



07 BEIGE



10 HESSIAN



12 CHAMPAGNE



13 LINEN



20 ROSE



16 ZINC



18 DUSK



17 LAVENDER



19 TULIPWOOD

Olympia

SEKERS introduces OLYMPIA, a collection of two wide width curtain fabrics. Both inherently FR, Bainbridge is a versatile textured plain drapery with a contemporary matte linen look and Vashon, supplied with a weighted band, is a sheer with elegant simplicity and subtle sheen. Olympia is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





sekers




PATAGON
WIDE WIDTH SHEERS

SEKERS


PATAGON

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B			
IMO:	IMO FTPC Part 7 (Curtains) WITH THE EXCEPTION OF MARIN & SHAMAL			
USA:	NFPA 701 Curtains			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	100% Polyester			
Width:	Bora	298 cm	Pampero	308 cm
	Canterbury/Zephyr	296 cm	Shamal	309 cm
	Khamsin/Marin	300 cm	Zonda	315 cm
Weight:	Bora	95 g/m ²	Pampero	46 g/m ²
	Canterbury	35 g/m ²	Shamal	181 g/m ²
	Khamsin	111 g/m ²	Zephyr	103 g/m ²
	Marin	152 g/m ²	Zonda	72 g/m ²
Repeat:	Canterbury	Stripe V 28cm H		
	Khamsin	Irregular Stripe		
	Pampero	19.4cm V 13.2cm H		
Usage:	Contract curtains.			
Fabric Direction:	Fabric is designed to be used with the width forming the drop. This avoids unnecessary seaming. Samples are displayed as they are designed to be used.			
Delivery:	Fabric will be delivered folded half width on rolls.			
Selvedge:	BORA is supplied with a weighted selvedge.			
Cleaning:	Bora, Canterbury, Khamsin, Marin, Pampero, Zephyr and Zonda			



Shamal – DO NOT DRY CLEAN



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE


BCFA
member



PAMPERO



04 BRONZE



03 DICE




02 WHEAT



01 DIAMOND

SHAMAL



04 NOIR



03 ASH



01 MARBLE



02 FROST

CANTERBURY



03 BEETLE



02 SEASHELL



01 HAZE

KHAMSIN



04 GRAVEL



03 CINDER




01 CHALK




02 SMOKE

BORA




05 TIN



04 CHATEAU



03 WINTER WHITE



01 TRUFFLE



02 LATTE

MARIN



08 GULL



01 STRING




03 SEAGRASS




02 PARCHMENT


ZEPHYR



03 SHALE



04 CHROME




02 SEPIA



01 IVORY

ZONDA



05 SEASPRAY



07 GLACIER



08 CREAM




01 CALICO



09 ECRU




06 OPAL




02 FOSSIL




10 MUSHROOM



11 RABBIT



04 SHADOW



03 GRAPHITE

Patagon

sekers introduces PATAGON, a versatile collection of wide width sheers. With a refined drape and a variety of textures, Patagon is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

The PATAGON collection is fully FR tested and is suitable for all aspects of the contract market. Meeting all relevant UK and US FR standards for curtains, this washable collections is the perfect selection for any contract application.



SEKERS

RIPPLE

SEKERS

RIPPLE

FLAME RESISTANCE:

Upholstery:	BS5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS7176: Medium Hazard When tested over CMHR foam - density approx. 35 kg/m ³
Curtains:	BS 5867: Part 2 Type B
Bedding:	BS7175: 1989, Section 3 - Ignition Source 5
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 8 (Upholstery)
USA:	USA CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	80% Viscose 10% Cotton 10% Polyester
Width:	140 cm
Weight:	665 gms/m ²
Martindale:	65,000
Pilling:	5
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	    

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



NIGHTSHADE



AUTUMN GINGER



TIGERLILLY



POPPY RED



FIG



ROSE TAUPE



CHERRY



DUSK



DILL



JET



MINERAL BLUE



BLUESTONE



BLUE GRAPHITE



WARM SAND



HONEY



GREY GREEN



NEW WHEAT



TOFFEE



LATTE



TEAK



MOONLESS NIGHT



DARK EARTH



sekers

ROSSALL

SEKERS

ROSSALL

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³
- Curtains: BS5867: Part 2, Type B
- Bedding: BS7175: 1989, Section 3 – Ignition Source 5
- IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
Please note these images do not represent an exact colour match to the actual fabric.
- Composition: 100% Wool
- Width: 145 cm
- Weight: 340 g/m²
- Repeat: Chingle: Please refer to website or pattern book
Gawthorpe: 21.5cm V 20cm H
Heskin: Please refer to website or pattern book
Thurnham: 19cm V 18.5cm H
- Martindale: 40,000
- Pilling: 4
- Usage: Severe Contract Upholstery, Contract Curtains & Bedding
- Cleaning:     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



TOP: CHINGLE 08 GRAPHITE

BOTTOM: GAWTHORPE 08 PEWTER

Images do not represent an exact colour match to the actual fabric.

Chingle



01 THISTLE



02 DUSK



03 ROSEWOOD



04 SPICE



05 HARVEST GOLD



06 PEONY



07 ORCHARD

Gawthorpe



01 HEATHER



02 OCEAN SPRAY



03 CARDINAL



04 PUTTY



06 CLARET



07 GLAZED GINGER



05 BROWN SUGAR



TOP: THURNHAM 03 METAL

BOTTOM: HESKIN 03 CHARCOAL

Images do not represent an exact colour match to the actual fabric.

Thurnham



01 MOSS




02 LILAC ASH

Heskin




01 WILLOW



02 MAUVE



04 LAVENDER



05 IVY



06 BERRY



07 SAGE



08 BRACKEN



09 PLUM



ROSSALL is inherently fire retardant, meeting all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding. With a high abrasion performance of 40,000 rubs, Rossall is perfect for the most demanding upholstery applications.

SEKERS

Rossall

SEKERS introduces ROSSALL, a collection of 4 distinctive designs woven in the UK from 100% British wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Rossall is eminently suitable for both drapery and bedding applications.





SEKER'S

SAHARA

SEKERS

SAHARA

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- Curtains: BS 5857: Part 2 Type B.
- IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 8 (Upholstery)
- Waterproof: Hydrostatic head BS 3424 > 1 mtr
- Soil Resistance: Fluorocarbon soil release treatment to help resist liquid and oil based stains
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester, Waterproof, Anti-bacterial & FR backcoated
- Width: 149 cm (backcoated)
- Weight: 440 grms/m² (backcoated)
- Martindale: >40,000
- Usage: Severe Contract Upholstery & Contract Curtains – Waterproof and Urine Resistant.
- Cleaning: **Washable @ 60°C NB: Do Not Dry Clean**
1) Routine mild soap & warm water sponging is effective for ordinary soiling using a "Wipe & Dry" technique
2) Fresh stains, both water & oil based are easily removed using water based household spray cleaning agents

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



36 AUBERGINE



39 LIME ZEST



34 BLUEBERRY



28 WILLOW



44 BYZANTIUM



32 NIGHT BLUE



49 GREEN TEA



45 BLUEJAY



18 ATLANTIC



21 LICHEN



47 CORAL BLUE



01 SNOW



46 DUSK



48 DRIED HERB



24 PUTTY



05 SAND



50 APRICOT



27 CHARCOAL



08 GOLD



11 CHILLI



26 ANTHRACITE



37 TAUPE



51 RED OCHRE



52 JET



31 CAFÉ



SEKERS

SELKIRK

Selkirk

sekers introduces SELKIRK, a contemporary collection woven in the UK from 100% wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Selkirk is eminently suitable for both curtains and bedding and meets all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding.





CRINGLETIE



TOP: 04 ORCHARD

MIDDLE: 05 AUTUMN

BOTTOM: 06 BEACH



TOP: 02 THISTLE

MIDDLE: 01 TWILIGHT

BOTTOM: 03 ASH


MONTEVIOT



03 HEATHER



01 INDIGO



05 SESAME



02 HAZE



04 HARVEST

PAXTON



02 PETROL



13 SEASHELL



05 NICKEL



08 MARINE



03 BLACKBERRY



10 REDWOOD



09 BRACKEN



01 FLINT




04 CARBON




11 APPLE



07 HERB



12 GULL



06 SMOKE



SELKIRK

FLAME RESISTANCE:

Upholstery: BS7176: Medium Hazard
BS5852: Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

Curtains: BS5867: Part 2, Type B

Bedding: BS7175: 1989, Section 3 – Ignition Source 5

IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)

USA: NFPA 260 Class 1 (UFAC)
CAL117/13
NFPA 701

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Wool

Width:	Cringletie/Paxton	140 cm
	Monteviot	145 cm

Weight:	Cringletie	355 g/m ²
	Monteviot	345 g/m ²
	Paxton	355 g/m ²

Martindale: 40,000

Wyzenbeek: 15,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery, Contract Curtains and Bedding

Cleaning:

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

STRUCTURES

Usage: Contract Curtains & Bedding

SEKERS

STRUCTURES

FLAME RESISTANCE:

Curtains:	BS 5867 Part 2, Type B		
French:	M1		
German:	DIN4102-B1		
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5		
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)		
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.		
Composition:	100% Polyester FR		
Width:	140 cms		
Weight:	Aspect: 127 gms/m ² Profile: 133 gms/m ² Semblance: 312 gms/m ² Shadow: 191 gms/m ² Silhouette: 182 gms/m ² Symmetry: 160 gms/m ²		
Repeat:	Aspect: 23.5 cm. V, 12 cm. H Profile: 34 cm. V, 26 cm. H Semblance: N/A Shadow: N/A Silhouette: 34 cm. V, 14 cm. H Symmetry: N/A		
Usage:	Contract Curtains and Contract Bedding		
Cleaning:	    		

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

ASPECT



04 STEEPLE GREY

PROFILE



02 PUTTY

SEMBLANCE



02 FEATHER GREY



01 OATMEAL



03 WARM SAND




05 DUSK



02 PARCHMENT



07 GARNET



06 BLUESTONE



01 OATMEAL



06 GARNET



04 METAL



03 PARCHMENT



05 TIGERLILLY



01 OATMEAL



04 PECAN



05 METAL



03 WARM SAND




06 GARNET

SILHOUETTE



06 METAL

SHADOW



04 STEEPLE GREY

SYMMETRY



04 METAL




01 WARM SAND



03 PARCHMENT



02 ZINC



05 DUSK



04 AQUA HAZE



07 BLUESTONE



06 DUSK



03 AQUA HAZE



05 METAL




02 WARM SAND



01 OATMEAL



01 PARCHMENT



03 STEEPLE GREY



06 TIGERLILLY



02 WARM SAND



05 BLUESTONE



sekers



SUOMI
BLACKOUT CURTAINS

SEKERS

SUOMI

FLAME RESISTANCE

Curtains:	BS 5867: Part 2, Type B		
IMO:	IMO FTPC Part 7 (Curtains)		
USA:	NFPA 701 Curtains		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Inari:	50% Polyacrylic 34% Polyester 16% Cotton	
	Kemi/Turku:	53% Polyester 47% Polyacrylic	
Width:	Inari:	144 cm	
	Kemi:	141 cm	
	Turku:	141 cm	
Weight:	Inari:	447 g/m²	
	Kemi:	393 g/m²	
	Turku:	430 g/m²	
Repeat:	Inari:	61.6 cm V 36.2 cm H	
	Kemi/Turku:	n/a	
Usage:	Blackout Contract Curtains		
Cleaning::	     DO NOT DRY CLEAN		


BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE


INARI



30 LAGOON




36 MIDNIGHT



39 SEASPRAY



18 CHALK



06 SHINGLE



15 PUMICE



03 SMOKE



21 BARLEY



24 STAR



09 GRANITE



45 DUSK


KEMI



28 RAIN



34 COBALT



37 TEAL



16 QUARTZ



04 METAL



13 HEMP



01 CINDER



19 WOOL



22 GLACIER



07 CEMENT



43 PARMA

TURKU



29 AQUA



35 INDIGO



38 CASCADE



17 STORM



05 TIN



14 PUTTY



02 ZINC



20 IVORY



23 FROST



08 BOULDER



44 HEATHER

Suomi

SEKERS introduces SUOMI, a collection of three designs with 3 pass FR blackout. With a refined drape and subtle shimmer, Suomi is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





SEKERS

TICINO

SEKERS

TICINO

FLAME RESISTANCE

Curtains:	BS5867: Part 2, Type B	
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 9 (Bedding) – Lugano and Riviera IMO FTPC Part 7 (Curtains) – Lugano only	
USA:	USA NFPA 701	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Lugano	141 cm
	Riviera	138 cm
Weight:	Lugano	437 g/m ²
	Riviera	280 g/m ²
Pilling:	4	
Usage:	Contract Curtains and Bedding	
Cleaning:	Lugano	    
	Riviera	    

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

BCFA
member



LUGANO



09 BISCUIT



13 OATMEAL



11 SHELL



10 LATTE



07 MINK



14 LAVENDER



16 AUBERGINE



19 POPPY



18 CRIMSON



21 MEADOW



23 SEASPRAY



20 HARVEST



24 AZURE



02 CHROME




25 INK



01 ASH




06 JET



03 ALUMINIUM



05 GRAPHITE



04 NICKEL

RIVIERA



10 ALMOND



19 ATLANTIC



14 SPRING



18 SAPPHIRE



24 DRAGONFLY



28 PLATINUM



25 TURQUOISE



32 CARBON



30 SMOKE



02 CHAMPAGNE



06 MOCHA



03 PUMICE



44 TIGERLILLY



29 MIST



43 CARDINAL



04 TAUPE



36 WINEBERRY



05 TEAK



35 GRAPE



31 GRANITE

Ticino

sekers introduces TICINO, a collection of two semi-plains suitable for curtains, bedding and accessories. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals. This washable collection meets all UK & USA standards and is the perfect selection for the hospitality and leisure markets.





SEKERS



SEKERS

YUMA

Usage: Contract Curtains & Bedding



YUMA

FLAME RESISTANCE:

Curtains:	BS 5867: Part 2, Type B	
Bedding:	BS 7175: 1989, Section 3 – Ignition Source 5	
IMO:	IMO FTPC Part 7 (Curtains) IMO FTPC Part 9 (Bedding Components)	
USA:	NFPA 701 Curtains	
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Trevira CS	
Width:	Durango/Gunnison:	135cm
	Hillerton:	307cm
	Jasper:	142cm
	Telluride:	140cm
Weight:	Durango:	182 gms/m ²
	Gunnison:	174 gms/m ²
	Hillerton:	48 gms/m ²
	Jasper:	201 gms/m ²
	Telluride:	243 gms/m ²
Repeat:	Durango:	27 cm V 27.6 cm H
	Gunnison:	41.5 cm V 27.9 cm H
	Hillerton:	N/A
	Jasper:	88.4 cm V 70.8 cm H
	Telluride:	34.5 cm V 35 cm H
Pilling:	Durango/Gunnison/Jasper	4-5
	Hillerton/Telluride	4
Usage:	Contract Curtains and Contract Bedding (excluding Hillerton which is curtains only)	
Cleaning:	    	
	Durango and Gunnison – NO STEAM	



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk


London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

DURANGO




03 ZINC

GUNNISON



03 GRAPHITE

HILLERTON



04 STERLING



04 TAUPE



02 ALMOND



01 MOONSTRUCK



05 BRONZE



06 CARBON



02 PUTTY




05 TERRACOTTA



01 ALUMINIUM



04 MOSS GREY



06 PEAT



02 VANILLA



05 AUTUMN



03 SILVER



01 DIAMOND

JASPER



07 METAL

TELLURIDE



07 FLINT



06 CHARCOAL



01 SMOKE



04 PLATINUM



03 GULL



05 COPPER



02 SUNSHINE



01 CLOUD



05 TIGERLILLY



02 SAGE



06 SLATE



03 PEWTER



04 DOVE

Yuma

sekers introduces YUMA, a collection of four elegant designs with a co-ordinating sheer inspired by the haunting, time worn textures found in abandoned mining towns throughout the Rocky Mountains. With a refined drape and subtle metallic shimmer, Yuma is a handsome addition to any interior and is an ideal choice for the designer specifying for the hospitality, leisure and marine markets.





Woven in 100% Trevira CS, an inherently fire retardant fibre, the YUMA collection is suitable for all aspects of the contract market from hotels to cruise ships. Meeting all relevant UK & IMO standards for curtains, accessories and bedding as well as German, French and U.S. standards, this washable collection is the perfect selection for any contract application.

SEKERS

sekers

specify with confidence