



FR-ONE'S PROMISE TO YOU

The FR-One promise ensures that our fabric exceeds all stringent flame retardant standards, applied anywhere in the world. The properties of flame retardancy in a FR-One fabric are inherent (not a treatment) and permanent. FR-One is our gold standard in safety and quality – providing architects & interior designers, contract managers & specifiers, with one standard that meets all standards.

For more information, please visit our website www.fr-one.com

FORMS OF APPLICATION



UPHOLSTERY



ACCESSORIES



CURTAINS/
DRAPERIES



BED
COVERING



SOUND ABSORPTION

FR-One fabrics have strong sound absorption properties, making them perfect for partitions and acoustic panels. Tested under ISO 354-11654.



MARITIME (IMO CERTIFIED)

FR-One is the first decorative fabric in the world to have been certified as "module E" under the new MED Maritime Equipment Directive and approved by the US Coast Guard.

Compliance to the highest fire retardant I.M.O. requirements demonstrates FR-One's commitment to safety.

FUNCTIONS AND CHARACTERISTICS



CONTINUOUS QUALITY CONTROL

All FR-One fabrics are subjected to continuous and rigorous testing, by our in-house laboratory, in order to ensure the highest quality and safety. In addition, all fire safety tests are performed and approved by accredited laboratories. "CQC" means that we test every new batch or dye-lot of fabric to make sure that it meets the highest fire safety standards and conforms to all other industry soft furnishing fabric requirements, such as abrasion, durability, colour fastness and washability.



INHERENT AND PERMANENT FIRE RETARDANCY

The inherently flame retardant nature of all FR-One fabric fibres is conserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for U.K. contract upholstery use.

All FR One upholstery fabrics to be used within the U.K. will require additional FR treatment to pass the following standards:

BS 5852: 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)

BS 7176: 2007+A1:2011 Medium Hazard, incorporating BS EN 1021-1: 2006, BS EN 1021-2: 2006

When tested over CMHR Foam – density approx. 35kg/m3

Please specify when placing your order if the above standard is required



OEKO-TEX ENDORSEMENT

FR-One fabrics are environmentally safe and not harmful to human health. They are fully tested and certified under the Oeko-tex Standard 100. This means FR-One fabrics contain no prohibited or regulated substances, or chemicals known to be harmful to humans. FR-One fabrics meet current environmental standards during all processes of production and are recyclable. FR-One fabrics also meet all ecological standards for contact with human skin.

HIGHEST STANDARDS



All FR-One fabrics are tested for washing performance and meet or exceed all international washing standards for shrinkage and colour fastness. Please refer to the specific recommended washing instructions as different fabrics may require special processes.



MARTINDALE



RUB
FASTNESS



TEAR
STRENGTH



WYZENBEEK



COLOUR FASTNESS
TO LIGHT



TENSILE
STRENGTH



PILLING



COLOUR FASTNESS
TO WATER



SEAM
SLIPPAGE



DIMENSIONAL
STABILITY



14001/2020



0493/20
IMO/MED
CERTIFIED

FR-ONE FAST TRACK TECHNICAL INFO

ASHUR (DIM OUT)

width: 150 cm or 59"
repeat vertical: plain
repeat horizontal: plain
weight: 300 g/m²
composition: 100% polyester Inherent FR



JABA

width: 305cm or 120"
repeat vertical: plain
repeat horizontal: plain
weight: 68 g/m²
composition: 100% polyester Inherent FR
Weighted Selvege



BATISTE FR

width: 298 cm or 117½"
repeat vertical: plain
repeat horizontal: plain
weight: 70 g/m²
composition: 100% polyester Inherent FR
Weighted Selvege



JAIME

width: 150cm or 59"
repeat vertical: plain
repeat horizontal: plain
weight: 250 g/m²
composition: 100% polyester Inherent FR



BLOCKBUSTER (DIM OUT)

width: 300 cm or 118"
repeat vertical: plain
repeat horizontal: plain
weight: 260 g/m²
composition: 100% polyester Inherent FR



JEST (DIM OUT)

width: 140cm or 55"
repeat vertical: plain
repeat horizontal: plain
weight: 340 g/m²
composition: 100% polyester Inherent FR



DELIS

width: 142 cm or 55½"
repeat vertical: plain
repeat horizontal: plain
weight: 270 g/m²
composition: 100% polyester Inherent FR



RIEN (DIM OUT)

width: 145 cm or 57"
repeat vertical: plain
repeat horizontal: plain
weight: 340 g/m²
composition: 100% polyester Inherent FR



GENIAL

width: 295cm or 116½"
repeat vertical: plain
repeat horizontal: plain
weight: 265 g/m²
composition: 100% polyester Inherent FR



VOILE FR

width: 297 cm or 116½"
repeat vertical: plain
repeat horizontal: plain
weight: 52 g/m²
composition: 100% polyester Inherent FR
Weighted Selvege



GOSSY

width: 300 cm or 118"
repeat vertical: plain
repeat horizontal: plain
weight: 116 g/m²
composition: 100% polyester Inherent FR



Colour may vary from one batch to another.

Please visit www.fr-one.com to download a full technical summary on each design.

FR-ONE FABRICS COMPLY WITH THE WORLD'S HIGHEST FR AND SAFETY STANDARDS:

IMO/MED, M1, B1, EN1021, EN13773, BS5852, BS5867, BS7176, NFPA 701, NFPA 260, ASTM E84
along with a further 17 international certificates (available on request).

curtains/drapery

jaime
20-griffin
(150cm or 59")

jaime
17-dawn
(150cm or 59")

genial
03-oyster
(295cm or 116 $\frac{1}{8}$ ")

genial
02-feather
(295cm or 116 $\frac{1}{8}$ ")

genial
23-charcoal
(295cm or 116 $\frac{1}{8}$ ")

delis
08-silver
(142cm or 55 $\frac{7}{8}$ ")

delis
01-linen
(142cm or 55 $\frac{7}{8}$ ")

delis
03-flax
(142cm or 55 $\frac{7}{8}$ ")

dim outs

blockbuster
13-nougat
(300cm or 118")

blockbuster
14-pearl
(300cm or 118")

blockbuster
03-aluminium
(300cm or 118")

blockbuster
01-charcoal
(300cm or 118")

blockbuster
17-mushroom
(300cm or 118")

blockbuster
07-carbon
(300cm or 118")

jest
08-charcoal
(140cm or 55")

jest
11-pinecone
(140cm or 55")

jest
03-sesame
(140cm or 55")

rien
08-stucco
(145cm or 57")

rien
04-oyster
(145cm or 57")

ashur
02-pewter
(150cm or 59")

ashur
25-silver
(150cm or 59")

ashur
16-sand
(150cm or 59")



sheers

batiste FR
01-snow
(298cm or 117½")

batiste FR
02-ivory
(298cm or 117½")

gossy
11-snow
(300cm or 118")

gossy
01-silver
(300cm or 118")

jaba
11-ice
(305cm or 120")

jaba
12-ivory
(305cm or 120")

voile FR
01-white
(297cm or 116⅞")

voile FR
03-ivory
(297cm or 116⅞")



sheers



Collection JABA

 FR-One

open
38-ice

pageant
64-snow

crystal
50-natural

calais
17-nougat

offa
02-Pearl

pure
28-swan

campaign
74-cream

pageant
79-cream

web
19-cream

pure
20-greige

crystal
23-cream

open
22-cream

open 38 - ice

Jeopardy collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
calais	8	297 cm or 116 $\frac{3}{4}$ " (railroaded)	plain	plain	82 g/m ²
campaign	4	316 cm or 124 $\frac{3}{4}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	13 cm or 5 $\frac{1}{8}$ "	30 g/m ²
crystal	6	310 cm or 122" (railroaded)	stripe	1.0 cm or $\frac{3}{8}$ "	82 g/m ²
gossy	6	300 cm or 118" (railroaded)	plain	plain	116 g/m ²
layout	2	316 cm or 124 $\frac{3}{4}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	0.7 cm or $\frac{1}{4}$ "	44 g/m ²
offa	6	316 cm or 124 $\frac{3}{4}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	43 g/m ²
open	7	310 cm or 122" (railroaded)	plain	plain	82 g/m ²
pageant	7	316 cm or 124 $\frac{3}{4}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	49 g/m ²
pure	6	310 cm or 122" (railroaded)	plain	plain	81 g/m ²
web	6	300 cm or 118 $\frac{3}{4}$ " (railroaded)	plain	plain	88 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: web)      (design: calais, campaign, crystal, gossy, layout, offa, open, pageant, pure)     			

crystal
48-ivory

calais
16-swan

web
20-ice

open
36-snow

pure
35-snow

open
33-alabaster

web
21-snow

gossy
10-ivory

offa
01-snow

campaign
65-snow

layout
66-snow

pure
41-diamond

crystal 48 - ivory

Jeopardy collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
calais	8	297 cm or 116 $\frac{1}{8}$ " (railroaded)	plain	plain	82 g/m ²
campaign	4	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	13 cm or 5 $\frac{1}{8}$ "	30 g/m ²
crystal	6	310 cm or 122" (railroaded)	stripe	1.0 cm or $\frac{3}{8}$ "	82 g/m ²
gossy	6	300 cm or 118" (railroaded)	plain	plain	116 g/m ²
layout	2	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	0.7 cm or $\frac{1}{4}$ "	44 g/m ²
offa	6	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	43 g/m ²
open	7	310 cm or 122" (railroaded)	plain	plain	82 g/m ²
pageant	7	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	49 g/m ²
pure	6	310 cm or 122" (railroaded)	plain	plain	81 g/m ²
web	6	300 cm or 118 $\frac{1}{8}$ " (railroaded)	plain	plain	88 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: web) (design: calais, campaign, crystal, gossy, layout, offa, open, pageant, pure)  			

crystal
46-ice

gossy
11-snow

calais
15-snow

offa
19-ice

gossy
01-silver

gossy
03-griffin

offa
17-limestone

offa
18-dune

gossy
02-limestone

calais
01-dove

calais
02-pewter

offa
16-antracite

gossy 11-snow

Jeopardy collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
calais	8	297 cm or 116 $\frac{3}{4}$ " (railroaded)	plain	plain	82 g/m ²
campaign	4	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	13 cm or 5 $\frac{1}{8}$ "	30 g/m ²
crystal	6	310 cm or 122" (railroaded)	stripe	1.0 cm or $\frac{3}{8}$ "	82 g/m ²
gossy	6	300 cm or 118" (railroaded)	plain	plain	116 g/m ²
layout	2	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	stripe	0.7 cm or $\frac{1}{4}$ "	44 g/m ²
offa	6	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	43 g/m ²
open	7	310 cm or 122" (railroaded)	plain	plain	82 g/m ²
pageant	7	316 cm or 124 $\frac{3}{8}$ " (zinc weighted selvedge in matching colour - railroaded)	plain	plain	49 g/m ²
pure	6	310 cm or 122" (railroaded)	plain	plain	81 g/m ²
web	6	300 cm or 118 $\frac{1}{2}$ " (railroaded)	plain	plain	88 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: web)      (design: calais, campaign, crystal, gossy, layout, offa, open, pageant, pure)     			

campaign
01-onyx

pageant
02-night

web
05-liquorice

pageant
13-umber

gossy
06-aqua

calais
26-sterling

pageant
19-zinc

web
32-dust

open
02-plaza

pageant
17-aluminium

pure
16-papyrus

calais
11-sesame



pageant 17-aluminium

Jeopardy collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
calais	8	297 cm or 116 3/4" (railroaded)	plain	plain	82 g/m ²
campaign	4	316 cm or 124 3/8" (zinc weighted selvedge in matching colour - railroaded)	stripe	13 cm or 5 1/8"	30 g/m ²
crystal	6	310 cm or 122" (railroaded)	stripe	1.0 cm or 3/8"	82 g/m ²
gossy	6	300 cm or 118" (railroaded)	plain	plain	116 g/m ²
layout	2	316 cm or 124 3/8" (zinc weighted selvedge in matching colour - railroaded)	stripe	0.7 cm or 1/4"	44 g/m ²
offa	6	316 cm or 124 3/8" (zinc weighted selvedge in matching colour - railroaded)	plain	plain	43 g/m ²
open	7	310 cm or 122" (railroaded)	plain	plain	82 g/m ²
pageant	7	316 cm or 124 3/8" (zinc weighted selvedge in matching colour - railroaded)	plain	plain	49 g/m ²
pure	6	310 cm or 122" (railroaded)	plain	plain	81 g/m ²
web	6	300 cm or 118 1/4" (railroaded)	plain	plain	88 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: web) (design: calais, campaign, crystal, gossy, layout, offa, open, pageant, pure)			

open
55-flax

pure
51-natural

crystal
10-taupe

campaign
48-taupe

web
26-linen

layout
42-taupe

pageant
46-taupe

calais
09-oyster

open
08-otter

crystal
04-plaza

web 26-linen

Jeopardy collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
calais	8	297 cm or 116 3/4" (railroaded)	plain	plain	82 g/m ²
campaign	4	316 cm or 124 3/4" (zinc weighted selvedge in matching colour - railroaded)	stripe	13 cm or 5 1/4"	30 g/m ²
crystal	6	310 cm or 122" (railroaded)	stripe	1.0 cm or 3/8"	82 g/m ²
gossy	6	300 cm or 118" (railroaded)	plain	plain	116 g/m ²
layout	2	316 cm or 124 3/4" (zinc weighted selvedge in matching colour - railroaded)	stripe	0.7 cm or 1/4"	44 g/m ²
offa	6	316 cm or 124 3/4" (zinc weighted selvedge in matching colour - railroaded)	plain	plain	43 g/m ²
open	7	310 cm or 122" (railroaded)	plain	plain	82 g/m ²
pageant	7	316 cm or 124 3/4" (zinc weighted selvedge in matching colour - railroaded)	plain	plain	49 g/m ²
pure	6	310 cm or 122" (railroaded)	plain	plain	81 g/m ²
web	6	300 cm or 118 3/4" (railroaded)	plain	plain	88 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: web)      (design: calais, campaign, crystal, gossy, layout, offa, open, pageant, pure)     			

jabberwocky
01-niagra

jabberwocky
02-mineral

jabberwocky
03-parma

jaipur
02-parma

jabberwocky
05-pearl


jaipur
03-linen

jabberwocky
04-sesame

jaipur
01-metal



Jubilea



jabberwocky 04-sesame



jaipur 03-linen

Jubilea collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jabberwocky	5	300 cm or 118"	7 cm or 2 ¾"	stripe	165 g/m²
jaipur	3	300 cm or 118"	semi plain	semi plain	170 g/m²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

jasmone
01-silver

jermian
02-linen

jermian
03-gold


jasmone
04-pearl

jasmone
02-bronze

jermian
04-sesame

jasmone
03-zinc

jermian
01-metal



jermian 04-sesame



jasmone 03-zinc

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jasmone	4	295 cm or 116 $\frac{1}{4}$ "	23.0 cm or 9"	33.0 cm or 12 $\frac{3}{4}$ "	64 g/m ²
jermian	4	315 cm or 124"	plain	plain	145 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

dim out

dim out



Collection JEST DIM OUT



Jest dim out



jest 01-putty



jest 02-rattan



jest 03-sesame



jest 04-wool



jest 05-haze



jest 06-silver



jest 07-aluminium



jest 08-charcoal



jest 09-ebony



jest 10-chinchilla



jest 11-pinecone



jest 12-fudge



jest 13-gold



jest 14-chartreuse



jest 15-kiwi



jest 16-jade




jest 17-cloud



jest 18-denim



jest 19-plum




jest 20-lotus



jest 21-strawberry

Jest dim out



jest 13-gold

Jest dim out collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jest	21	140 cm or 55"	plain	plain	340 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					



curtain / drapery

curtain / drapery



Collection JUBILEA

 **FR-One**

Jaime



jaime 01-quartz



jaime 02-cameo



jaime 03-dusk



jaime 04-navy



jaime 05-niagara



jaime 06-spa



jaime 07-mineral



jaime 08-duckegg



jaime 09-palm



jaime 10-bronze



jaime 11-nut



jaime 12-zinc



jaime 13-birch



jaime 14-oyster



jaime 15-pearl



jaime 16-snow



jaime 17-dawn



jaime 18-aluminium



jaime 19-sterling



jaime 20-griffin



jaime 21-shark




jaime 22-onyx



jaime 23-magenta



jaime 24-sherry



jaime 25-canyon

Jaime collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jaime	25	150 cm or 59"	plain	plain	250 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

Jubilea - drapery




juniper 01-mineral




jaborine 02-mineral



jaborine 01-niagara



juleste 03-niagara




jorace 01-niagara




jager 02-niagara




Jubilea - drapery




juniper 01-mineral




juniper




jaborine




juleste



jager



jorace



joyce


Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jaborine	4	145 cm or 57"	29.0 cm or 11½"	29.0 cm or 11½"	260 g/m²
jager	4	142 cm or 55½"	32.0 cm or 13½"	35.0 cm or 13¾"	185 g/m²
jorace	4	138 cm or 54¼"	22.5 cm or 8¾"	34.5 cm or 13½"	170 g/m²
joyce	4	142 cm or 55½"	35.5 cm or 13¾"	35.5 cm or 13¾"	140 g/m²
juleste	4	138 cm or 54¼"	62.5 cm or 24¾"	34.5 cm or 13½"	150 g/m²
juniper	4	145 cm or 57"	60.0 cm or 23¾"	29.0 cm or 11½"	265 g/m²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: joyce, juniper) (design: jaborine, jager, jorace, juleste)			

Jubilea - drapery



juleste 04-parma



juniper 02-parma



joyce 02-parma



jager 03-gold



jaborine 03-gold




juniper 03-gold


Jubilea - drapery




jager 03-gold




juniper




jaborine




juleste



jager



jorace




joyce

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jaborine	4	145 cm or 57"	29.0 cm or 11½"	29.0 cm or 11½"	260 g/m²
jager	4	142 cm or 55½"	32.0 cm or 13½"	35.0 cm or 13¾"	185 g/m²
jorace	4	138 cm or 54½"	22.5 cm or 8¾"	34.5 cm or 13½"	170 g/m²
joyce	4	142 cm or 55½"	35.5 cm or 13¾"	35.5 cm or 13¾"	140 g/m²
juleste	4	138 cm or 54½"	62.5 cm or 24¾"	34.5 cm or 13½"	150 g/m²
juniper	4	145 cm or 57"	60.0 cm or 23¾"	29.0 cm or 11½"	265 g/m²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: joyce, juniper) (design: jaborine, jager, jorace, juleste)			

Jubilea - drapery




joyce 03-camouflage



joyce 04-pearl



jorace 04-pearl



juleste 01-silver



jager 01-silver




jager 04-ivory


Jubilea - drapery




juleste 01-silver




juniper




jaborine




juleste



jager



jorace



joyce

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jaborine	4	145 cm or 57"	29.0 cm or 11 $\frac{3}{4}$ "	29.0 cm or 11 $\frac{3}{4}$ "	260 g/m ²
jager	4	142 cm or 55 $\frac{1}{4}$ "	32.0 cm or 13 $\frac{1}{2}$ "	35.0 cm or 13 $\frac{3}{4}$ "	185 g/m ²
jorace	4	138 cm or 54 $\frac{1}{4}$ "	22.5 cm or 8 $\frac{3}{4}$ "	34.5 cm or 13 $\frac{1}{2}$ "	170 g/m ²
joyce	4	142 cm or 55 $\frac{1}{4}$ "	35.5 cm or 13 $\frac{3}{4}$ "	35.5 cm or 13 $\frac{3}{4}$ "	140 g/m ²
juleste	4	138 cm or 54 $\frac{1}{4}$ "	62.5 cm or 24 $\frac{1}{2}$ "	34.5 cm or 13 $\frac{1}{2}$ "	150 g/m ²
juniper	4	145 cm or 57"	60.0 cm or 23 $\frac{3}{4}$ "	29.0 cm or 11 $\frac{3}{4}$ "	265 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions		(design: joyce, juniper) (design: jaborine, jager, jorace, juleste)			




juleste 05-sesame




juniper 04-sesame



jaborine 04-sesame




jorace 03-zinc




juleste 02-metal




joyce 01-metal




joyce 01-metal




juniper




jaborine




juleste



jager



jorace



joyce

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jaborine	4	145 cm or 57"	29.0 cm or 11½"	29.0 cm or 11½"	260 g/m ²
jager	4	142 cm or 55½"	32.0 cm or 13½"	35.0 cm or 13¾"	185 g/m ²
jorace	4	138 cm or 54½"	22.5 cm or 8¾"	34.5 cm or 13½"	170 g/m ²
joyce	4	142 cm or 55½"	35.5 cm or 13¾"	35.5 cm or 13¾"	140 g/m ²
juleste	4	138 cm or 54½"	62.5 cm or 24¾"	34.5 cm or 13½"	150 g/m ²
juniper	4	145 cm or 57"	60.0 cm or 23¾"	29.0 cm or 11½"	265 g/m ²
composition		100% polyester Inherent FR			
applications					
cleaning instructions					

Millennium



manson 01-truffle



moirlyn 01-pewter




manson 02-natural



moirlyn 02-sesame



manson 03-sand



moirlyn 03-sand



manson 04-canyon



moirlyn 04-ivory



manson 05-beige




manson 06-chartreuse


Millennium



manson 07-dragonfly



manson




moirlyn

Millennium collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
manson	7	145 cm	8.5 cm or 3 3/4"	7.2 cm or 2 7/8"	240 g/m ²
moirlyn	5	145 cm	16.2 cm or 6 3/8"	29.7 cm or 11 3/4"	240g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					



marlow 01-charcoal



myrl 01-charcoal



marlow 02-ivory



myrl 02-beige




myrl 03-canyon




marlow 04-gold



marlow 03-chinchilla



marlow



myrl

Millennium collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
marlow	4	143 cm	89.0 cm or 35" half drop	36.4 cm or 14½"	165 g/m²
myrl	3	145 cm	26.5 cm or 10½"	15.0 cm or 5¾"	205 g/m²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					



multi-purpose /
upholstery



Collection JOVIAL

FR-One

Delis



01-linen

02-mushroom

03-flax

04-raffia

05-rattan




06-cream

07-swan

08-silver

09-mineral

10-aquamarine



11-azure

12-niagara

13-dragonfly

14-jade

15-butterfly



16-moss

17-tarragon

18-olive

19-amber

20-blazing



21-canyon

22-tabasco

23-grenadine

24-sorbet

25-nostalgia



26-quartz

27-shell

28-brush

29-duckegg

30-beech



31-walnut

32-maroon

33-onyx



delis 03-flax

Delis collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
delis	33	142cm or 55 1/4"	plain	plain	270 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					
martindale		ISO 12947-2	50,000 rubs (Severe Contract)		

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Golf



golf 01-pelican



golf 02-jute




golf 03-raffia




golf 04-nougat



golf 05-snow



golf 06-fossil



golf 07-pewter



golf 08-onyx



golf 09-bison



golf 10-almond



golf 11-copper



golf 12-persimmon




golf 13-porto




golf 14-lotus



golf 15-blossom




golf 16-parma




golf 17-denim




golf 18-dragonfly




golf 19-shark




golf 20-fountain



golf 21-mineral




golf 22-khaki




golf 23-linden



golf 24-straw



golf 25-buttercup

Golf collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
golf	25	139cm or 54 3/4"	plain	plain	420 g/m ²
composition			100% polyester Inherent FR		
applications					martindale 40,000 wysenbeek 40,000
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Jadeite



jadeite 01-gargoyle



jadeite 02-cappucino



jadeite 03-chipmunk



jadeite 04-jute



jadeite 05-cream



jadeite 06-silver




jadeite 07-linen




jadeite 08-wolf



jadeite 09-moon



jadeite 10-rock



jadeite 11-carbon



jadeite 12-liquorice



jadeite 13-slate




jadeite 14-marine



jadeite 15-mirage



jadeite 16-dragonfly



jadeite 17-granite



jadeite 18-mist



jadeite 19-aluminium



jadeite 20-grape



jadeite 21-heather



jadeite 22-brick



jadeite 23-fox



jadeite 24-tea

Jadeite



jadeite 25-camouflage

Jadeite collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jadeite	25	140 cm or 55"	plain	plain	435 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Jadore



jadore 01-flax



jadore 02-cream



jadore 03-jute



jadore 04-gull



jadore 05-fossil



jadore 06-gargoyle




jadore 07-pinecone



jadore 08-cocoa



jadore 09-desert




jadore 10-forest



jadore 11-pesto



jadore 12-granite




jadore 13-duckegg



jadore 14-spruce



jadore 15-indigo




jadore 16-atlantic




jadore 17-river



jadore 18-silver



jadore 19-shark



jadore 20-metal



jadore 21-frost



jadore 22-orchid



jadore 23-iris



jadore 24-garnet

Jadore



jadore 25-ginger

Jadore collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jadore	25	140 cm or 55"	plain	plain	435 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³



jaxx 01-pearl



jacadi 02-linen



lola 08-cement



jaxx 04-sesame



lola 12-linen



jacadi 06-toast



lola 11-sand



lola 13-taupe



lola 14-seagrass



lola 02-mushroom



lola 01-otter




jacadi 12-tiramisu



lola 03-cocoa



jaxx 14-almond



jacadi 15-dust




jacadi 16-fossil




lola 05-pewter



jaxx 18-slate



jacadi 19-shark



jaxx 20-aluminium



h2>lola 08-cement

Jovial collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jacadi	20	140 cm or 55"	semi plain	semi plain	445 g/m ²
jaxx	20	140 cm or 55"	semi plain	semi plain	485 g/m ²
lola	18	139 cm or 54¾"	plain	plain	450 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS1716 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³



jacadi 21-silver



jaxx 22-feather



lola 06-rabbit




lola 07-silver




jaxx 25-frost



jacadi 26-sterling



jaxx 27-metal



jaxx 28-dice



jacadi 29-pumpkin



jaxx 30-terra



lola 23-brick



lola 22-ruby




jacadi 33-vino




jacadi 34-magenta




jaxx 35-fuchsia



jaxx 36-plum




jacadi 37-quartz



jaxx 38-chrysal



jacadi 39-orchid



jaxx 40-parma



jacadi 33-vino


Jovial collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jacadi	20	140 cm or 55"	semi plain	semi plain	445 g/m ²
jaxx	20	140 cm or 55"	semi plain	semi plain	485 g/m ²
lola	18	139 cm or 54 3/4"	plain	plain	450 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³




jaxx 41-spa



lola 19-penguin



jacadi 43-denim




jaxx 44-captain



jacadi 45-indigo



jacadi 46-praline



jaxx 47-sky



jacadi 48-baltic




jaxx 49-teal



lola 18-scuba



jacadi 51-scuba




jaxx 52-mineral



lola 17-abyss



jacadi 54-duckegg



jaxx 55-fern



jacadi 56-camouflage



lola 30-clover



lola 28-moss



jaxx 49-teal

Jovial collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jacadi	20	140 cm or 55"	semi plain	semi plain	445 g/m ²
jaxx	20	140 cm or 55"	semi plain	semi plain	485 g/m ²
lola	18	139 cm or 54½"	plain	plain	450 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Cherish Velours



houdini 01-silver



houdini 02-gargoyle



houdini 03-onyx



houdini 04-castor



houdini 05-pelican



houdini 06-snow



houdini 07-cream



houdini 08-oyster



houdini 09-taupe



houdini 10-chocolate



houdini 11-coffee



houdini 12-tiramisu



houdini 13-sunflower



houdini 14-beige



houdini 15-copper



houdini 16-autumn



houdini 17-cardinal



houdini 18-crimson



houdini 19-vino



houdini 20-magenta



houdini 21-violet




houdini 22-capri



houdini 23-beetle



houdini 24-bottle



houdini 01-silver

Cherish Velours collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
houdini	24	140 cm or 55 1/4"	plain	plain	387 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					
martindale		ISO 12947-2	90,000 rubs (Severe Contract)		

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Cherish Velours



mystery 01-shark



mystery 02-pewter



mystery 03-ebony



mystery 04-walnut



mystery 05-sesame



mystery 06-marble



mystery 07-ice



mystery 08-caramel



mystery 09-bison



mystery 10-toffee



mystery 11-cappuccino



mystery 12-pinecone



mystery 13-pumpkin



mystery 14-ruby



mystery 15-boudoir



mystery 16-plum



mystery 17-blossom



mystery 18-flint



mystery 19-ink



mystery 20-cadet



mystery 21-mosaic




mystery 22-dragonfly



mystery 23-cactus



mystery 24-moss



mystery 01-shark

Cherish Velours collection					
design name	number of colourways	width	repeat vertical	repeat horizontal	weight
mystery	24	140 cm or 55 1/4"	plain	plain	454 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					
martindale		ISO 12947-2	100,000 rubs (Severe Contract)		

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)
 BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006
 when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³



jedi 02-mineral



jacopo stripe 02-mineral



jedi 03-parma




junko 02-parma


Jubilea - printed velvets




jedi 02-mineral



jedi



jacopo stripe



junko

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jacopo stripe (printed velvets)	3	138 cm or 54 1/4"	21.5 cm or 8 1/2"	35.0 cm or 13 3/4"	465 g/m ²
jedi (printed velvets)	3	138 cm or 54 1/4"	64.0 cm or 25 1/8"	70.0 cm or 27 1/2"	465 g/m ²
junko (printed velvets)	3	138 cm or 54 1/4"	46.0 cm or 18"	46.0 cm or 18"	465 g/m ²
composition			100% polyester Inherent FR		
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)


BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006

when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m³

Jubilea - printed velvets



junko 03-sesame




jacopo stripe 01-metal




junko 01-silver




jedi 01-metal




jacopo stripe 03-sesame



jedi



jacopo stripe



junko

Jubilea collection

design name	number of colourways	width	repeat vertical	repeat horizontal	weight
jacopo stripe (printed velvets)	3	138 cm or 54¼"	21.5 cm or 8⅝"	35.0 cm or 13¾"	465 g/m²
jedi (printed velvets)	3	138 cm or 54¼"	64.0 cm or 25⅝"	70.0 cm or 27½"	465 g/m²
junko (printed velvets)	3	138 cm or 54¼"	46.0 cm or 18"	46.0 cm or 18"	465 g/m²
composition		100% polyester Inherent FR			
applications					
cleaning instructions					

The inherently flame retardant nature of all FR-One fabric fibre is preserved within its molecular structure. This means that the flame retardant characteristics of the fibre, yarn and fabric, is permanent throughout the lifetime of the product. No further treatments are required other than for **U.K. contract upholstery use**.

All FR One upholstery fabrics to be used within the **U.K. will require additional FR treatment** to meet the following standards:

British FR tests

BS 5852 : 2006 Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib5)

BS7176 : 2007 Medium Hazard, incorporating BS EN 1021-1 & 2 2006

when tested a modified combustion foam CMHR with a density equal or superior to 35kg/m3



SEKERS

Sekers Fabrics Limited
t: +44 (0)1946 517501
FR-One@sekers.co.uk
www.sekersfabrics.co.uk