








SEKERS

ANTILLES

ARUBA



13 AMBER



14 CHERRY



01 SMOKE




12 MOSS



07 FOREST



06 SEASPRAY



02 FEATHER



05 TRUFFLE



11 NAVY



10 SAPPH RE



03 RON



04 ONYX



09 NDIGO



08 DUSK

BONAIRE



14 PEAR



15 PUMPKIN



02 PEBBLE



18 CRANBERRY



17 CARMINE



16 SPICE



05 ENGINE



03 PEWTER



11 HEATHER



10 LILAC



01 RAIN



07 OATMEAL



08 LATTE



2 CASCADE




04 STEEL



06 JET



09 BARK



13 M DNIGHT

CURACAO



12 PLANTAIN



13 TIGERLILLY



02 SHELL



08 JUNGLE



11 ASTRO



14 CARDINAL



03 CINDER



07 PETROL



09 ATLANTIC



05 GRAPE



04 CARBON



01 SHADOW



10 NK



06 SURF

SEKERS

ANTILLES

FLAME RESISTANCE:

Upholstery: BS7176. Medium Hazard
BS5852: Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

IMO: FTPC Part 8 (Upholstery)

USA: NFPA 260 Class 1 (UFAC)
CAL117/13

Colour Match: Colour may vary from one fabric to another
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 138 cm

Weight	Aruba	505 g/m ² (FR backcoated)
	Bonaire	590 g/m ² (FR backcoated)
	Curacao	600 g/m ² (FR backcoated)

Martindale	Aruba	40,000
	Bonaire	100,000
	Curacao	90,000

Wyzenbeek:	Aruba	42,000 double rubs (cotton duck)
	Bonaire	96,000 double rubs (cotton duck)
	Curacao	93,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning:     

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate

Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS

ARCADIA

SEKERS

ARCADIA

FLAME RESISTANCE

- Upholstery: BS 7176: Medium Hazard
BS 5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³
- IMO: IMO FTPC Part 8 (Upholstery)
- USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13
- Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester
- Width: Brodie 142 cm
Glenmore 140 cm
- Weight: Brodie 606 g/m² (FR backcoated)
Glenmore 600 g/m² (FR backcoated)
- Martindale: Brodie 100,000
Glenmore 50,000
- Wyzenbeek: 100,000 double rubs (cotton duck)
- Usage: Severe Contract Upholstery
- Cleaning: 
Please refer to our sales office for general spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland E-mail: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



BRODIE



13 MIDNIGHT



17 CHIVE



18 MEADOW



14 PEACOCK



09 OATMEAL



10 ECRU



12 ONYX



03 SLATE



11 COFFEE



20 CRANBERRY



04 MIST




02 GREIGE



19 FOX



01 CINDER



05 CHROME

GLENMORE



15 TURQUOISE

BRODIE



15 SPA

GLENMORE



17 MOSS



12 INDIGO



13 RIVER



16 JUNGLE



02 STORM



01 SHADOW



08 SESAME



10 SEPIA



11 CARBON



07 SAND



09 TAUPE



19 ROSE



04 SEASHELL



03 FEATHER GREY



20 AMETHYST

Arcadia

SEKER'S introduces ARCADIA, a collection of faux wool plains including a melton and a broken twill texture. With a high abrasion performance and supplied with a crib 5 flame retardant backing, Arcadia is ideal for the contract market, from pubs and hotels to cruise ships, meeting all relevant UK, US and IMO standards for upholstery.





SEKERS

AROS

SEKERS

AROS

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: I.M.O. Resolution A652 (16) Upholstered Furniture.

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 94% Polyester 6% Cotton

Width: 143 cms

Weight: 585 g/m²

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



04 PEWTER



02 SILVER



03 METAL



05 DARK SLATE



01 ZINC



16 FEATHER GREY



19 WALNUT



17 TAUPE



13 SNOWDROP



35 GOLD



33 APRICOT



34 SPICE



30 POPPY RED



31 TIGERLILLY



32 BURNT ORANGE



29 RED ROSE



28 CRIMSON



26 DUSK BLUE



25 BLUE TOPAZ



24 TEAL



23 IVY



20 ALUMINIUM



11 LINEN



21 BLUE HAZE



22 TARRAGON



14 OYSTER



10 LATTE



12 IVORY



15 MARZIPAN



07 CHESTNUT



08 TEAK



09 CHINCHILLA



18 OATMEAL



27 DUSK



SEKER'S

 **FibreGuard**
Stain Free Technology

AURORA

SEKERS

AURORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	Denali 137 cm Osborn 138 cm
Weight:	Denali 664 g/m ² (FR backcoated) Osborn 640 g/m ² (FR backcoated)
Martindale:	Denali 100,000 Osborn 50,000
Wyzenbeek:	Denali 190,000 double rubs (cotton duck) Osborn 60,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk




OSBORN




33 JUNGLE



35 HARVEST



20 FLAX




27 SURF




07 SHADOW



21 BEACH



09 IRON



05 CINDER



25 WOOL



38 PEONY



13 TEAK


DENALI



32 PERIDOT



19 SEAGRASS




36 AUTUMN



17 STORM



30 DRAGONFLY




29 SHALE



08 SMOKE



01 GRANITE



39 PARMA



11 PEAT



14 WALNUT



37 BURGUNDY



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Aurora

SEKER'S introduces AURORA, a collection of plush printed velvets suitable for contract upholstery and accessories. With two semi-plain textured designs, Aurora is available in a versatile palette including sophisticated neutrals and rich jewel tones. Supplied with crib 5 backing and incorporating FibreGuard, Aurora resists the toughest of stains.





SEKERS

BALLANTRAE

SEKERS

BALLANTRAE

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another, If an exact match is required, please ask for a stock cutting.
Composition:	53% Cotton 47% Viscose
Width:	138 cm
Weight:	620 g/m ²
Martindale:	100,000
Wyzenbeek:	30,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	     Please refer to our sales office for detailed spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekerfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



10 TURQUOISE



24 INDIGO



09 AZURE



12 PETROL



11 TEAL



15 WILLOW



06 TAUPE



05 LATTE



16 SPICE



32 JET



31 CHARCOAL



07 PEAT



26 FLINT



27 ALUMINIUM



28 DOVE



18 CARDINAL



33 GARNET



20 PEONY



17 PAPRIKA



22 AUBERGINE



SEKERS

BAMBURGH

SEKERS

BAMBURGH

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition: Aidan 47% Polyester 43% Acrylic 10% Cotton
Bebelowe/Edwin/Farne 100% Polyester

Width: 140 cm

Weight: Aidan 620 grms/m² (FR Backcoated)
Bebelowe/Edwin/Farne 646 grms/m² (FR Backcoated)

Repeat: Aidan N/A
Bebelowe 30cm V 35cm H
Edwin 4.7cm V 3.5cm H
Farne 12cm V 8.75cm H

Martindale: Aidan 50,000
Bebelowe/Edwin/Farne 100,000

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



BEBELOWE 03 OCEAN



BEBELOWE 02 LIME ZEST



BEBELOWE 06 TERRA



BEBELOWE 04 POPPY



BEBELOWE 05 BLACKBERRY WINE



BEBELOWE 01 SHELL



EDWIN 07 ZINC



EDWIN 06 CHESTNUT



EDWIN 05 DUSK



EDWIN 04 CLARET



EDWIN 03 TURQUOISE



EDWIN 01 TAUPE



FARNE 03 PAPRIKA



FARNE 02 PALM



EDWIN 02 GOLDEN OLIVE



FARNE 01 PUTTY



FARNE 04 ROSE WINE



FARNE 05 ANTHRACITE



AIDAN 04 PISTACHIO



AIDAN 06 TIGERLILLY



AIDAN 07 CARDINAL



AIDAN 01 VANILLA



AIDAN 05 MINERAL BLUE



AIDAN 08 ROSEWOOD



AIDAN 02 LATTE



AIDAN 03 WARM SAND



AIDAN 09 AUBERGINE



AIDAN 10 TRUFFLE



AIDAN 11 CHARCOAL



AIDAN 12 CHOCOLATE



sekers introduces BAMBURGH, a collection of 4 distinctive designs influenced by the tidal beaches, gardens and historical architecture of Northumberland. A flexible collection, Bebelowe, Farne, Edwin and Aidan can be used individually or combined to create a versatile and colourful design statement.



SEKERS

aqua
clean
TECHNOLOGY

CALYPSO

SEKERS

CALYPSO

FLAME RESISTANCE:

Upholstery: BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Alanya	59% Polyester 41% Cotton
	Derna	90% Polyester 10% Cotton
	Tarsus	64% Polyester 36% Cotton

Width: 140 cm

Weight:	Alanya	648 g/m ² (FR backcoated)
	Derna	670 g/m ² (FR backcoated)
	Tarsus	716 g/m ² (FR backcoated)

Martindale:	Alanya/Tarsus	100,000
	Derna	80,000

Wyzenbeek: 50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: See special instructions



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk

Export: export@sekers.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



ALANYA



05 JUNGLE




07 PEPPERCORN



03 CASCADE



06 LATTE



04 CONFETTI



01 ALUMINIUM




02 BERRY

DERNA




05 OCEAN



08 SAPPHIRE



06 RAIN



04 DUSK




02 CHARCOAL



07 ROSEWINE



03 CHOCOLATE



01 BRICK

TARSUS



14 TEAL



09 PLUM



02 GARNET



13 SURF



08 PEWTER



11 SPICE



10 POPPY



03 INK



05 MIDNIGHT



06 MOSS



12 SPRING



04 JET



07 PEAT



01 COCONUT



15 TOFFEE

CALYPSO CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.



2. Dirt doesn't penetrate the fabric's fibres.



3. The stains just disappear on applying water.



4. Simply remove with a lint free white cloth.



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require dry cleaning.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

**aqua
clean**
TECHNOLOGY



SEKERS

CAPELLA

SEKERS

CAPELLA

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL117/SE

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 68.5% PVC 1.5% PU 15% Polyester 15% Cotton

Width: 135 cm

Weight: 735 grms/m²

Flex Endurance: 250,000

Usage: Severe Contract Upholstery – Waterproof and Urine Resistant.

Cleaning: **Regular cleaning:** Damp cloth or sponge.

Thorough cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap.

Do not use: solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XEE



CAPELLA 38



CAPELLA 47



CAPELLA 41



CAPELLA 02



CAPELLA 37



CAPELLA 29



CAPELLA 39



CAPELLA 17



CAPELLA 20



CAPELLA 23



CAPELLA 05



CAPELLA 42



CAPELLA 43



CAPELLA 36



CAPELLA 34



CAPELLA 04



CAPELLA 03



CAPELLA 35



CAPELLA 14



CAPELLA 44



CAPELLA 30



CAPELLA 01



CAPELLA 40



CAPELLA 31



CAPELLA 46



CAPELLA 09



CAPELLA 15



CAPELLA 19



CAPELLA 26



CAPELLA 10



sekers

CASCADA

SEKERS

CASCADA

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Low Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- IMO: IMO FTPC Part 8 (Upholstery)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Cotton
- Width: 140 cm
- Weight: 415 gms/sq mtr (non coated)
- Martindale: 100,000
- Pilling: 4/5
- Usage: Severe Contract Upholstery
- Cleaning:     

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



TEAL



FEATHER GREY



OTTER



JET



MIDNIGHT NAVY



DARK CHOCOLATE



TEAK



SANDSHELL



GOLD




PUTTY



TIGERLILLY



WINTER WHITE





DARK SLATE



MOSS



GRAY GREEN



ZINC



LOLLIPOP



DUSK



BLACKBERRY WINE



STRAWBERRY



ROSEWOOD



GARNET



BERRY




sekers

CHARLESTON

SEKERS

CHARLESTON

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Ellington	56% Viscose	23% Polyester 21% Cotton
	Fitzgerald	59% Viscose	30% Polyester 11% Cotton
	Joplin	52% Viscose	30% Polyester 18% Cotton
Width:	140 cm		
Weight:	Ellington	710 g/m ² (FR Backcoated)	
	Fitzgerald/Joplin	550 g/m ² (FR Backcoated)	
Repeat:	Ellington	6 cm V	6 cm H
	Fitzgerald	N/A	
	Joplin	21.5 cm V	35 cm H
Martindale:	40,000		
Usage:	Severe Contract Upholstery		
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.		

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

Ellington



02 SPICE



03 HARVEST GOLD



01 BERRY



04 CLOUD



05 METAL

Joplin



03 TIGERLILLY



05 TOFFEE



04 WARM SAND



02 GARNET



10 FEATHER GREY



07 DOVE



01 AUBERGINE



06 MINERAL BLUE



08 BLUESTONE



09 GRAPHITE

Fitzgerald



04 AUTUMN GINGER



05 PAPRIKA



02 PLUM



03 ROSEWOOD



06 BROWN SUGAR



01 DUSK



14 ZINC



07 MOSS



13 CHARCOAL



10 SILVER



08 SAGE



12 PEWTER



11 STERLING



09 OCEAN

Charleston

sekers introduces CHARLESTON, a collection of three distinctive designs reflecting the elegance and luxury of the Jazz Age. A flexible collection, Ellington, Joplin and Fitzgerald can be used individually or combined to create a versatile and stylish statement.

Supplied with Crib 5 Flame Retardant backing, Charleston is an ideal choice for the hospitality, leisure and marine markets.





SEKERS



COPERNICUS

SEKERS

COPERNICUS

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Deneb	46% Viscose	45% Polyester 9% Cotton
	Vega	100% Polyester	
Width:	138 cm		
Weight:	Deneb	582 g/m² (FR backcoated)	
	Vega	516 g/m² (FR backcoated)	
Repeat:	Deneb	35.3cm V	35cm H
	Vega	57.4cm V	70cm H
Martindale:	45,000		
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:	Deneb	    	
	Vega	   	
Please refer to our sales office for general spot cleaning instructions.			

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

DENEB



10 PETROL



11 MIDNIGHT



12 JET



04 CHARCOAL



01 DOVE




09 THISTLE



08 DUSK



07 CHERRY



06 POPPY



05 SUNSHINE




03 OATMEAL



02 TAUPE

VEGA



07 MARINE




02 MINK



01 STORM



08 TEAL



03 SMOKE



05 STRAWBERRY



06 AUBERGINE



09 TIGERLILLY



04 CORN



SEKERS

 **FibreGuard**
Stain Free Technology

CORTONA

SEKERS

CORTONA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester (FR backcoated)
Width:	138 cm
Weight:	466 g/m ²
Martindale:	60,000
Wyzenbeek:	50,000 (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions



BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





42 CHILLI



44 CRANBERRY



45 PEONY



15 SNOWDROP



41 POST BOX



40 AUBURN



43 ROSE



14 CREAM



03 OATMEAL



11 FAWN



07 HAZEL



37 SUNSHINE



38 GOLD



05 CAMEL



09 CHOCOLATE



29 HAZE



18 CHROME



19 ALUMINIUM



20 STORM



28 DUCK EGG



27 FLINT



23 JET



22 SHADOW



30 AQUA



31 TURQUOISE



32 PETROL



34 LEAF



24 INK



26 COBALT



36 HERB



35 APPLE



10 TAUPE



12 ECRU



02 KHAKI



01 MOLE



SEKER'S

CROFT

SEKERS

CROFT

FIRE RESISTANCE


Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	620 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdle Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



26 CASCADE



27 PACIFIC



13 KHAKI



20 SKY



22 AZURE



23 CYAN



32 INDIGO



14 LEAF



15 FERN



29 SHINGLE



02 CINDER



07 MUSHROOM



04 FOG



03 ASH



01 ZINC



30 CARBON



28 PLAZA



19 HEATHER



17 FOX



18 ROSE



SEKERS

 **FibreGuard**
Stain Free Technology

FIORA

Fiora

sekers introduces FIORA, a lush polyester velvet with a subtle printed texture providing a modern edge. Supplied with crib 5 flame retardant backing and with a high Martindale abrasion performance of 100,000 rubs, Fiora is the perfect choice for the hospitality, leisure and marine markets, lending a subtle contemporary edge to any interior.





31 CYAN



27 BLUEBELL



30 OCEAN



33 SEASPRAY



29 SAPPHIRE



28 DENIM



03 STEEL



05 SHADOW



06 SMOKE



02 NICKEL



18 GRASS



15 FOREST



07 PRALINE



17 EMERALD



16 OLIVE



09 BISCUIT



19 OCHRE



20 FOX



01 STRING



22 TIGERLILLY



23 REDWOOD



12 CHALK



25 CANDY



24 BURGUNDY



26 DUSK



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly



FIORA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m3
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	673 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





sekers

HARRIS TWEED

SEKERS

HARRIS TWEED

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³
Curtains:	BS5857: Part 2, Type B
Bedding:	BS7175: 1989, Section 3 – Ignition Source 5
IMO:	IMO FTPC Part 8 (Upholstery) IMO FTPC Part 9 (Bedding Components)
USA	USA NFPA 260 Class 1 (UFAC) CAL 117/SE
Colour Match:	Colour may vary from one batch to another If an exact match is required, please ask for a stock cutting
Composition:	100% Wool
Width:	150 cms
Weight:	330 gms/sq mtr
Repeat:	Check: 7.0 cm V 5.5 cm H Dogtooth: N/A Herringbone: N/A
Martindale:	45,000
Usage:	Severe Contract Upholstery, Contract Curtains & Bedding
Cleaning:	☒ ☒ ☒ ☒ ☒ ☒

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member






CHECK SLATE GREY



CHECK OCEAN SPRAY



CHECK BRACKEN



CHECK WINTER WHEAT



CHECK BURNT UMBER



CHECK PEATLAND



DOGTOTH SLATE GREY



DOGTOTH OCEAN SPRAY



DOGTOTH BRACKEN



DOGTOTH WINTER WHEAT



DOGTOTH BURNT UMBER



DOGTOTH PEATLAND



HERRINGBONE SLATE GREY



HERRINGBONE OCEAN SPRAY



HERRINGBONE BRACKEN



HERRINGBONE WINTER WHEAT



HERRINGBONE BURNT UMBER



HERRINGBONE PEATLAND



sekers

IDAHO

SEKERS

IDAHO

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	570 g/m ² (FR backcoated)
Martindale:	50,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	Regular Cleaning: Damp cloth or sponge. Thorough Cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap. Do No Use: Solvents, chloride, abrasives, chemical agents or wax polishes. Please note that dye transfer from denim or other textiles are excluded from any manufacturers guarantee.



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk





03 TEAK



04 HAZEL



06 JAVA



01 CHESTNUT



12 RED OCHRE



05 WALNUT



02 PUTTY



07 ASH



08 PEBBLE



10 ANTHRACITE



09 FEATHER GREY



11 JET



SEKERS

aqua
clean[®]
TECHNOLOGY

KIBOKO

SEKERS

KIBOKO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	50% Polyester 35% Acrylic 15% Polyamide
Width:	140 cm
Weight:	600 grms/m ² (FR Backcoated)
Repeat:	N/A
Martindale:	200,000
Pilling:	4
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions. DO NOT DRY CLEAN. 

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



10 TEAK



03 WARM SAND



07 PUTTY



09 OTTER



12 CHESTNUT



08 WALNUT



11 GLAZED GINGER



13 CHOCOLATE



23 GARNET



22 TIGERLILLY



01 PARCHMENT



02 OATMEAL



04 LINEN



06 TAUPE



05 LATTE



14 FEATHER GREY



19 IVY



18 INSIGNIA BLUE



15 METAL



20 PALM



17 BLUE HAZE



16 GRAPHITE




21 CITRUS

KIBOKO CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY

ADVANCED UPHOLSTERY PROTECTION



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first. Do not dry clean.

MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

aqua
clean
TECHNOLOGY

Kiboko

sekers introduces KIBOKO, the new addition to their Aquaclean range. Aquaclean is an advanced nano technology finish that helps protect the fabric against spills and stains without having to resort to specialist cleaning. Kiboko resists the toughest of stains, including red wine and permanent marker.





SEKERS

 **FibreGuard**
Stain Free Technology

KEILDER

SEKERS

KEILDER

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	712 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



DO NOT DRY CLEAN

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502


UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE




04 PACIFIC




06 JUNGLE




08 SPRING




07 CLOVER



10 SUNRISE



11 FALL



03 ATLANTIC



12 PAPRIKA



18 MACAROON



13 CHILLI



20 JUTE




14 LOLLIPOP




21 RAFFIA




01 SHALE



25 GRAVEL



02 SAPPHIRE



24 CLOUD



22 EGGSHELL



23 MUSHROOM



15 ASH



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.
Do not dry clean.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly




SEKER'S

LANA

SEKERS

LANA

FLAME RESISTANCE:

- Upholstery:** BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx 35kg/m³.
- Curtains:** BS 5867: Part 2, Type B
- IMO:** IMO FTPC Part 8 (Upholstery)
- Colour Match:** Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition:** 100% Polyester
- Width:** 140 cm
- Weight:** 385 g/m² (530 g/m² FR backcoated)
- Martindale:** 40,000
- Usage:** Severe Contract Upholstery, Curtains & Bedspreads.
*Please specify FR requirements when placing order
- Cleaning:** 



ALL SALES AND SAMPLING ENQUIRIES TO:
Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH
Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



55 DAMSON



58 TEAL



7 LONDON FOG



27 HEATHER ROSE



29 AUBERGINE



28 DUSK



49 ROSE WINE



56 BLUE CORAL



31 FLINT STONE



32 DAZZLING BLUE



30 SAPPHIRE



42 SNOW WHITE



12 SNOWDROP



54 MACAW GREEN



33 DILL



35 MOSS



34 WILLOW



6 MINK



47 CHESTNUT



3 TEAK



4 CHOCOLATE



46 COCOA



45 LATTE



14 PALE GOLD



17 BUTTERCUP



51 TOFFEE



25 PORT



26 RUBY



23 RED ROSE



24 CLARET



22 APRICOT NECTAR



20 AUTUMN GINGER



50 TOPAZ



21 TIGERLILLY



16 OCHRE



15 TAN



1 BROWN SUGAR



2 BUTTERNUT



19 GLAZED GINGER



11 IVORY



10 VANILLA



9 SHELL



43 WINTER WHITE



44 PUTTY



13 WARM SAND



8 FEATHER GREY



41 SILVER CLOUD



5 JET



SEKERS

LEXI

SEKERS

LEXI

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 140 cms

Weight: 578 gms/sq mtr

Martindale: 40,000

Usage: Severe Contract Upholstery

Cleaning: 

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekerfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



18 / PUTTY



23 / MARZIPAN



08 / CHESTNUT



22 / PALM



10 / FEATHER GREY



07 / PURPLE SAGE



15 / BRIGHT WHITE



14 / SNOWDROP



29 / OCEAN



28 / MINERAL BLUE



25 / GLEAM



26 / GREEN BAY



27 / SEA SPRAY



24 / SILVER FERN



20 / OLIVE BRANCH



21 / CHIVE



17 / IVORY



11 / BIRCH



09 / SIMPLY TAUPE



04 / STERLING



05 / ASH



06 / ZINC



30 / BLUESTEEL



31 / DUSK BLUE



32 / AUBERGINE



10 / PEARL



12 / WARM SAND



19 / BOULDER



35 / TIGERLILLY



34 / RED ROSE



33 / ROSEWOOD



03 / MOON MIST



01 / METAL



02 / JET



SEKERS

LIBRETTO

SEKERS

LIBRETTO

FLAME RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35 kg/m ³	
IMO:	IMO FTPC Part 8 (Upholstery)	
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13	
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.	
Composition:	100% Polyester	
Width:	Callas	140 cm
	Bartoli/Dessay	141 cm
	Gedda	142 cm
Weight:	Bartoli	593 g/m ² (FR backcoated)
	Callas	717 g/m ² (FR backcoated)
	Dessay	745 g/m ² (FR backcoated)
	Gedda	636 g/m ² (FR backcoated)
Martindale:	Callas	60,000
	Bartoli/Dessay	70,000
	Gedda	90,000
Wyzenbeek:	Bartoli	195,000 (cotton duck)
	Callas	120,000 (cotton duck)
	Dessay	110,000 (cotton duck)
	Gedda	140,000 (cotton duck)
Usage:	Severe Contract Upholstery	
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.	

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE

DESSAY



90 SAPPHIRE



66 SCARLET



57 WINEBERRY



12 STORM



47 COCOA



89 OCEAN



09 FLINT



01 STEEL



77 SWEET PEA



40 WALNUT



35 SAGE



76 MEDAL

CALLAS



78 PERIDOT



48 COFFEE



82 WILLOW



03 STEEPLE GREY



25 WARM SAND



38 CHAMPAGNE



52 JET



11 BIRCH



65 CLARET



60 MAGENTA



06 PLATINUM

BARTOLI



61 CRIMSON



29 OATMEAL



34 PECAN



87 AZURE



53 LIQUORICE



49 DARK SMOKE



13 PEBBLE

GEDDA



86 TEAL



92 SKY



07 FEATHER GREY



05 STERLING



43 HAZEL



84 OLIVE



30 PUTTY



10 BOULDER



39 TEAK



68 TIGERLILLY

Libretto



SEKER'S introduces LIBRETTO, a collection of four subtle designs suitable for upholstery. Available in 40 rich colours, ranging from opulent greens and reds to stylish neutrals, Libretto is a versatile mix of plain, strie and hopsack textures.

Supplied with a Crib 5 Flame Retardant backing and with a high Martindale abrasion performance, Libretto is a perfect selection for upholstery and is the ideal choice for designers specifying for the hospitality, leisure and marine markets.




sekers

 **FibreGuard**
Stain Free Technology

LUCCA

PANARO



02 TURQUOISE



27 HUNTER




30 CORN



04 MIDNIGHT



03 ATLANTIC



20 FOX



23 STRAWBERRY



22 POST BOX



21 PAPRIKA



24 FUCHSIA




26 AUBERGINE



16 MINK



11 SMOKE




06 THISTLE




17 FAWN




14 CHARCOAL



13 SHINGLE




10 NICKEL



15 JET



12 FLINT



07 FOG

PANARO



29 LIZARD

ETIVA



19 JUNGLE

ETIVA



17 SUNSHINE



18 CLOVER



20 SURF



23 RIVER




30 PUMPKIN



21 CASCADE



22 KINGFISHER



01 CHROME



29 GRENADINE



25 GRAPHITE



02 CINDER



06 ALMOND



28 ROSEWINE




12 TAUPE



14 MOCHA



13 CHESTNUT



26 DUSK



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

SEKERS

LUCCA

FLAME RESISTANCE

Upholstery: BS 7176: Medium Hazard
BS5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Etiva	100% Polyester
	Panaro	53% Polyester 42% Acrylic 5% Viscose

Width:	Etiva	138 cm
	Panaro	139 cm

Weight:	Etiva	784 g/m ² (FR backcoated)
	Panaro	597 g/m ² (FR backcoated)

Martindale:	Etiva	100,000
	Panaro	45,000

Wyzenbeek:	Etiva	100,000 double rubs (cotton duck)
	Panaro	50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: See special instructions



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member





SEKERS

MARISOL

SEKERS

MARISOL

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester


Width: 140 cms

Weight: 650 grms/m² (FR Backcoated)

Repeat: Elgin: 17cm. V, 17.5cm. H Kiki: 4.4cm. V, 4.5cm. H
Lotti: 3.4cm. V, 3.7cm. H Oren: NA

Marlindale: 50,000

Usage: Severe Contract Upholstery

Cleaning: 



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502


UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

ELGIN



ELGIN
MOONLESS NIGHT 02



ELGIN
DUSK 03



ELGIN
OXFORD TAN 04

ELGIN



ELGIN
ROSEWOOD 05



ELGIN
TURQUOISE 06



ELGIN
JET 07



ELGIN
DEEP ORCHID 08

LOTTI



LOTTI
PALM 01



LOTTI
MOONLESS NIGHT 02



LOTTI
DUSK 03



LOTTI
OXFORD TAN 04



LOTTI
ROSEWOOD 05



LOTTI
TURQUOISE 06



LOTTI
JET 07



LOTTI
DEEP ORCHID 08

KIKI



KIKI
PALM 01



KIKI
MOONLESS NIGHT 02



KIKI
DUSK 03



KIKI
OXFORD TAN 04



KIKI
ROSEWOOD 05



KIKI
TURQUOISE 06



KIKI
JET 07



KIKI
DEEP ORCHID 08

OREN



OREN
PALM 01



OREN
MOONLESS NIGHT 02



OREN
DUSK 03



OREN
OXFORD TAN 04



OREN
ROSEWOOD 05



OREN
TURQUOISE 06



OREN
JET 07



OREN
DEEP ORCHID 08



SEKERS



MONTANA

SEKERS

MONTANA

FLAME RESISTANCE:

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard. When tested over CMHR foam – density approx. 35 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA	USA NFPA 260 Class (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.
Composition:	Leather (average hide size) 5.5m ²
Weight:	650 gms/sq mtr
Thickness:	0.9mm ± 0.1mm
Flex Endurance:	50,000 flexes
Abrasion Resistance:	500 cycles 500gr load
Rub Fastness:	250 Wet / 500 Dry
Tear Strength:	40N
Usage:	Severe Contract Upholstery
Cleaning:	Sekers Leather Wipes

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



TEAL 01



PALM 02



ZINC 03



ELDERBERRY 04



PORT 05



BLUESTONE 06



INK 07



MARINE 08



SKYDIVER 09



PEWTER 10



SILVER 11



DOVE 12



SNOW 13



JET 14



OCEAN 15



IVY 16



ANTHRACITE 17



GRASS 18



RED OCHRE 19



POPPY RED 20



HOT PINK 21



MOSS 22



WALNUT 23



GREY GREEN 24



BISCUIT 25



SANDSHELL 26



OYSTER 27



PEBBLE 28



COBBLESTONE 29



JAVA 30



DARK EARTH 31



HAZEL 32



RUSSET 33



WARM SPICE 34



GOLDEN OAK 35



SUN ORANGE 36



SEKERS

NOVA SCOTIA

SEKERS

NOVA SCOTIA

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Bedford/Hubley/Tusket	90% Polyester 10% Viscose
	Coldbrook	85% Polyester 15% Viscose
	Halifax/Yarmouth	100% Polyester

Width: 140 cm

Weight:	Bedford	560 g/m ² (FR backcoated)
	Coldbrook	534 g/m ² (FR backcoated)
	Halifax	507 g/m ² (FR backcoated)
	Hubley/Tusket	551 g/m ² (FR backcoated)
	Yarmouth	497 g/m ² (FR backcoated)

Martindale:	Bedford/Coldbrook/Halifax/Tusket	60,000
	Hubley/Yarmouth	40,000

Wyzenbeek:	Bedford/Yarmouth	30,000 double rubs (cotton duck)
	Coldbrook	45,000 double rubs (cotton duck)
	Halifax	50,000 double rubs (cotton duck)
	Hubley	120,000 double rubs (cotton duck)
	Tusket	55,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited

7A Nobel Road, Wester Gourdie Industrial Estate

Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk


Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

TUSKET



07 TERRA



59 THISTLE



57 DUSK



48 CITRUS



35 SAPPHIRE



24 PEWTER

YARMOUTH



72 LINEN



27 ANTHRACITE



03 TAUPE

BEDFORD



32 AQUAMARINE



55 FLINT




78 ROSE



08 INK

COLDBROOK



56 INDIGO



60 TULIPWOOD



74 MARZIPAN



67 MUSTARD



40 BLUESTONE



58 HEATHER



51 MOSS



43 OCEAN



29 MINERAL BLUE



06 CHARCOAL

HALIFAX



82 GARNET



05 LATTE



73 BISCUIT



33 FEATHER GREY



69 MEDAL

HUBLEY



77 CRIMSON



50 PALM



84 BERRY



31 CYAN



12 CAFE



70 WARM SAND



02 SLATE



26 MIDNIGHT



10 OATMEAL



66 SUNSHINE



SEKERS introduces NOVA SCOTIA, a collection of 6 textured designs suitable for upholstery. Available in a palette of 38 rich colours, ranging from earthy neutrals to radiant jewel tones, Nova Scotia is a versatile mix of designs ranging from large and small scale basket weaves to multi-tonal plains. Supplied with a Crib 5 flame retardant backing Nova Scotia is a perfect selection for the hospitality, leisure and marine markets.



SEKERS

aqua
clean[®]
TECHNOLOGY

ODISHA

SEKERS

ODISHA

FLAME RESISTANCE

Upholstery: BS 7176: Medium Hazard
BS5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.

Composition:	Kuru	71% Polyester 29% Recycled Cotton
	Ziro	85% Polyester 15% Cotton

Width:	Kuru	140 cm
	Ziro	140 cm

Weight:	Kuru	665 g/m ² (FR backcoated)
	Ziro	603 g/m ² (FR backcoated)

Martindale:	Kuru	50,000
	Ziro	40,000

Wyzenbeek:	Kuru	50,000 double rubs (cotton duck)
	Ziro	50,000 double rubs (cotton duck)

Usage: Severe Contract Upholstery

Cleaning: See special instructions



ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501


UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



BS5852
CRIB 5

KURU




03 LAGOON



01 STRAWBERRY



02 SUNSET



05 OCEAN



06 WHEAT



04 PEBBLE



07 SEASPRAY



09 DRAGONFLY




10 TIRAMISU



08 HESSIAN

ZIRO




07 MIDNIGHT



06 RIVER



10 METAL




09 CRIMSON



08 SUNFLOWER




11 ELEPHANT



02 CHILLI



05 TEAL




12 JASPER



04 NATURAL



03 MOCHA



01 RAVEN

ODISHA CLEANING AND MAINTENANCE INSTRUCTIONS

AQUACLEAN TECHNOLOGY


ADVANCED UPHOLSTERY PROTECTION

1. The AquaClean treatment system covers every single fibre with an invisible molecular coating.

2. Dirt doesn't penetrate the fabric's fibres.

3. The stains just disappear on applying water.

4. Simply remove with a lint free white cloth.



CLEAN WITH WATER IN THREE EASY STEPS



1. Remove any excess product that has spilled on the fabric.



2. Apply water to the stain, either directly or using paper tissues or an absorbent cloth, without making the upholstery too damp. Wait for a few seconds.



3. Press the stain with the paper tissues or cloth, then gently rub the fabric with circular movements. If the stain does not disappear completely, repeat the process as many times as necessary.



The cleaning technology eliminates small wine stains, coffee, food and even some markers without resorting to washing with soap, however large stains may require a mild non-alkali detergent, please spot test in an inconspicuous area first.


MAINTENANCE

For routine maintenance of your fabric we recommend vacuuming of the entire surface using a domestic vacuum cleaner with brush adaptor.

**aqua
clean**
TECHNOLOGY

Odisha

sekers introduces ODISHA, a collection of two beautiful textures available in a versatile palette including rich jewel tones and sophisticated neutrals. The AquaClean advanced nano technology helps protect the fabric against spills and stains without having to resort to specialist cleaning. Odisha is supplied with Crib 5 flame retardant backing making it suitable for upholstery and accessories within the hospitality, leisure and marine markets.





SEKERS

ONTARIO

SEKERS

ONTARIO

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.		
Composition:	Niagara	89% Polyester 11% Viscose	
	Ottawa/Toronto	100% Polyester	
Width:	137 cm		
Weight:	705 g/m ² (FR backcoated)		
Repeat:	Niagara	n/a	
	Ottawa	1.0cm V	2.5cm H
	Toronto	9.3cm V	9.0cm H
Martindale:	50,000		
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.		

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



TORONTO



01 INDIGO



04 FERN



03 OCEAN



06 BLACKBERRY



05 ROSE



02 DICE



07 TERRA




08 ASH




09 SHADOW


NIAGARA



01 COBALT



04 MOSS




03 CASCADE



06 RAISIN



05 POPPY



02 ANTHRACITE



07 BISCUIT



08 PEPPERCORN


OTTAWA



01 NAUTICAL



04 AVOCADO



03 SURF



06 AUBERGINE




05 TULIP



02 PENGUIN



07 CHINCHILLA



08 SLATE



09 JET

Ontario

SEKER'S introduces ONTARIO, a collection of three distinctive designs available in 26 colours from sophisticated neutrals to porcelain blues. A flexible collection, Niagara, Ottawa and Toronto can be used individually or combined to create a versatile and colourful design statement.





SEKERS

ORZAN

SEKERS

ORZAN

FLAME RESISTANCE:

- Upholstery:** BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- IMO:** I.M.O. FTPC Part 8 (Upholstery)
- USA:** USA NFPA 260 Class 1 (UFAC) & CAL 117/SE
- Colour Match:** Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition:** 68.5% PVC 1.5% PU 15% Polyester 15% Cotton
- Width:** 140 cm
- Weight:** 790 gms/sq mtr
- Martindale:** 250,000
- Usage:** Severe Contract Upholstery – Waterproof and Urine Resistant.
- Cleaning:** **Regular cleaning:** Damp cloth or sponge.
Thorough cleaning: Damp cloth or sponge with lukewarm water and mild alkaline-free soap.
Do not use: solvents, chloride, abrasives, chemical agents, or wax polishes. Please note that dye transfer by jeans or other textiles are excluded from any manufacturer's guarantee.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member





OZ42



OZ48



OZ31



OZ45



OZ10



OZ25



OZ26



OZ27



OZ54



OZ07



OZ09




OZ11



OZ12



OZ13



OZ38



OZ44



OZ39



OZ46



OZ14



OZ03



OZ43



OZ52



OZ51



OZ24



OZ49



OZ47



OZ50



OZ21




OZ20



OZ55



OZ36



OZ40



OZ56



OZ30



OZ35



OZ37



OZ41



OZ29



OZ53



SEKERS

QUASAR

SEKERS

QUASAR

FLAME RESISTANCE

Upholstery:	BS EN 1021-1 & -2, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m³			
IMO:	IMO FTPC Part 8 (Upholstery)			
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13			
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.			
Composition:	Corvus	66% Polyester	20% Viscose	14% Cotton
	Draco	48% Polyester	35% Viscose	17% Cotton
	Hercules	100% Polyester		
	Lacerta	87% Polyester	13% Viscose	
	Octans	88% Polyester	12% Viscose	
	Perseus	56% Polyester	30% Viscose	14% Cotton
Width:	Corvus/Draco	138 cm	Hercules	143 cm
	Lacerta/Octans	142 cm	Perseus	140 cm
Weight:	Corvus	671 g/m²	(FR backcoated)	
	Draco	800 g/m²	(FR backcoated)	
	Hercules	681 g/m²	(FR backcoated)	
	Lacerta	553 g/m²	(FR backcoated)	
	Octans	708 g/m²	(FR backcoated)	
	Perseus	758 g/m²	(FR backcoated)	
Martindale:	Corvus	50,000	Draco	90,000
	Hercules	140,000	Lacerta	100,000
	Octans/Perseus	70,000		
Wyzenbeek:	Corvus/Draco/Lacerta	200,000 double rubs	(cotton duck)	
	Hercules	100,000 double rubs	(cotton duck)	
	Octans	140,000 double rubs	(cotton duck)	
	Perseus	125,000 double rubs	(cotton duck)	
Usage:	Severe Contract Upholstery			
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.			

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk


Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE

CORVUS



38 THISTLE



46 ORCHARD



40 LILAC



28 OCEAN



01 PINECONE




17 BROWNIE



15 PEBBLE

DRACO



04 PEPPERCORN



42 BERRY




21 CHARCOAL



33 FLINT

LACERTA




26 CASCADE



06 MOCHA




30 BRACKEN



47 MEADOW


OCTANS



02 ADRIATIC



43 PEONY



36 SKY



31 INDIGO

PERSEUS



37 HORIZON




05 TERRA




41 WINEBERRY



49 KHAKI



27 MOSS




34 NAVY



39 DUSK

HERCULES



18 TUXEDO



20 JET



03 ANTHRACITE



35 COBALT



SEKERS introduces QUASAR, a collection of six textural semi plains suitable for upholstery. Available in a palette of 30 colours, ranging from earthy naturals to saturated jewel tones, providing a vivid and flexible range of colour, Quasar is a versatile collection of woven textures incorporating a variety of yarns including twists, chenilles and bouclés.

Supplied with a Crib 5 flame retardant backing, Quasar is the perfect selection for the hospitality, leisure and marine markets.



SEKERS

QUITO

SEKERS

QUITO

FIRE RESISTANCE

Upholstery:	BS EN 1021-1 & -2, BS5852 Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition	100% Polyester
Width:	138 cm
Weight:	513 g/m ² (FR backcoated)
Martindale:	90,000
Wyzenbeek:	50,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



14 ATLANTIC



05 BISCUIT



03 TRUFFLE



20 ALUMINIUM



13 PEACOCK



02 COCONUT



10 INDIGO



11 SAPPHIRE



15 APPLE



01 CHOCOLATE



04 MUSHROOM



19 ZINC



16 CHARCOAL



17 PEWTER



18 METAL



09 HARVEST



07 CARDINAL



06 DUSK



08 TIGERLILLY



12 STRAWBERRY



sekers

 **FibreGuard**
Stain Free Technology

RIGA

SEKERS

RIGA

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	580 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited

7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



32 SPRUCE



35 SEASPRAY



34 TURQUOISE



03 COBALT



04 BLUEBELL



02 INDIGO



01 MIDNIGHT



31 JUNGLE



29 MEDAL



19 CHOCOLATE



30 HERB



28 FOX



09 RABBIT



33 KINGFISHER




07 METAL




08 SLATE



20 ONYX



05 FOG



06 SILVER



15 LINEN



14 PUTTY



11 NATURAL



10 STRING



12 CLOUD



13 FROST



27 STRAWBERRY



26 RUBY



25 PEONY



23 MAUVE



22 DUSK



21 GARNET



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly



sekers

ROSSALL

SEKERS

ROSSALL

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1. BS 5852: Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³
- Curtains: BS5867: Part 2, Type B
- Bedding: BS7175: 1989, Section 3 – Ignition Source 5
- IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
Please note these images do not represent an exact colour match to the actual fabric.
- Composition: 100% Wool
- Width: 145 cm
- Weight: 340 g/m²
- Repeat: Chingle: Please refer to website or pattern book
Gawthorpe: 21.5cm V 20cm H
Heskin: Please refer to website or pattern book
Thurnham: 19cm V 18.5cm H
- Martindale: 40,000
- Pilling: 4
- Usage: Severe Contract Upholstery, Contract Curtains & Bedding
- Cleaning:     

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
E-mail: sales@sekers.co.uk website: www.sekersfabrics.co.uk
Export: export@sekers.co.uk
London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



TOP: CHINGLE 08 GRAPHITE

BOTTOM: GAWTHORPE 08 PEWTER

Images do not represent an exact colour match to the actual fabric.

Chingle



01 THISTLE



02 DUSK



03 ROSEWOOD



04 SPICE



05 HARVEST GOLD



06 PEONY



07 ORCHARD

Gawthorpe



01 HEATHER



02 OCEAN SPRAY



03 CARDINAL



04 PUTTY



06 CLARET



07 GLAZED GINGER



05 BROWN SUGAR



TOP: THURNHAM 03 METAL

BOTTOM: HESKIN 03 CHARCOAL

Images do not represent an exact colour match to the actual fabric.

Thurnham



01 MOSS




02 LILAC ASH

Heskin



01 WILLOW



02 MAUVE



04 LAVENDER



05 IVY



06 BERRY



07 SAGE



08 BRACKEN



09 PLUM



ROSSALL is inherently fire retardant, meeting all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding. With a high abrasion performance of 40,000 rubs, Rossall is perfect for the most demanding upholstery applications.

SEKERS

Rossall

SEKERS introduces ROSSALL, a collection of 4 distinctive designs woven in the UK from 100% British wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Rossall is eminently suitable for both drapery and bedding applications.





SEKERS

RYE

SEKERS

RYE

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	138 cm
Weight:	627 g/m ² (FR backcoated)
Martindale:	70,000
Wyzenbeek:	85,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk




London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



36 DENIM




18 HEATHER



38 FLINT STONE



29 WILLOW



35 KINGFISHER



39 INDIGO



13 GRAPHITE



12 SLATE



40 JET



17 DUSK



22 PEONY



23 CLARET



20 LOLLIPOP



25 PAPRIKA



26 TIGERLILLY



03 PEBBLE



10 LATTE



11 TRUFFLE



01 METAL



02 TAUPE



SEKER'S

SAHARA

SEKERS

SAHARA

FLAME RESISTANCE:

- Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- Curtains: BS 5857: Part 2 Type B.
- IMO: IMO FTPC Part 7 (Curtains)
IMO FTPC Part 8 (Upholstery)
- Waterproof: Hydrostatic head BS 3424 > 1 mtr
- Soil Resistance: Fluorocarbon soil release treatment to help resist liquid and oil based stains
- Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester, Waterproof, Anti-bacterial & FR backcoated
- Width: 149 cm (backcoated)
- Weight: 440 grms/m² (backcoated)
- Martindale: >40,000
- Usage: Severe Contract Upholstery & Contract Curtains – Waterproof and Urine Resistant.
- Cleaning: **Washable @ 60°C** **NB: Do Not Dry Clean**
1) Routine mild soap & warm water sponging is effective for ordinary soiling using a "Wipe & Dry" technique
2) Fresh stains, both water & oil based are easily removed using water based household spray cleaning agents

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



36 AUBERGINE



39 LIME ZEST



34 BLUEBERRY



28 WILLOW



44 BYZANTIUM



32 NIGHT BLUE



49 GREEN TEA



45 BLUEJAY



18 ATLANTIC



21 LICHEN



47 CORAL BLUE



01 SNOW



46 DUSK



48 DRIED HERB



24 PUTTY



05 SAND



50 APRICOT



27 CHARCOAL



08 GOLD



11 CHILLI



26 ANTHRACITE



37 TAUPE



51 RED OCHRE



52 JET



31 CAFÉ



SEKERS

SEABROOK

SEKERS

SEABROOK

FIRE RESISTANCE

Upholstery:	BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5) BS 7176: Medium Hazard When tested over CMHR foam – density approx. 35kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	484 g/m ² (FR backcoated)
Martindale:	100,000
Wyzenbeek:	200,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for detailed spot cleaning instructions.



ALL SALES AND EXPORT ENQUIRIES TO:
Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502
UK & Ireland Email: sales@sekers.co.uk **Export Email:** export@sekers.co.uk
Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



36 PALM



34 CHIVE



18 MEDAL



13 LATTE



15 WALNUT



19 SIENNA



02 PEAT



01 CHESTNUT



16 TERRA



31 OCEAN



28 COBALT



11 SMOKE



32 AZURE



27 MIDNIGHT



05 ALUMINIUM



24 ROSEWOOD



26 DUSK



23 PINK



21 CRIMSON



22 BURGUNDY



SEKERS

SELKIRK

Selkirk

sekers introduces SELKIRK, a contemporary collection woven in the UK from 100% wool. A natural, renewable and biodegradable fibre, wool is renowned not only for its warmth and comfort but also for its unique resilience and strength. With a supple drape and luxurious hand, Selkirk is eminently suitable for both curtains and bedding and meets all relevant UK and American standards for upholstery, curtains and bedding as well as IMO standards for upholstery and bedding.






CRINGLETIE



TOP: 04 ORCHARD

MIDDLE: 05 AUTUMN

BOTTOM: 06 BEACH



TOP: 02 THISTLE

MIDDLE: 01 TWILIGHT

BOTTOM: 03 ASH


MONTEVIOT




03 HEATHER



01 INDIGO



05 SESAME



02 HAZE



04 HARVEST

PAXTON



02 PETROL



13 SEASHELL



05 NICKEL



08 MARINE



03 BLACKBERRY



10 REDWOOD



09 BRACKEN



01 FLINT



04 CARBON



11 APPLE



07 HERB



12 GULL



06 SMOKE



SELKIRK

FLAME RESISTANCE:

- Upholstery: BS7176: Medium Hazard
BS5852: Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36kg/m³
- Curtains: BS5867: Part 2, Type B
- Bedding: BS7175: 1989, Section 3 – Ignition Source 5
- IMO: IMO FTPC Part 8 (Upholstery)
IMO FTPC Part 9 (Bedding)
- USA: NFPA 260 Class 1 (UFAC)
CAL117/13
NFPA 701
- Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Wool
- Width: Cringletie/Paxton 140 cm
Monteviot 145 cm
- Weight: Cringletie 355 g/m²
Monteviot 345 g/m²
Paxton 355 g/m²
- Martindale: 40,000
- Wyzenbeek: 15,000 double rubs (cotton duck)
- Usage: Severe Contract Upholstery, Contract Curtains and Bedding
- Cleaning:

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk





SEKERS



FibreGuard
Stain Free Technology

SHOGUN

SEKERS

SHOGUN

FIRE RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	USA NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	73% Polyester 27% Viscose
Width:	138 cm
Weight:	650 g/m ² (FR backcoated)
Martindale:	60,000
Wyzenbeek:	180,000 double rubs (cotton duck)
Usage:	Severe Contract Upholstery
Cleaning:	See special instructions.



BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH


Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



29 SPICE



18 STORM



20 OCEAN



22 LAGOON



17 MIDNIGHT



21 CYAN



23 CASCADE



30 BERRY



03 PEAT



16 TERRA



05 COCONUT



15 MACARON



12 BEACH



26 KHAKI



11 SAND



06 HESSIAN



24 JUNGLE



25 MEADOW



Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily.
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly

Shogun

SEKER'S introduces SHOGUN, a versatile and textured design available in a palette of 18 multi-colour shades, including sophisticated neutrals and porcelain blues. Supplied with Crib 5 backing and incorporating FibreGuard, Shogun resists the toughest of stains.





SEKERS

SINTRA

SEKERS

SINTRA

FLAME RESISTANCE:

- Upholstery:** BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.
When tested over CMHR foam – density approx. 35 kg/m³
- IMO:** IMO FTPC Part 8 (Upholstery)
- Colour Match:** Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.
- Composition:** 100% Polyester
- Width:** 138 cms
- Weight:** 440 gms/sq mtr
- Martindale:** 100,000
- Usage:** Severe Contract Upholstery
- Cleaning:** 

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



12 DARK EARTH



26 AQUAMARINE



16 BROWN SUGAR



40 ROSE WOOD



04 OATMEAL



27 COLONIAL BLUE



22 BRIGHT WHITE



21 SNOWDROP



19 VANILLA



20 WINTER WHITE



23 WHITE ASPARAGUS



18 PUTTY



33 SUNSET GOLD



06 PARCHMENT



07 FEATHER GREY



32 PALM



31 SWEET PEA



25 MOSS GREY



01 WALNUT



30 ELM GREEN



24 CEMENT



03 GREY GREEN



02 SEAGRASS



05 SHELL



34 TIGERLILLY



35 GARNET



36 POPPY RED



37 RED ROSE



38 CHERRY



39 PORT



28 MALLARD BLUE



29 LEGION BLUE



09 BLUESTONE



17 WARM SAND



14 SILVER MINK



15 DUNE



08 PINE BARK



13 TEAK



11 DARK SLATE



10 JET



SEKERS

SOHO



SOHO

FIRE RESISTANCE

Upholstery:	BS 7176: Medium hazard BS 5852: Part 2, Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36 kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting
Composition:	68% Polyester, 32% Viscose
Width:	143 cm
Weight:	840 g/m ² (FR back coated)
Repeat:	14.4 cm Horizontal 21.5 cm Vertical
Martindale:	60,000
Wyzenbeek:	35,000 double rubs (Cotton Duck)
Usage:	Severe Contract Upholstery
Cleaning:	 Please refer to our sales office for general spot cleaning instructions






18 PEACOCK



15 AUBERGINE



12 ROSE



02 APPLE



13 FUCHSIA



11 CHILLI



01 CHIVE



16 SAPPHERE



17 DENIM



09 GRAPHITE




20 TURQUOISE



19 AQUA



08 MUSHROOM



03 HONEY



04 BAMBOO



07 FAWN



SEKER'S

 **FibreGuard**
Stain Free Technology

TOLEDO

SEKERS

TOLEDO

FLAME RESISTANCE

Upholstery:	BS 7176: Medium Hazard BS5852 Part 2 Ignition Source (Crib 5) When tested over CMHR foam – density approx. 36kg/m ³
IMO:	IMO FTPC Part 8 (Upholstery)
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13
Colour Match:	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition:	100% Polyester
Width:	140 cm
Weight:	610 g/m ² (FR back coated)
Martindale:	45,000
Wyzenbeek:	100,000 double rubs (Cotton Duck)
Usage:	Severe Contract Upholstery
Cleaning:	See Special Instructions





26 NAVY



05 LIQUORICE



04 PEWTER



27 COBALT



28 DENIM



33 JADE



29 OASIS



30 NAUTICAL



32 KINGFISHER



03 QUARRY



23 REDWOOD



22 CRANBERRY



01 MOON



20 BRICK



19 TERRA



35 LEAF



13 PARCHMENT



15 FOG



36 MOSS



37 HAY

Toledo

SEKER'S introduces TOLEDO, a sumptuous polyester velvet which boasts a textured appearance. Supplied with Crib 5 flame retardant backing and FibreGuard, an advanced nanotechnology which permanently protects the fabric against spills and stains without having to resort to specialist cleaning. Toledo is the perfect choice for the hospitality, leisure and marine markets.





Pour water directly onto the stain then blot using white paper towels, repeat this process until the paper towel no longer absorbs the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.



In case of stubborn stains, softly rub a bar of household soap on the stain.

Finish by adding water and gently rubbing with a microfiber cloth in a circular movement. Continue until the stain vanishes.

Large stains may require dry cleaning.



High Performance

- Excellent durability
- Easy cleanability
- FibreGuard = fresh looking fabric

Stain Free Technology

- Tackle stains easily
- Remove ballpoint pen, coffee, red wine, ketchup, mud etc.
- Low maintenance
- Child friendly
- Pet friendly



SEKER'S

VARNA

SEKERS

VARNA

FLAME RESISTANCE

- Upholstery: BS 7176: Medium Hazard
BS 5852 Part 2 Ignition Source 5 (Crib 5)
When tested over CMHR foam – density approx. 36 kg/m³
- IMO: IMO FTPC Part 8 (Upholstery)
- USA: NFPA 260 Class 1 (UFAC)
CAL 117/13
- Colour Match: Colour may vary from one fabric to another.
If an exact match is required, please ask for a stock cutting.
- Composition: 100% Polyester
- Width: Columbia 143 cms
Odessa 139.5 cms
- Weight: 500 g/m² (FR Backcoated)
- Repeat: Columbia N/A
Odessa 93.5cm V 139.5cm H
- Martindale: Columbia 60,000
Odessa 50,000
- Wyzenbeek: Columbia 50,000 double rubs (Cotton Duck)
Odessa 50,000 double rubs (Cotton Duck)
- Usage: Severe Contract Upholstery
- Cleaning: 
Please refer to our sales office for general spot cleaning instructions

BCFA
member

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH
Sales Tel: +44 (0)1946 517501

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk



COLUMBIA



11 MARINE



09 NAVY



15 OCEAN



16 SPA



13 DRAGONFLY




18 GRAPE



24 MOLE



14 HAZE



07 HUNTER



17 PLUM



27 STORM



26 LIGHT GREY



28 APPLE



19 CHERRY



25 CEMENT



23 CHESTNUT



01 MUSTARD



20 RUBY




21 FOX



22 TERRACOTTA


ODESSA



08 INK



09 PETROL



10 OASIS



07 FERN



01 DUSK



05 ELEPHANT



06 CHROME



04 CAPPUCCINO



03 SIENNA



02 CRIMSON

Varna

sekers introduces VARNA, a versatile collection which features two opulent velvet upholsteries; Odessa and Columbia. This sumptuous velvet collection is available in a brilliant palette of 30 colours ranging from rich jewel tones to sophisticated neutrals. Meeting all of the relevant UK and IMO standards for upholstery, Varna is the ideal choice for the designer specifying for the hospitality, leisure and marine markets.





Chair courtesy of The Sofa & Chair Company

SEKERS

VENETO

SEKERS

VENETO

FLAME RESISTANCE

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard
When tested over CMHR foam – density approx. 35kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

USA: USA NFPA 260 Class 1 (UFAC)
CAL 117/13

Colour Match: Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester (stain repellent)

Width: 140 cm

Weight: 535 g/m² (FR backcoated)

Repeat: N/A

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning: 
Please refer to our sales office for detailed spot cleaning instructions.

ALL SALES AND EXPORT ENQUIRIES TO:

Sekers Fabrics Limited
7A Nobel Road, Wester Gourdie Industrial Estate
Dundee, Scotland, DD2 4UH

Sales Tel: +44 (0)1946 517501 Sales Fax: +44 (0)1946 517502

UK & Ireland E-mail: sales@sekers.co.uk Export Email: export@sekers.co.uk
Website: www.sekersfabrics.co.uk

BCFA
member



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London SW10 0XE



29 FRENCH NAVY



28 BLUE STEEL



27 TEAL



26 OCEAN



30 MIDNIGHT



25 BLACKBERRY WINE



23 PLUM



14 JET



11 DARK SLATE



09 OTTER



12 ASH




13 METAL



07 SIMPLY TAUPE



24 DUSK



08 LATTE



03 TEAK



22 CARDINAL



21 SPICE



17 BROWN SUGAR



05 FEATHER GREY



10 DOVE



04 PUTTY



02 BISCUIT



01 OYSTER



06 OATMEAL



15 WARM SAND



19 OLIVE



18 SILVER GREEN



16 OCHRE



20 SPRUCE



sekers introduces VENETO, a sumptuous polyester velvet, supplied inherently stain repellent to assist with cleaning, along with an excellent abrasion performance of 100,000 rubs, makes it a perfect selection for the most demanding upholstery application and the ideal choice for the designer specifying for the commercial hospitality, leisure and marine markets.



SEKERS

VOLANTE

sekers

VOLANTE

FLAME RESISTANCE:

Upholstery: BS 5852: Part 1 Ignition Source 0 & 1, Part 2 Ignition Source 5 (Crib 5)
BS 7176: Medium Hazard.

When tested over CMHR foam – density approx. 35 kg/m³

IMO: IMO FTPC Part 8 (Upholstery)

Colour Match: Colour may vary from one batch to another.
If an exact match is required, please ask for a stock cutting.

Composition: 100% Polyester

Width: 140 cms

Weight: 379 g/m²

Martindale: 100,000

Usage: Severe Contract Upholstery

Cleaning:     

BCFA
member

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk



London Showroom: Unit 1/20 Chelsea Harbour Design Centre, London, SW10 0XE



06 SNOWDROP



03 PARCHMENT



04 VANILLA



17 LILAC ASH



07 PUTTY



08 LATTE



30 MARZIPAN



40 AQUAMARINE



01 ELMWOOD



33 IGUANA



34 DILL



39 CLOUD BLUE



29 AMBER



32 CHIVE



35 MINERAL BLUE



36 TEAL



09 BROWN SUGAR



10 TEAK



12 DARK EARTH



37 NAVY



18 DUSK



25 PICANTE



14 JET



27 BURNT ORANGE



19 HAWTHORN ROSE



23 POPPY RED



26 TIGERLILLY



28 GOLDEN GLOW



22 RED ROSE



21 CHERRY



20 PORT ROYALE



11 COFFEE LIQUEUR



38 DUSK BLUE



16 STEEL GREY



02 SILVER MINK



13 BRACKEN



15 LIQUORICE



SEKERS

WABI SABI


KINSHUKU



11 PETROL



04 RAIN




01 LAGOON



10 FERN



06 CUMIN



03 CINDER



08 AMBER



07 SALMON



02 LATTE




09 RAISIN




05 STEEL


FUSHIN




11 MIDNIGHT



04 MIST




01 RIVER




10 MOSS



06 TURMERIC




03 ASH



08 RUST




07 CORAL



02 MOCHA



09 PLUM



05 IRON

SEKERS

WABI SABI

FLAME RESISTANCE:

Upholstery:	BS 7176: Medium Hazard BS 5852 Part 2 Ignition Source 5 (Crib 5) When tested over CMHR foam – density approx. 36 kg/m ³		
IMO:	IMO FTPC Part 8 (Upholstery)		
USA:	NFPA 260 Class 1 (UFAC) CAL 117/13		
Colour Match:	Colour may vary from one batch to another. If an exact match is required, please ask for a stock cutting.		
Composition:	100% Polyester		
Width:	138 cm		
Weight:	755 g/m ² (FR backcoated)		
Repeat:	Fushin	14.8cm V	35cm H
	Kinshuku	63.5cm V	35cm H
Martindale:	40,000		
Wyzenbeek:	50,000 double rubs (cotton duck)		
Usage:	Severe Contract Upholstery		
Cleaning:			

ALL SALES AND SAMPLING ENQUIRIES TO:

Sekers Fabrics Limited
7a Nobel Road, Wester Gourdie Industrial Estate
Dundee, DD2 4UH

Sales Tel: +44 (0) 1946 517501 Sales Fax: +44 (0) 1946 517502

UK & Ireland Email: sales@sekers.co.uk Export Email: export@sekers.co.uk

Website: www.sekersfabrics.co.uk

BCFA
member



sekers

specify with confidence