

GALAXY


WIDE-WIDTH DRAPERY



TECHNICAL SPECIFICATION
SHEET

sekers

TECHNICAL INFORMATION



Fire Resistance

Drapery	BS 5867: Part 2, Type B B1 WITH THE EXCEPTION OF ACRUX
IMO:	IMO FTPC Part 7 (curtains) WITH THE EXCEPTION OF ACRUX
USA:	NFPA 701
Colour Match	Colour may vary from one fabric to another. If an exact match is required, please ask for a stock cutting.
Composition	Acrux: 84% Recycled Polyester 16% Polyester Aster: 92% Recycled Polyester 8% Polyester
Width	Acrux: 306 cm Aster: 313 cm
Weight	Acrux: 191 g/m2 Aster: 140 g/m2
Usage	 Contract Curtains
Cleaning	Acrux:      Aster:     
Fabric Direction	This collection is designed to be used with the width forming the drop. This avoids unnecessary seaming.
Delivery	Fabric will be delivered folded half width on rolls.



WWW.SEKERSFABRICS.CO.UK

Tel: +44 (0)1946 517 501

Sales: sales@sekers.co.uk

Export: export@sekers.co.uk

Head Office
7A Nobel Rd
Wester Gourdie Industrial Estate
Dundee
DD2 4UH